

# The use of topical antibacterial skin ointment (TASO) in the management of soft tissue wounds: A randomised controlled trial

<b>Submission date</b> 30/09/2005	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
<b>Registration date</b> 30/09/2005	<b>Overall study status</b> Completed	<input type="checkbox"/> Protocol
<b>Last Edited</b> 08/04/2014	<b>Condition category</b> Injury, Occupational Diseases, Poisoning	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Scientific

### Contact name

Mr Michael Bater

### Contact details

Maxillofacial Department  
Poole Hospital NHS Trust  
Longfleet Road  
Poole  
United Kingdom  
BH15 2JB

## Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N0186150989

# Study information

## Scientific Title

### Study objectives

Is there any improvement in wound healing or cosmesis by prescription of topical ointments following suture of soft tissue wounds?

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

Not provided at time of registration

### Study design

Randomised controlled trial

### Primary study design

Interventional

### Secondary study design

Randomised controlled trial

### Study setting(s)

Not specified

### Study type(s)

Not Specified

## Participant information sheet

### Health condition(s) or problem(s) studied

Injury, Occupational Diseases, Poisoning: Wound healing

### Interventions

Antibacterial ointment (TASO) vs placebo vs no ointment - A randomised controlled trial

### Intervention Type

Other

### Phase

Not Specified

### Primary outcome measure

At review for suture removal the wounds would be assessed for healing. At a subsequent review, the wound would be assessed for cosmesis. The groups would be compared and the best treatment modality ascertained.

### Secondary outcome measures

Not provided at time of registration

**Overall study start date**

30/04/2004

**Completion date**

30/04/2005

## **Eligibility**

**Key inclusion criteria**

Patients with facial lacerations requiring suture

**Participant type(s)**

Patient

**Age group**

Not Specified

**Sex**

Not Specified

**Target number of participants**

Not provided at time of registration

**Key exclusion criteria**

Not provided at time of registration

**Date of first enrolment**

30/04/2004

**Date of final enrolment**

30/04/2005

## **Locations**

**Countries of recruitment**

England

United Kingdom

**Study participating centre**

**Maxillofacial Department**

Poole

United Kingdom

BH15 2JB

# Sponsor information

## Organisation

Department of Health

## Sponsor details

Richmond House  
79 Whitehall  
London  
United Kingdom  
SW1A 2NL  
+44 (0)20 7307 2622  
dhmail@doh.gsi.org.uk

## Sponsor type

Government

## Website

<http://www.dh.gov.uk/Home/fs/en>

# Funder(s)

## Funder type

Government

## Funder Name

Poole Hospital NHS Trust (UK)

# Results and Publications

## Publication and dissemination plan

Not provided at time of registration

## Intention to publish date

## Individual participant data (IPD) sharing plan

## IPD sharing plan summary

Not provided at time of registration