IC-physician versus qualified IC-nurse-based interhospital critical care transport (IQ-transport) study

Submission date	Recruitment status No longer recruiting	Prospectively registered		
14/02/2006		☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
14/02/2006	Completed	[X] Results		
Last Edited	Condition category	Individual participant data		
12/05/2016	Other			

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr E.J. Lieshout, van

Contact details

Academic Medical Center (AMC)
Department of Intensive Care and Mobile Intensive Care Unit (MICU)
P.O. Box 22660
Amsterdam
Netherlands
1100 DD
+31 (0)20 5665043
e.j.vanlieshout@amc.nl

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

Study information

Scientific Title

IC-physician versus qualified IC-nurse-based interhospital critical care transport (IQ-transport) study

Acronym

IQ-transport study

Study objectives

Interhospital transport of IC-patients can be escorted solely by a registered IC-nurse.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Intensive Care (IC) patients

Interventions

Study strategies:

- 1. Transport will be performed by a physician-based team: an IC-trained physician will accompany a registered IC-nurse
- 2. Transport will be performed solely by a registered IC-nurse. In this strategy, an IC-physician is physically present during inter-hospital transport; however, the physician does not play any role in the treatment of patient until a formal request is made by the IC-nurse. In both strategies the ambulance crew is present.

Intervention Type

Other

Phase

Not Specified

Primary outcome measure

Incidence of critical events defined as:

1. Related to intensive care (lead disconnections, loss of battery power or any other technical equipment failure, airway loss requiring airway manipulation or reintubation, loss of any intravascular device, dislodgment of any thoracostomy tube, Foley catheter, or surgical drain) 2. Clinical deteriorations related to critical illness (death, decrease in arterial saturation of >10% for >10 min, undesired rise or fall in arterial blood pressure [systolic, diastolic or mean, defined as >20 mmHg from baseline for >10 min], hemorrhage or blood loss estimated to be >250 ml, new cardiac arrhythmias with associated hemodynamic deterioration or are generally accepted as requiring urgent therapy [occasional premature ventricular or atrial contractions were not considered significant], temperature fall below 36 degrees Celsius)

Secondary outcome measures

No secondary outcome measures

Overall study start date

01/02/2006

Completion date

01/02/2008

Eligibility

Key inclusion criteria

Consecutive IC-patients (>18 years of age) transported by the Mobile Intensive Care Unit, Academic Medical Center, University of Amsterdam.

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

300

Key exclusion criteria

IC-patients considered to be too instable to be transported without a physician as team member - one or more of the following criteria:

- 1. Pa02/Fi02 <100 with PEEP >15
- 2. Mean arterial pressure <60 mmHg despite adequate fluid therapy and inotropics (noradrenalin >0.35 kg/microg/min, dopamine >15 kg/microg/min)
- 3. Episode of resuscitation (chest compression or cardiac defibrillation) in 24 hours before interhospital transport

Date of first enrolment 01/02/2006

Date of final enrolment 01/02/2008

Locations

Countries of recruitmentNetherlands

Study participating centre
Academic Medical Center (AMC)
Amsterdam
Netherlands
1100 DD

Sponsor information

Organisation

Academic Medical Center (AMC), Mobile Intensive Care Unit (The Netherlands)

Sponsor details

Postbus 22660 Amsterdam Netherlands 1100 DD

Sponsor type

University/education

ROR

https://ror.org/03t4gr691

Funder(s)

Funder type

University/education

Funder Name

Academic Medical Center (AMC)

Alternative Name(s)

Academic Medical Center, AMC

Funding Body Type

Private sector organisation

Funding Body Subtype

Universities (academic only)

Location

Netherlands

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/07/2016		Yes	No