A study of MVA85A in healthy infants

Submission date	Recruitment status
29/09/2009	No longer recruiting
Registration date 05/10/2009	Overall study status Completed
Last Edited	Condition category
24/03/2016	Infections and Infestations

	Prospecti	vely	registe	ered
--	-----------	------	---------	------

- [] Protocol
- [] Statistical analysis plan
- [X] Results
- [] Individual participant data

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s) Scientific

Contact name Prof Greg Hussey

Contact details

Wolfson Pavilion, Level 3 Faculty of Health Sciences University of Cape Town Anzio Road, Observatory Cape Town South Africa 7925

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number NCT00953927

Secondary identifying numbers C-020-485/TB020; 084785

Study information

Scientific Title

Phase II double-blinded randomised controlled evaluation of MVA85A/AERAS-485 for safety, immunogenicity and prevention of tuberculosis in Bacillus Calmette-Guerin (BCG)-vaccinated, human immunodeficiency virus (HIV)-negative infants

Study objectives

This is a phase II double-blinded randomised controlled evaluation of safety, immunogenicity and efficacy of MVA85A/AERAS-485 in (Bacillus Calmette-Guerin) BCG vaccinated infants without tuberculosis or human immunodeficiency virus (HIV) infection.

Ethics approval required

Old ethics approval format

Ethics approval(s)

1. University of Cape Town Research Ethics Committee, 17/12/2008, ref: 291/2008

- 2. Oxford Tropical Research Ethics Committee, 23/07/2008, ref: 37-08
- 3. Chesapeake Institutional Review Board, 09/07/2008, ref: 598

Study design

Phase II double-blinded randomised controlled trial

Primary study design

Interventional

Secondary study design Randomised controlled trial

Study setting(s)

Other

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Tuberculosis

Interventions

MVA85A/AERAS-485 is a modified vaccinia virus Ankara expressing antigen 85A from Mycobacterium tuberculosis. Half of the subjects will receive a single intradermal vaccination of 1 x 10^8 pfu (plaque forming units) of MVA85A, the other half will receive a Candida skin test antigen (Candin) as a control. Follow up is for 18 - 24 months.

Intervention Type

Drug

Phase

Phase II/III

Drug/device/biological/vaccine name(s)

MVA85A/AERAS-485

Primary outcome measure

To evaluate the safety profile of MVA85A/AERAS-485 in BCG-vaccinated, HIV-negative infants. Adverse events are recorded 28 days post-vaccination and serious adverse events are recorded for the entire study period.

Secondary outcome measures

1. To evaluate the efficacy of the MVA85A/AERAS-485 vaccine compared to controls in prevention of tuberculosis, assessed at 18 to 24 months post-vaccination

2. To evaluate the immunogenicity of the MVA85A/AERAS-485 vaccine compared to controls as described by ex-vivo Elispot, flow cytometric intracellular cytokine staining or whole blood intracellular cytokine assay

3. To discover correlates of protection from tuberculosis in infants vaccinated with MVA85A /AERAS-485, assessed at 18 to 24 months post-vaccination

4. To evaluate the QuantiFERON conversion rate at final study assessment in MVA85A/AERAS-485 recipients compared to controls in subjects without a diagnosis of tuberculosis during the trial, assessed at 18 to 24 months post-vaccination

Overall study start date

13/07/2009

Completion date

12/07/2012

Eligibility

Key inclusion criteria

1. Age of 126 through 154 days on the day of randomisation (Study Day 0), either sex

2. Written informed consent obtained from the parents/guardian

3. Weight: by chart greater than 3rd percentile on Study Day 0

4. BCG vaccination within 7 days of birth

5. Generally good health confirmed by medical history and physical examination within 35 days prior to Study Day 0

6. Must have received age-appropriate doses of pneumococcal vaccine as recommended by the South African Department of Health but no injection within 28 day prior to Study Day 0

7. Ability to complete follow-up period of up to 728 days as required by the protocol

8. Completed simultaneous enrolment in the Aeras Vaccine Development Registry protocol

Participant type(s)

Patient

Age group Child

Lower age limit 126 Days

Upper age limit

154 Days

Sex

Both

Target number of participants

2784

Key exclusion criteria

- 1. Acute illness on Study Day 0
- 2. Fever greater than or equal to 37.5°C on Study Day 0
- 3. Evidence of significant active infection on Study Day 0
- 4. Received a EPI immunisation within 28 days prior to Study Day 0
- 5. Historical or virological evidence of individual or maternal human immunodeficiency virus (HIV-1) infection

6. History of allergic disease or reactions likely to be exacerbated by any component of the study vaccine

7. Previous medical history, or evidence, of an intercurrent illness that may compromise the safety of the infant in the study

8. Evidence of chronic hepatitis from any cause

9. History or evidence of any systemic disease on physical examination or any acute, chronic or intercurrent illness that, in the opinion of the investigator, may interfere with the evaluation of the safety or immunogenicity of the vaccine

10. History of or known tuberculosis or treatment for tuberculosis

11. Shared residence since birth with an individual with tuberculosis or on anti-tuberculosis treatment

Date of first enrolment

13/07/2009

Date of final enrolment

12/07/2012

Locations

Countries of recruitment South Africa

Study participating centre University of Cape Town Cape Town South Africa 7925

Sponsor information

Organisation Aeras Global TB Vaccine Foundation (USA)

Sponsor details 1405 Research Blvd. Rockville United States of America 20850

Industry **Website** http://www.aeras.org/home/home.php

ROR https://ror.org/015facm29

Funder(s)

Sponsor type

Funder type Charity

Funder Name Wellcome Trust - Strategic Award (ref: 084785)

Alternative Name(s)

Funding Body Type Private sector organisation

Funding Body Subtype International organizations

Location United Kingdom

Funder Name Aeras Global Tuberculosis Vaccine Foundation

Alternative Name(s) Aeras Global TB Vaccine Foundation

Funding Body Type

Private sector organisation

Funding Body Subtype

Other non-profit organizations

Location United States of America

Results and Publications

Publication and dissemination plan Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Basic results	See	12/12/2013		No	No