A prospective randomised study comparing lateral internal sphincterotomy with anal dilatation in the treatment of anal fissures.

Submission date	Recruitment status	Prospectively registered
30/09/2005	No longer recruiting	Protocol
Registration date	Overall study status	Statistical analysis plan
30/09/2005	Completed	Results
Last Edited	Condition category	Individual participant data
25/11/2013	Surgery	[] Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Mr Muzaffar Ahmad

Contact details

Northern Lincolnshire & Goole Hospitals NHS Trust Scunthorpe General Hospital Cliff Gardens Scunthorpe United Kingdom DN15 7BH

Additional identifiers

Protocol serial number N0084144571

Study information

Scientific Title

Study objectives

Are Lateral Internal Sphincterotomy (LIS) and Anal Dilatation for the treatment of anal fissures both acceptable procedures giving equal results?

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Prospective randomised study

Primary study design

Interventional

Study type(s)

Not Specified

Health condition(s) or problem(s) studied

Surgery: Anal fissure

Interventions

Patients diagnosed as having anal fissure who have been advised to have surgery for the same, and who have agreed to such advice and fulfil the inclusion criteria will be invited to take part in the study until sample size is achieved.

Lateral internal sphincterotomy vs anal dilatation

Intervention Type

Procedure/Surgery

Phase

Not Specified

Primary outcome(s)

- 1. The patient will be required to record all intake of Tramadol on the data collection sheet. The usage of as required medication would be used to calculate the difference in analgesic requirement between the two groups.
- 2. Anal incontinence will be assessed by the New St. Marks Score, extent of healing will be scored on a scale from 1 to 3, 1=no healing, 3=complete healing.
- 3. Pain scores on a numerical rating scale 0-10 will be collected from the patient as notes on day 1, day 5 and day 10.

Key secondary outcome(s))

Not provided at time of registration

Completion date

30/06/2004

Eligibility

Key inclusion criteria

Not provided at time of registration

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Not Specified

Sex

Not Specified

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

02/06/2003

Date of final enrolment

30/06/2004

Locations

Countries of recruitment

United Kingdom

England

Study participating centre Northern Lincolnshire & Goole Hospitals NHS Trust

Scunthorpe United Kingdom DN15 7BH

Sponsor information

Organisation

Department of Health

Funder(s)

Funder type

Government

Funder Name

Northern Lincolnshire and Goole Hospitals NHS Trust (UK), NHS R&D Support Funding

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration