

The effect of timing of the application of topical anaesthetic prior to rigid nasendoscopy

Submission date 29/09/2006	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 29/09/2006	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 08/12/2010	Condition category Surgery	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Mr David Pothier

Contact details
ENT
Royal United Hospital
B&NES
Bath
United Kingdom
BA1 3NG
+44 (0)1225 428331
David.Pothier@ruh-bath.swest.nhs.uk

Additional identifiers

Protocol serial number
N0212177261

Study information

Scientific Title

Study objectives

Is it best to wait one or ten minutes before performing nasendoscopy after the application of cophenylcaine?

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Not Specified

Health condition(s) or problem(s) studied

Nasendoscopy

Interventions

Quantitative, randomised controlled trial

Treatment 1: wait 1 minute

Treatment 2: wait 10 minutes

Intervention Type

Procedure/Surgery

Phase

Not Specified

Primary outcome(s)

Visual analogue scales of pain and discomfort for patients.

Key secondary outcome(s)

Not provided at time of registration

Completion date

01/09/2006

Eligibility**Key inclusion criteria**

Patients who, by the decision of the examining clinician, need to undergo examination of their nasal cavity using rigid nasendoscopy.

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Not Specified

Sex

Not Specified

Key exclusion criteria

1. Unable to provide informed consent
2. Patients in whom lignocaine or phenylphrine is contra indicated for medical reasons
3. Patients in whom only one nasal cavity or part of one cavity is to be examined

Date of first enrolment

01/03/2006

Date of final enrolment

01/09/2006

Locations**Countries of recruitment**

United Kingdom

England

Study participating centre

ENT

Bath

United Kingdom

BA1 3NG

Sponsor information**Organisation**

Record Provided by the NHSTCT Register - 2006 Update - Department of Health

Funder(s)**Funder type**

Government

Funder Name

Royal United Hospital Bath NHS Trust

Results and Publications

Individual participant data (IPD) sharing plan**IPD sharing plan summary**

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/03/2007		Yes	No