

# A randomised trial of on pump beating heart surgery and blood cardioplegia in patients with impaired left ventricular function using cardiac magnetic resonance imaging and biochemical markers

<b>Submission date</b> 24/10/2005	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 03/02/2006	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 04/07/2011	<b>Condition category</b> Circulatory System	<input type="checkbox"/> Individual participant data

**Plain English summary of protocol**  
Not provided at time of registration

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Prof David Taggart

**Contact details**  
Department of Cardiothoracic Surgery  
John Radcliffe Hospital  
Headington  
Oxford  
United Kingdom  
OX3 9DU  
+44 (0)1856 221121  
david.taggart@orh.nhs.uk

## Additional identifiers

**Protocol serial number**  
COREC 05/Q1603/42

# Study information

## Scientific Title

## Study objectives

Beating heart surgery in patients with poor ventricular function leads to improved early end systolic volume index as measured by cardiac magnetic resonance imaging (MRI).

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Ethics approval received from Central Office for Research Ethics Committees (COREC) (ref: 05/Q1603/42)

## Study design

Randomised controlled trial

## Primary study design

Interventional

## Study type(s)

Treatment

## Health condition(s) or problem(s) studied

Ischaemic heart disease

## Interventions

The trial involves comparing standard on pump warm blood cardioplegia coronary artery bypass grafting to a modified surgical technique where the patient undergoes beating heart surgery but is maintained on cardiopulmonary bypass to decompress the left ventricle.

## Intervention Type

Other

## Phase

Not Specified

## Primary outcome(s)

1. End systolic volume index
2. End diastolic volume index

## Key secondary outcome(s))

1. Hospital stay
2. Mortality
3. Creatine kinase myocardial bands (CKMB)
4. Troponin
5. Ventilation
6. Dialysis

- 7. Intra-aortic balloon pump (IABP) duration
- 8. Peak creatinine

**Completion date**

01/11/2007

## Eligibility

**Key inclusion criteria**

- 1. Ejection fraction less than 30%
- 2. Creatinine less than 170 µmol/l

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Adult

**Sex**

All

**Key exclusion criteria**

- 1. Contra-indications to MRI scanning
- 2. Claustrophobia

**Date of first enrolment**

01/11/2005

**Date of final enrolment**

01/11/2007

## Locations

**Countries of recruitment**

United Kingdom

England

**Study participating centre**

Department of Cardiothoracic Surgery

Oxford

United Kingdom

OX3 9DU

# Sponsor information

## Organisation

Oxford Radcliffe Hospitals NHS Trust (UK)

## ROR

<https://ror.org/03h2bh287>

# Funder(s)

## Funder type

Charity

## Funder Name

British Heart Foundation (BHF) (UK) (ref: PG/05/037)

## Alternative Name(s)

the\_bhf, The British Heart Foundation, BHF

## Funding Body Type

Private sector organisation

## Funding Body Subtype

Trusts, charities, foundations (both public and private)

## Location

United Kingdom

# Results and Publications

## Individual participant data (IPD) sharing plan

## IPD sharing plan summary

Not provided at time of registration

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	18/11/2008		Yes	No
<a href="#">Results article</a>	results	01/05/2011		Yes	No