

# Effect of an angiotensin receptor antagonist on cerebral blood flow, cerebral perfusion pressure, and systemic and peripheral haemodynamics in patients with acute stroke

<b>Submission date</b> 07/07/2008	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
<b>Registration date</b> 29/07/2008	<b>Overall study status</b> Completed	<input type="checkbox"/> Protocol
<b>Last Edited</b> 04/01/2019	<b>Condition category</b> Circulatory System	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

**Plain English summary of protocol**  
Not provided at time of registration

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Dr Gillian Sare

**Contact details**  
Division of Stroke Medicine  
Clinical Sciences Building  
City Hospital  
Nottingham  
United Kingdom  
NG5 1PB  
+44 (0)115 8231769  
abc@123.com

## Additional identifiers

**EudraCT/CTIS number**  
2006-005082-19

**IRAS number**

**ClinicalTrials.gov number**

**Secondary identifying numbers**

1.1

## **Study information**

### **Scientific Title**

Effect of an angiotensin receptor antagonist on cerebral blood flow, cerebral perfusion pressure, and systemic and peripheral haemodynamics in patients with acute stroke

### **Acronym**

TAST

### **Study objectives**

The hypothesis is that it is possible to lower blood pressure in hypertensive patients with acute stroke using telmisartan (an angiotensin receptor antagonist) without reducing cerebral blood flow.

### **Ethics approval required**

Old ethics approval format

### **Ethics approval(s)**

Ethics approval received from the UK National Research Ethics Service - committee LNR1 on the 11th December 2006 (ref: 06/Q2501/228)

### **Study design**

Single centre, interventional, randomised, double blind placebo controlled trial

### **Primary study design**

Interventional

### **Secondary study design**

Randomised controlled trial

### **Study setting(s)**

Hospital

### **Study type(s)**

Treatment

### **Participant information sheet**

Not available in web format, please use the contact details below to request a patient information sheet

### **Health condition(s) or problem(s) studied**

Hypertension in acute stroke

### **Interventions**

Telmisartan 80 mg once a day or matched placebo. The patients are in the trial for 90 days, and receive treatment for the whole period.

### **Intervention Type**

Drug

### **Phase**

Not Specified

### **Drug/device/biological/vaccine name(s)**

Telmisartan

### **Primary outcome measure**

Quantitative cerebral blood flow (xenon computed tomography [CT] figure) before and 1.5 hours after first treatment.

### **Secondary outcome measures**

1. Middle cerebral artery blood flow velocity (MCABFV) and pulsatility index (transcranial doppler [TCD])
2. Central blood pressure
3. Augmentation index (AI [applanation tonometry at carotid and radial arteries on ipsilateral side, SphygmoCor])
4. Peripheral blood pressure
5. Heart rate (Omron)

Measured at baseline, and 4.5 hours after first dose, day 4, 7 and 90 treatment.

### **Overall study start date**

01/07/2007

### **Completion date**

30/11/2009

## **Eligibility**

### **Key inclusion criteria**

1. Patients must have suffered ischaemic or haemorrhagic stroke
2. Patients must be 18 years of age or over, either sex
3. Onset date of stroke is less than 5 days
4. Systolic blood pressure (BP) greater than 140 mmHg

### **Participant type(s)**

Patient

### **Age group**

Adult

### **Lower age limit**

18 Years

**Sex**

Both

**Target number of participants**

34

**Key exclusion criteria**

1. Less than 18 years of age
2. Normotension or hypotension (systolic BP less than 140 mmHg)
3. Onset date more than 5 days
4. Coma (Scandinavian Stroke Scale [SSS] less than 4)
5. Patients who are of childbearing potential, pregnant or breastfeeding

**Date of first enrolment**

01/07/2007

**Date of final enrolment**

30/11/2009

**Locations****Countries of recruitment**

England

United Kingdom

**Study participating centre****Division of Stroke Medicine**

Nottingham

United Kingdom

NG5 1PB

**Sponsor information****Organisation**

University of Nottingham (UK)

**Sponsor details**

Research Innovation Department

University of Nottingham

Kings Meadow Campus

Nottingham

England

United Kingdom

NG7 2NR

+44 (0)115 9515792  
paul.cartledge@nottingham.ac.uk

**Sponsor type**  
University/education

**Website**  
<http://www.nottingham.ac.uk/>

**ROR**  
<https://ror.org/01ee9ar58>

## **Funder(s)**

**Funder type**  
Charity

**Funder Name**  
British Heart Foundation (BHF) (UK) (ref: PG/05/137/19999)

**Alternative Name(s)**  
the\_bhf, The British Heart Foundation, BHF

**Funding Body Type**  
Private sector organisation

**Funding Body Subtype**  
Trusts, charities, foundations (both public and private)

**Location**  
United Kingdom

## **Results and Publications**

**Publication and dissemination plan**  
Not provided at time of registration

**Intention to publish date**

**Individual participant data (IPD) sharing plan**

**IPD sharing plan summary**  
Not provided at time of registration

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	05/06/2013		Yes	No