A randomised study of Gemcitabine with Carboplatin versus Mitomycin, Vinblastine and Cisplatin (MVP) or Mitomycin C, Ifosfamide and Cisplatin (MIC) chemotherapy in inoperable advanced stage non-small cell lung cancer (NSCLC)

Submission date	Recruitment status	Prospectively registered
12/09/2003	No longer recruiting	☐ Protocol
Registration date	Overall study status	Statistical analysis plan
12/09/2003	Completed	[X] Results
Last Edited	Condition category	[] Individual participant data
05/10/2012	Cancer	

Plain English summary of protocol

http://cancerhelp.cancerresearchuk.org/trials/chemotherapy-in-nonsmall-cell-lung-cancergemcitabine-and-carboplatin-compared-to-mic

Contact information

Type(s)

Scientific

Contact name

Dr N Thatcher

Contact details

Medical Oncology Christie Hospital NHS Trust Wilmslow Road Withington Manchester United Kingdom M20 4BX +44 (0)161 446 3749

Additional identifiers

Protocol serial number

N0063072220

Study information

Scientific Title

Study objectives

The aim of the study is to compare the response rate, time to progression and the survival of patients randomised either to receive Gemcitabine with Carboplatin or MVP/MIC.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Cancer: Non small cell lung cancer

Interventions

Randomised, phase III, comparative trial.

Intervention Type

Drug

Phase

Phase III

Drug/device/biological/vaccine name(s)

Gemcitabine with Carboplatin versus Mitomycin, Vinblastine and Cisplatin (MVP) or Mitomycin C, Ifosfamide and Cisplatin (MIC)

Primary outcome(s)

survival

Key secondary outcome(s))

- 1. time to progression
- 2. response rates
- 3. evaluation of toxicity

- 4. disease-related symptoms
- 5. World Health Organization performance status
- 6. quality of life

Completion date

01/11/2001

Eligibility

Key inclusion criteria

- 1. NHS patients with pathologically confirmed NSCLC, stage IIIa, IIIb, or IV
- 2. ineligible for curative radical radiotherapy or surgery after discussion in a multidisciplinary team setting comprised of at least a chest physician, a surgeon, and an oncologist
- 3. no previous chemotherapy
- 4. age older than 18 years
- 5. life expectancy of at least 12 weeks
- 6. adequate bone marrow reserve (leukocyte count > 3×10^9 /L, platelet count > 100×10^9 /L, and hemoglobin > 100 g/dL)
- 7. creatinine clearance > 60 mL/minute
- 8. adequate birth-control measures

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

- 1. active infection
- 2. bony disease as the only measurable disease
- 3. prior radiotherapy to the sole site of assessable disease
- 4. inadequate renal or hepatic function
- 5. serious comorbidity
- 6. other malignancy (except in situ carcinoma of the cervix or adequately treated basal cell carcinoma of the skin)
- 7. peripheral neuropathy Grade > 2
- 8. significant neurologic or psychiatric disorder
- 9. symptomatic brain metastases

Date of first enrolment

01/04/1998

Date of final enrolment 01/11/2001

Locations

Countries of recruitment

United Kingdom

England

Study participating centre Medical Oncology Manchester

Manchester United Kingdom M20 4BX

Sponsor information

Organisation

Department of Health (UK)

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

Christie Hospital NHS Trust (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type

Results article01/08/2003YesNoParticipant information sheetParticipant information sheet11/11/202511/11/2025NoYes