# Reducing self-harm in a clinical sample using IF-THEN plans

Submission date	<b>Recruitment status</b> Stopped	Prospectively registered		
27/01/2021		☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
27/01/2021	Stopped	Results		
Last Edited	<b>Condition category</b> Mental and Behavioural Disorders	Individual participant data		
27/01/2021		<ul><li>Record updated in last year</li></ul>		

## Plain English summary of protocol

Background and study aims

Nearly 800,000 people die from suicide each year and a history of self-harm has been identified as a key predictor. Implementation intentions (IMPs) have recently shown promise in the reduction of self-harm behaviour. An area worthy of investigation is the cognitive abilities of self-harm patients. Theoretically cognitive abilities are essential for enabling IMPs to change behaviour and it is also known that there is substantial variation in cognitive abilities within samples of self-harm patients. The aim of this study is to test implementation intentions and identify key cognitive abilities that distinguish between those who successfully change their behaviour following an IMP intervention and those who do not. This study aims to:

1. Test the extent to which making implementation intentions reduce self-harm in the longer-term (3 months post-intervention) using objective outcomes (hospital readmission rates) in addition to self-reported outcomes (e.g., situation-specific self-harm behaviour)

2. Explore the profiles of cognitive abilities within self-harm patients and identify which are likely to help explain why making implementation intentions reduce self-harm and suicide outcomes for some patients but not others.

# Who can participate?

Adults aged 18 and above who have been admitted to Forth Valley Royal hospital and referred to the Mental Health Unit following an incident of self-harm

#### What does the study involve?

All participants will receive treatment as usual before participating in the study. Participants will be asked to complete a questionnaire answering questions about current and previous self-harm, their psychological well-being and their motivation to stop self-harm. Following this, participants will be randomly allocated to one of three groups.

1. Implementation intentions: Participants in this group will complete a volitional help sheet (i.e., form implementation intentions) with the PhD researcher able to help if required. The volitional help sheet will present participants with 20 situations which might tempt them to self-harm (e. g., If I am tempted to self-harm when I want to get relief from a terrible state of mind) and 20 strategies they could use to overcome this temptation (e.g., Then I will recall all that I know about the dangers of self-harming). Participants are asked to draw a line from a situation to a strategy and can make a maximum of four situation and strategy pairs. The implementation

intentions intervention will require 5 to 10 minutes.

2. Implementation intentions plus reinforcement: Participants in this intervention group will complete the volitional help sheet (i.e., form implementation intentions) the same way as outlined above for the implementation intentions group, with the PhD researcher able to help if required. In addition, after the cognitive abilities have been measured, participants in this group will be asked if they can recall the implementation intentions they made earlier in the session. The implementation intentions intervention and the reinforcement task will require 15 minutes. 3. Control: Participants in the control group will be shown the situations from the volitional help sheet and asked to tick the four they think would tempt them to engage in self-harm in the next 3 months only. The control intervention will require 5 minutes.

In all groups cognitive ability will then be measured. Additionally, the participants allocated to the implementation intentions plus reinforcement will complete the reinforcement task after the cognitive ability measures have been taken. After 3 months, participants are asked to complete a questionnaire to see if the intervention has reduced their self-reported self-harm behaviour and hospital records will be accessed to see if the intervention has reduced readmission to hospital self-harm.

What are the possible benefits and risks of participating? There are no expected risks for participants. Participants might find the study beneficial in helping them reduce future self-harm.

Where is the study run from? Forth Valley Royal Hospital (UK)

When is the study starting and how long is it expected to run for? November 2017 to May 2021

Who is funding the study? Economic and Social Research Council (UK)

Who is the main contact? 1. Dr Susan Rasmussen s.a.rasmussen@strath.ac.uk 2. Abigail Paterson abigail.paterson@strath.ac.uk

# Contact information

# Type(s)

Scientific

#### Contact name

Dr Susan Rasmussen

#### Contact details

School of Psychological Sciences and Health University of Strathclyde Graham Hills Building 40 George Street Glasgow United Kingdom

G1 1QE +44 (0)141 548 2575 s.a.rasmussen@strath.ac.uk

# Type(s)

**Public** 

#### Contact name

Miss Abigail Paterson

#### Contact details

School of Psychological Sciences and Health University of Strathclyde Graham Hills Building 40 George Street Glasgow United Kingdom G1 1QE +44 (0)141 548 2700 abigail.paterson@strath.ac.uk

# Additional identifiers

#### Clinical Trials Information System (CTIS)

Nil known

# Integrated Research Application System (IRAS)

261036

## ClinicalTrials.gov (NCT)

Nil known

#### Protocol serial number

IRAS 261036

# Study information

#### Scientific Title

Testing the effectiveness of an implementation intentions intervention to reduce self-harm in a clinical sample and testing the moderating effects of cognitive abilities

# Study objectives

- 1. The two conditions which include the completion of volitional help sheets (implementation intentions and implementation intentions plus reinforcement) will reduce the frequency of self-harm at three months post-intervention for (i) self-reported self-harm and (ii) readmission to hospital for self-harm compared to the control condition.
- 2. The implementation intentions and implementation intentions plus reinforcement conditions will be most effective in reducing self-harm behaviour for individuals who report greater ability in cognitive outcomes at baseline.

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

- 1. Approved 11/11/2019, North of Scotland Research Ethics Committee 2 (2 Eday Road, Aberdeen, Summerfield House, Scotland, AB15 6RE, UK; +44 (0)1244 558 503; gram.nores@nhs.scot), REC ref: 19/NS/0151
- 2. Approved 13/11/2019, University of Strathclyde Ethics Committee (Research & Knowledge Exchange Services, University of Strathclyde, Graham Hills Building, 50 George Street, Glasgow, G1 1QE, UK; +44 (0)141 548 3707; ethics@strath.ac.uk), ref: not applicable

#### Study design

Single-centre three-arm randomized controlled study

#### Primary study design

Interventional

### Study type(s)

Prevention

#### Health condition(s) or problem(s) studied

Self-harm (self-injury or self-poisoning irrespective of the motivation)

#### **Interventions**

At baseline, all participants will receive treatment as usual and complete a questionnaire measuring standard demographic information, current and previous self-harm, psychological well-being, and motivation to self-harm.

Following this, participants will be randomised to one of three conditions. Participants will be randomised using a random number generator (an online integer generator was chosen for the study to ensure randomisation across conditions was equal).

- 1. Implementation intentions: Participants in this intervention group will complete a volitional help sheet (i.e., form implementation intentions) with the PhD researcher able to help if required. The volitional help sheet will present participants with twenty situations which might tempt them to self-harm (e.g., If I am tempted to self-harm when I want to get relief from a terrible state of mind) and twenty strategies they could use to overcome this temptation (e.g., Then I will recall all that I know about the dangers of self-harming). Participants are asked to draw a line from a situation to a strategy and can make a maximum of four situation and strategy pairs. The implementation intentions intervention will require 5 to 10 minutes.

  2. Implementation intentions plus reinforcement: Participants in this intervention group will complete the volitional help sheet (i.e., form implementation intentions) the same way as outlined above, for the implementation intentions group, with the PhD researcher able to help if required. In addition, after the cognitive abilities have been measured, participants in this condition will be asked if they can recall the implementation intentions they made earlier in the session. The implementation intentions intervention and the reinforcement task will require 15 minutes.
- 3. Control intervention: Participants in the control intervention will be shown the situations from the volitional help sheet and asked to tick the four they think would tempt them to engage in self-harm in the next 3 months only. The control intervention will require 5 minutes.

Three months later all participants will be invited to complete the follow-up questionnaire.

#### Intervention Type

Behavioural

## Primary outcome(s)

- 1. Self-reported self-harm behaviour overall and in critical situations measured using 9-point Likert scales at baseline and 3 months post-intervention
- 2. Re-admission to hospital for self-harm measured in weeks/months and collected from the patient's medical files on the basis that their permission has been obtained to do so during the informed consent process. This information will be collected at 3 months post-intervention.

#### Key secondary outcome(s))

- 1. Working memory measured using the List Sorting Test at baseline
- 2. Episodic memory measured using the Picture Sequence Memory Test at baseline
- 3. Executive function measured using the Flanker Test at baseline
- 4. Processing speed measured using the Pattern Comparison Processing Speed Task at baseline
- 5. Prospective memory measured using two event-based prospective memory items from the Royal Prince Albert Prospective Memory Test and the Prospective Retrospective Memory Questionnaire at baseline

#### Completion date

22/05/2021

# Reason abandoned (if study stopped)

Participant recruitment issue

# **Eligibility**

### Key inclusion criteria

- 1. Aged 18 years and over, no upper age limit
- 2. Admitted to Forth Valley Royal Hospital and referred to the mental health unit for self-harm

#### Participant type(s)

Patient

### Healthy volunteers allowed

No

#### Age group

Adult

#### Lower age limit

18 years

#### Sex

All

#### Key exclusion criteria

- 1. Those who do not provide informed consent
- 2. Those who are unable to provide informed consent
- 3. Those not deemed medically fit to interview

- 4. Those who do not use English as a first language
- 5. Those who cannot provide follow-up contact information (as the intervention involves a telephone follow-up interview 3 months later)
- 6. Those who do not have normal or corrected to normal vision
- 7. Those who are participating in other research in Forth Valley
- 8. Those who present to an emergency department but are subsequently discharged without referral to the mental health unit at Forth Valley Royal Hospital
- 9. Those who are admitted to hospital for self-harm which is the result of excessive alcohol consumption or recreational drugs, mismanagement of a physical health condition, body piercing or starvation arising from anorexia nervosa

# Date of first enrolment 31/01/2020

Date of final enrolment 03/02/2021

# Locations

# **Countries of recruitment**United Kingdom

Scotland

Study participating centre
Forth Valley Royal Hospital
Mental Health Unit
Forth Valley Royal Hospital
Stirling Road
Larbert
Falkirk
United Kingdom
FK5 4WR

# Sponsor information

# Organisation

University of Strathclyde

#### **ROR**

https://ror.org/00n3w3b69

# Funder(s)

#### Funder type

Research council

#### Funder Name

Economic and Social Research Council

#### Alternative Name(s)

Economic and Social Research Council (ESRC), ESRC

#### **Funding Body Type**

Government organisation

### **Funding Body Subtype**

National government

#### Location

**United Kingdom** 

# **Results and Publications**

## Individual participant data (IPD) sharing plan

Anonymous participant raw data was planned to be stored on the UK Data Service repository as permission to do so was provided during the informed consent process. The UK Data Service was chosen as it is the service provided for researchers who receive ESRC funding. Data is stored indefinitely in this repository.

The study was abandoned due to recruitment being suspended from March 2020 because of COVID-19. The study will now be reported as a feasibility pilot study only with a view to assess the procedure and methods that were employed and how well they worked. As a result, the data will no longer be stored in a data repository as it is incomplete.

# IPD sharing plan summary

Not expected to be made available

# Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
HRA research summary			28/06/2023	No	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes