

Functional outcome following arthroscopic versus open shoulder stabilisation

Submission date 12/09/2003	Recruitment status Stopped	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 12/09/2003	Overall study status Stopped	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 10/02/2011	Condition category Musculoskeletal Diseases	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Mr AL Wallace

Contact details

Orthopaedic & Trauma Surgery
Imperial College of Medicine
Charing Cross Hospital
Fulham Palace Road
London
United Kingdom
W6 8RF
+44 (0)20 8846 1479
andrew.wallace@ic.ac.uk

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N0016089960

Study information

Scientific Title

Study objectives

1. Is the functional outcome of arthroscopic stabilisation as good as, or superior to, conventional open stabilisation?
2. What is the pathological basis for the relatively poorer results in patients with atraumatic instability?

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised prospective clinical controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Arthroscopic stabilisation

Interventions

Patients are randomised to:

1. Arthroscopic shoulder stabilisation
2. Open shoulder stabilisation

Intervention Type

Other

Phase

Not Specified

Primary outcome measure

Comparison of both types of surgery. Dissemination of results.

Secondary outcome measures

Not provided at time of registration

Overall study start date

01/04/1999

Completion date

31/03/2006

Reason abandoned (if study stopped)

Lack of participants and funding

Eligibility

Key inclusion criteria

100 orthopaedic patients from Charing Cross Hospital.

Participant type(s)

Patient

Age group

Not Specified

Sex

Not Specified

Target number of participants

100

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/04/1999

Date of final enrolment

31/03/2006

Locations

Countries of recruitment

England

United Kingdom

Study participating centre

Orthopaedic & Trauma Surgery

London

United Kingdom

W6 8RF

Sponsor information

Organisation

Department of Health (UK)

Sponsor details

Richmond House

79 Whitehall

London

United Kingdom

SW1A 2NL

Sponsor type

Government

Website

<http://www.doh.gov.uk>

Funder(s)

Funder type

Government

Funder Name

Hammersmith Hospital NHS Trust (UK)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration