# A trial of a virtual ward programme for patients with acute exacerbations of respiratory disease

Submission date	Recruitment status	Prospectively registered
16/10/2025	Recruiting	☐ Protocol
Registration date	Overall study status	Statistical analysis plan
24/11/2025	Ongoing	Results
Last Edited	Condition category	Individual participant data
	Respiratory	[X] Record updated in last year

#### Plain English summary of protocol

Background and study aims

This study is looking at a new way of caring for people with a lung condition called COPD (Chronic Obstructive Pulmonary Disease). Instead of staying in hospital, some patients may be able to receive hospital-level care in their own homes through a service called a "virtual ward". This is made possible by new digital technologies that allow doctors and nurses to monitor patients remotely and stay in touch with them. The aim is to see whether this approach can help free up hospital beds and improve patient experience, while still providing safe and effective care. The study will also look at how well the virtual ward programme works when it is introduced across the Birmingham and Solihull area.

#### Who can participate?

Patients with COPD who are referred through different parts of the healthcare system—such as their GP, hospital teams, or community health services—may be eligible to take part. Participation will depend on when their GP practice becomes part of the study.

#### What does the study involve?

If a patient is eligible, they may be offered care through the virtual ward programme. This means they will receive support and monitoring at home instead of staying in hospital. Clinical staff will stay in contact with them remotely using digital tools. The study will use information from routine healthcare records to understand how the programme affects patient care and outcomes. Patients do not need to do anything extra to take part.

#### What are the possible benefits and risks of participating?

Being cared for at home may be more comfortable and convenient for patients, and could help reduce time spent in hospital. The study will help researchers understand whether this approach is safe and effective. As with any healthcare service, there may be risks, such as needing to return to hospital if a patient's condition worsens. All care will continue to be provided by trained clinical staff.

Where is the study run from? University of Birmingham (UK)

When is the study starting and how long is it expected to run for? October 2025 to March 2027.

Who is funding the study? Trial's existence confirmed by the National Institute for Health and Care Research (NIHR) (UK).

Who is the main contact? s.m.choudhury.1@bham.ac.uk s.i.watson@bham.ac.uk

# Contact information

#### Type(s)

Public

#### Contact name

Mrs Sopna Choudhury

#### **ORCID ID**

https://orcid.org/0000-0001-5017-6977

#### Contact details

Room 117
Murray Learning Centre
University of Birmingham
Edgbaston
Birmingham
United Kingdom
B15 2TT
+44 1214147864
s.m.choudhury.1@bham.ac.uk

#### Type(s)

Scientific, Principal investigator

#### Contact name

**Prof Samuel Watson** 

#### **ORCID ID**

https://orcid.org/0000-0002-8972-769X

#### Contact details

Murray Learning Centre University of Birmingham Edgbaston Birmingham United Kingdom B15 2TT +44 7502457817 s.i.watson@bham.ac.uk

# Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

NIHR174496

# Study information

#### Scientific Title

A stepped-wedge cluster randomized trial of a virtual ward programme for patients with acute exacerbations of respiratory disease: the BRIDGE study

#### **Acronym**

**BRIDGE** 

#### **Study objectives**

The objective of this project is to evaluate the effectiveness and implementation of the new service incorporating virtual wards (the intervention) versus the usual care system with no virtual ward care (the control) for patients with COPD experiencing an acute exacerbation. The primary trial aims are:

- 1. [Implementation] To estimate the average difference in total inpatient bed days per 1,000 patient-months for patients with COPD in the intervention versus usual care.
- 2. [Effectiveness] To estimate the average difference in risk of readmission (to hospital or virtual ward) within 30 days in the intervention versus usual care pathways.

The primary implementation outcome captures changes to both volumes of referrals and the lengths of stay of those referrals and is critical for informative economic evaluation at the system level. The primary effectiveness aim considers the health outcomes of patients. If the intervention functions as desired then the intervention should be non-inferior to usual care for both of these outcomes. Any benefits of the intervention should then be evident in terms of cost-effectiveness, patient and clinician experience, and equity outcomes. The secondary trial aims are therefore:

- 3. To estimate the average difference, among those with an acute COPD exacerbation referred from clinics with access to a virtual ward system compared to standard of care, in:
- a. [Effectiveness] Risk of mortality within 30 days;
- b. [Effectiveness/Implementation] Outpatient primary care consultation rate;
- c. [Implementation] The prescribing volume during an inpatient stay;
- 4. To estimate differences in effectiveness and implementation between key patient groups, particularly by socioeconomic status and ethnicity.

## Ethics approval required

Ethics approval required

# Ethics approval(s)

notYetSubmitted, Ethics committee name not provided (Address not provided, City not provided, Zip/postal code not provided, United Kingdom; Telephone number not provided; Email not provided), ref: Reference number not provided

#### Study design

A pragmatic, stepped-wedge cluster randomized trial of a care pathway incorporating virtual ward care versus standard of care for COPD patients experiencing acute exacerbations. The clusters will be GP practices, which will be randomly allocated using a constrained randomization procedure.

#### Primary study design

Interventional

#### Study type(s)

Treatment

#### Health condition(s) or problem(s) studied

Chronic obstructive pulmonary disease (COPD)

#### **Interventions**

New service incorporating virtual wards (the intervention) versus the usual care system with no virtual ward care (the control) for patients with COPD experiencing an acute exacerbation.

This is virtual ward system that is going to be rolled out to COPD patients in the Birmingham area regardless of whether this study goes ahead. All GP practices in the study area (n=178) will serve as the clusters, which will be randomised to one of eleven trial sequences that will serve as the basis to expand eligibility to the intervention to patients in a random, staggered order between December 2025 and April 2027.

The random roll out order will be generated using covariate constrained randomisation scheme run by an independent statistician and then implemented by the service provider who will determine eligibility at the point of patient referral.

#### Intervention Type

Other

#### Primary outcome(s)

- 1. Total inpatient bed days per 1,000 patient-months for patients with COPD is measured using routine care data collected retrospectively at baseline and throughout the study period
- 2. Readmission to inpatient care either in hospital or virtual ward within 30 days is measured using routine care data collected retrospectively at baseline and within 30 days post-discharge

#### Key secondary outcome(s))

- 1. Risk of mortality within 30 days of a hospital admission is measured using routine care data collected retrospectively at baseline and within 30 days post-admission
- 2. Outpatient primary care consultations per 100 patient-months for patients with COPD is measured using routine care data collected retrospectively at baseline and throughout the study period
- 3. Number of antibiotic prescriptions per patient per week admitted to hospital or virtual ward is measured using routine care data collected retrospectively at baseline and throughout the study period

#### Completion date

18/05/2027

# **Eligibility**

#### Key inclusion criteria

All patients on the COPD register for each GP in the catchment area for the data analysis will be included in the study. The intervention is being rolled out in all GPs in BCHC so there are no other inclusion criteria.

#### Participant type(s)

Patient, Service user

#### Healthy volunteers allowed

No

#### Age group

Adult

#### Lower age limit

18 years

#### Sex

All

#### Key exclusion criteria

There are no exclusion criteria for either clusters or individuals. However, we provide a mechanism for patients to withdraw access to their data on request.

#### Date of first enrolment

01/11/2025

#### Date of final enrolment

31/03/2027

## Locations

#### Countries of recruitment

United Kingdom

England

# Study participating centre Birmingham Community Healthcare NHS Trust

Trust HQ3, Priestley Wharf, 20 Holt Street

Birmingham United Kingdom

**B7 4BN** 

# Sponsor information

#### Organisation

University of Birmingham

#### **ROR**

https://ror.org/03angcq70

# Funder(s)

#### Funder type

Government

#### **Funder Name**

National Institute for Health and Care Research

#### Alternative Name(s)

National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

#### **Funding Body Type**

Government organisation

#### **Funding Body Subtype**

National government

#### Location

United Kingdom

# **Results and Publications**

#### Individual participant data (IPD) sharing plan

**Details** 

The datasets generated during and/or analysed during the current study will be stored in a publicly available repository.

#### IPD sharing plan summary

Stored in publicly available repository

#### **Study outputs**

Output type
Participant information sheet

Date created Date added Peer reviewed? Patient-facing?

17/07/2025 07/11/2025 No