Study of aromatase inhibitors in women with potentially hormone responsive recurrent /metastatic gynaecological cancers

Submission date	Recruitment status No longer recruiting	Prospectively registered			
22/12/2011		☐ Protocol			
Registration date	Overall study status	Statistical analysis plan			
12/01/2012	Completed	Results			
Last Edited	Condition category	Individual participant data			
29/10/2020	Cancer	Record updated in last year			

Plain English summary of protocol

https://www.cancerresearchuk.org/about-cancer/find-a-clinical-trial/a-trial-anastrozole-hormone-receptor-positive-gynaecological-cancers-paragon

Contact information

Type(s)

Scientific

Contact name

Dr Richard Edmondson

Contact details

Northern Institute for Cancer Research Newcastle University Medical School Paul O'Gorman Building Framlington Way Newcastle upon Tyne United Kingdom NE2 4HH

Additional identifiers

Protocol serial number ANZGOG0903

Study information

Scientific Title

Phase II study of Aromatase inhibitors in women with potentially hormone Responsive recurrent /metastatic Gynaecological Neoplasms (PARaGoN)

Acronym

PARaGoN

Study objectives

Objective:

Determine clinical benefit rate by the proportion of patients experiencing either stable disease or response within 3 months of commencing treatment.

Ethics approval required

Old ethics approval format

Ethics approval(s)

NRES Committee North East - Newcastle & North Tyneside, 07 December 2011 ref: 11/NE/0214

Study design

Single arm prospective phase II study

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Hormone responsive recurrent/metastatic gynaecological neoplasms

Interventions

Patients will be eligible for the trial if they have hormone responsive recurrent /metastatic gynaecological cancer which is unlikely to be cured by standard treatment. To be considered for the trial the original tumour specimens will be re examined to ensure that they express the oestrogen receptor.

Patient will give written informed consent before enrollment, following enrollment all patients will be given a standard dose of the oral aromatase inhibitor anastrazole of 1mg per day. Patients will stay on treatment until progression or until 5 years after enrollment, whichever is the sooner.

Intervention Type

Other

Phase

Phase II

Primary outcome(s)

Clinical benefit rate determined by the proportion of patients experiencing either stable disease or response within 3 months of commencing treatment. This will be determined radiologically by RECIST v1.1 or CA125 of inhibin (depending on the specific tumour type).

Key secondary outcome(s))

Progression free survival: this will be determined radiologically by Response Evaluation Criteria in Solid tumours (RECIST v1.1) or CA125 tumour marker response or inhibin.

- 1. Response duration in each subgroup: this will be determined radiologically by RECIST v1.1 or CA125 or inhibin.
- 2. Quality of life (QOL): will be assessed in the study using EORTC QLQ-C30 core questionnaire and the Functional Assessment of Cancer Therapy Endocrine Symptoms subscale.
- 3.Toxicity: Proportion of patients experiencing grade 3 or 4 toxicities, adverse events will be graded according to National Cancer Institute Common Terminology Criteria for Adverse Events (NCI CTCAE) v4.0.

Completion date

31/12/2016

Eligibility

Key inclusion criteria

- 1. Patient with recurrent or metastatic gynaecological cancer. The specific subgroups are outlined below. All patients will have central review and analyses of oestrogen receptor /progesterone receptor (ER/PR) at a later date to confirm receptor status but entry to the study will be based on local hormone receptor analyses.
- 1.1. Epithelial ovarian cancer, primary peritoneal cancers and cancers of the fallopian fube
- 1.2. Endometrial cancer: patients that have measurable disease
- 1.3. Endometrial stromal sarcomas: patients that have measurable disease
- 1.4. Miscellaneous sarcomas: includes leimyosarcomas, adenosarcomas, carcinoasrcomas and undifferentiated sarcomas which have relapsed following standard treatment such as chemotherapy or patients in whom chemotherapy is not considered appropriate.
- 1.5. Granulosa cell tumours and other sex cord tumours: patients with measurable disease and /or elevated inhibin (total inhibin and/or inhibin B? level
- 1.6. UK centres will only enter patients to subgroups B-E of the study
- 2. All patients must have ER and/or PR positive tumours by immunohistochemical evaluation based on the assessment at individual sites. Hormone receptor staining should be carried out on the original tumour. If not available, but the recurrent tumour is receptor positive, then these patients will be eligible.
- 3. Post menopausal as defined by:
- 3.1. Aged 60 or more, or
- 3.2. Age 45-59 and has amenorrhoea for at least 12 months and follicle-stimulating hormone (FSH) in postmenopausal range with an intact uterus, or having had a bilateral oophorectomy
- 4. Evaluable disease defined as
- 4.1. Measurable disease as per Response Evaluation Criteria In Solid Tumours (RECIST) v1.1, or
- 4.2. Cancer antigen 125 (CA125) as per GCIG criteria (for ovarian cancer subgroup) or
- 4.3. Elevated total inhibin and/or inhibin B (for granulosa cell sub-group)
- 5. Eastern Cooperative Oncology Group (ECOG) peformance status 0-2
- 6. Expected survival > 3 months

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

Female

Key exclusion criteria

Prior therapy with an aromatase inhibitor:

- 1. Patients receiving any hormone replacement therapy
- 2. Inability to comply with study procedures
- 3. Unable to give informed consent
- 4. Other active malignancy or primary malignancy diagnosed within the previous 5 years, except for treated squamous or basal cell carcinoma of skin or cervical carcinoma
- 5. Significant hepatic (bilirubin >2xULN) or renal dysfunction (creatinine>3x ULN)

Date of first enrolment

01/01/2011

Date of final enrolment

31/12/2016

Locations

Countries of recruitment

United Kingdom

England

Study participating centre
Northern Institute for Cancer Research

Newcastle upon Tyne United Kingdom NE2 4HH

Sponsor information

Organisation

NHS Greater Glasgow and Clyde (UK)

ROR

https://ror.org/05kdz4d87

Funder(s)

Funder type

Charity

Funder Name

Cancer Research UK (UK) ref: A12846

Alternative Name(s)

CR_UK, Cancer Research UK - London, Cancer Research UK (CRUK), CRUK

Funding Body Type

Private sector organisation

Funding Body Subtype

Other non-profit organizations

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
HRA research summary			28/06/2023		No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes
<u>Plain English results</u>			29/10/2020	No	Yes