

# Mechanisms of transiently impaired renal function during liver transplantation

<b>Submission date</b> 21/06/2008	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
<b>Registration date</b> 12/09/2008	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
<b>Last Edited</b> 12/09/2008	<b>Condition category</b> Urological and Genital Diseases	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

**Plain English summary of protocol**  
Not provided at time of registration

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Dr Eduardo Schiffer

**Contact details**  
Hopitaux Universitaires de Geneve  
24 Micheli-du-Crest  
Geneva  
Switzerland  
1211

## Additional identifiers

**EudraCT/CTIS number**

**IRAS number**

**ClinicalTrials.gov number**

**Secondary identifying numbers**  
CER 03-159; SHR 369-08

## Study information

**Scientific Title**

Renal function during the perioperative period of liver transplantation

### **Study objectives**

Hyperreninism is the major mediator of transient and acute anuria during the anhepatic phase of liver transplantation.

### **Ethics approval required**

Old ethics approval format

### **Ethics approval(s)**

Ethics Committee of the Geneva University Hospitals (Commission central d'éthique de la recherche sur l'être humain des HUG). Date of approval: 24/01/2004 (ref: CER 03-159)

### **Study design**

Observational, prospective, cross-sectional study

### **Primary study design**

Observational

### **Secondary study design**

Cross-section survey

### **Study setting(s)**

Hospital

### **Study type(s)**

Treatment

### **Participant information sheet**

### **Health condition(s) or problem(s) studied**

Liver transplantation

### **Interventions**

Observational study: Blood sampling for biologic assessment of renal function at the time of inclusion in the waiting list, at the time of anaesthesia induction on the day of liver transplantation, during the anhepatic phase, 24 hours later and finally at 6 months.

### **Intervention Type**

Other

### **Phase**

Not Specified

### **Primary outcome measure**

Renal function: plasma renin activity, assessed in all blood samples (see Interventions).

### **Secondary outcome measures**

The following were assessed in all blood samples (see Interventions):

1. Cystatin C
2. Natraemia

**Overall study start date**

01/08/2004

**Completion date**

01/01/2008

## **Eligibility**

**Key inclusion criteria**

1. Both males and females
2. Age 17-70 years
3. Patients scheduled for liver transplantation

**Participant type(s)**

Patient

**Age group**

Adult

**Sex**

Both

**Target number of participants**

30

**Key exclusion criteria**

Incapacity to comprehend the study protocol

**Date of first enrolment**

01/08/2004

**Date of final enrolment**

01/01/2008

## **Locations**

**Countries of recruitment**

Switzerland

**Study participating centre**

**Hopitaux Universitaires de Geneve**  
Geneva  
Switzerland  
1211

## **Sponsor information**

### **Organisation**

Geneva University Hospitals (Hôpitaux Universitaires de Genève) (Switzerland)

### **Sponsor details**

24 Micheli du Crest  
Geneva  
Switzerland  
1211

### **Sponsor type**

Hospital/treatment centre

### **Website**

<http://www.hug-ge.ch>

### **ROR**

<https://ror.org/01m1pv723>

## **Funder(s)**

### **Funder type**

Hospital/treatment centre

### **Funder Name**

Geneva University Hospitals (Hôpitaux Universitaires de Genève) (Switzerland)

## **Results and Publications**

### **Publication and dissemination plan**

Not provided at time of registration

### **Intention to publish date**

### **Individual participant data (IPD) sharing plan**

**IPD sharing plan summary**

Not provided at time of registration