

A prospective randomised double-blinded comparison of 0.125% and 0.0625% bupivacaine for the management of postoperative pain in patients undergoing major abdominal surgery.

Submission date 12/09/2003	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 12/09/2003	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 20/02/2020	Condition category Surgery	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Fiona Duncan

Contact details
Blackpool, Fylde and Wyre Hospitals NHS Trust
Blackpool
United Kingdom
FY3 8NR
+44 (0)1253 300000
abc@123.com

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N0301111200

Study information

Scientific Title

-

Study objectives

A comparison of two epidural infusion doses for post-operative pain relief and to explore the experience of patients who have undergone epidural pain management.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Signs and Symptoms: Post operative pain

Interventions

Randomised controlled trial and telephone interviews for patient centered phase

Intervention Type

Procedure/Surgery

Phase

Not Specified

Primary outcome measure

Pain relief response to therapy

Secondary outcome measures

Not provided at time of registration

Overall study start date

31/05/2002

Completion date

30/05/2003

Eligibility

Key inclusion criteria

86 patients undergoing major abdominal surgery nursed with epidural for postoperative pain relief, randomised to two groups

Participant type(s)

Patient

Age group

Not Specified

Sex

Not Specified

Target number of participants

86

Total final enrolment

100

Key exclusion criteria

Does not meet inclusion criteria

Date of first enrolment

31/05/2002

Date of final enrolment

30/05/2003

Locations

Countries of recruitment

England

United Kingdom

Study participating centre

Blackpool, Fylde and Wyre Hospitals NHS Trust
Blackpool
United Kingdom
FY3 8NR

Sponsor information

Organisation

Department of Health (UK)

Sponsor details

Richmond House
79 Whitehall
London
United Kingdom
SW1A 2NL

Sponsor type

Government

Website

<http://www.doh.gov.uk>

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

Blackpool Fylde & Wyre Hospitals NHS Trust (UK)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Other publications	Duncan F., Haigh C., Cupitt J., Vernon P., Marshall J., Nield A. . "A prospective randomized pragmatic double-blinded 0.125% and 0.0625% bupivacaine for the management of pain after operation in patients undergoing major abdominal surgery" Acute Pain, vol.7, No.2, pp.85-93 issn: 1366-0071	01/08/2005		Yes	No
Results article	results	01/08/2005		Yes	No