

Impact of a cognitive training program on executive functions and anxious symptomatology in older adults: a study in a mental health institution in Manizales

Submission date 03/09/2024	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 06/09/2024	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 06/09/2024	Condition category Mental and Behavioural Disorders	<input type="checkbox"/> Individual participant data
		<input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

This study focuses on individuals with mild cognitive impairment (MCI), a condition that can affect memory and other cognitive abilities. The objective of the research is to evaluate whether a computer-based cognitive training program can better improve thinking skills (executive functions) and reduce anxiety symptoms compared with a traditional cognitive training program.

Who can participate?

Men and women diagnosed with mild cognitive impairment

What does the study involve?

The study will compare two types of cognitive training: one conducted on a computer and another using traditional methods. Participants will be divided into two groups, one for each type of training, and the study will last for 12 weeks. During this time, their cognitive abilities and anxiety levels will be assessed at the beginning and end of the program to determine which type of training yields better results.

What are the potential benefits and risks of participating?

Participants may improve their cognitive abilities and experience reduced anxiety by the end of the study. The treatments pose no significant risks, although some participants may feel tired or frustrated during training sessions.

Where is the study run from?

Plenamente Comprehensive Mental Health IPS (Colombia)

When is the study starting and how long is it expected to run for?

July 2024 to March 2025

Who is funding the study?
Investigator initiated and funded

Who is the main contact?
1. María Alexandra Cardona Tangarife, macardonat30829@umanizales.edu.co,
alexacardonatangarife@gmail.com
2. Daniel Alfredo Landinez Martínez, dlandinez@umanizales.edu.co

Contact information

Type(s)
Public, Scientific, Principal Investigator

Contact name
Mrs María Alexandra Cardona Tangarife

ORCID ID
<http://orcid.org/0000-0001-6877-238X>

Contact details
carrera 9 N° 57 C1 58
Manizales
Colombia
170001
+57 (0)3146058597
macardonat30829@umanizales.edu.co

Type(s)
Public, Scientific, Principal Investigator

Contact name
Mr Daniel Alfredo Landinez Martínez

ORCID ID
<http://orcid.org/0000-0002-7265-5052>

Contact details
Carrera 9 N| 57 C1-58
Manizales
Colombia
170001
+57 (0)3102305063
dlandinez@umanizales.edu.co

Additional identifiers

EudraCT/CTIS number
Nil known

IRAS number

ClinicalTrials.gov number

Nil known

Secondary identifying numbers

CBE06_2024

Study information

Scientific Title

Effect of adapted computerized cognitive training on executive functions and anxiety symptoms, compared to a standard intervention in patients with mild neurocognitive disorder at a mental health institution in Manizales: a randomized clinical experimental study

Acronym

ECAM-TNL

Study objectives

H0: An adapted computerized cognitive training has the same effect on executive function tasks and anxiety symptoms as standard cognitive training in patients with mild neurocognitive disorder (MND) at Plenamente IPS Comprehensive Mental Health in the city of Manizales.

H1: An adapted computerized cognitive training has a greater effect on executive function tasks and anxiety symptoms than standard cognitive training in patients with MND at Plenamente IPS Comprehensive Mental Health in the city of Manizales.

Ethics approval required

Ethics approval required

Ethics approval(s)

Approved 08/08/2024, Bioethics Committee of the University of Manizales (Carrera 9 N° 19-03, Manizales, 170004, Colombia; +57 (0)8879680; info@umanizales.edu.co), ref: acta CBE06_2024

Study design

Randomized blinded longitudinal experimental clinical trial

Primary study design

Interventional

Secondary study design

Randomised parallel trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details to request a participant information sheet

Health condition(s) or problem(s) studied

Mild cognitive impairment

Interventions

The study will be conducted in the setting of the IPS Plenamente Comprehensive Mental Health using the diagnostic database of this institution. Participant selection will be rigorously carried out with predefined inclusion and exclusion criteria to ensure the homogeneity of the sample. The reason for the random allocation of participants to intervention groups is to ensure that any observed difference in the outcomes of executive functions and anxiety symptoms can be attributed to the interventions and not to confounding factors. Random allocation helps balance baseline characteristics between the groups, minimizing selection bias and enhancing the internal validity of the study. The use of an external and independent collaborator to perform random allocation using the Research Randomizer software (<https://www.randomizer.org>) ensures impartiality in the distribution of participants, allowing a fair and objective comparison of the intervention effects.

The Computerized Cognitive Training Group (Braining) will participate in 50-minute sessions, 2 days a week for 12 weeks, using the Braining program to enhance executive functions. The activities include specific tasks such as sequences of cubes, digits, and letters, focused on memory, attention, and recognition. The Traditional Cognitive Training Group will conduct 24 sessions divided into six phases, focusing on crossing out tasks, solving everyday situations, and practising cognitive strategies.

Intervention Type

Behavioural

Primary outcome measure

1. Working memory measured using the Working Memory Index of the WAIS-IV (subtests of Arithmetic and Digit Span), the Corsi Blocks test, the Alphabetical Ordering (trials 2 and 3) from the BANFE-2, and the Spatial Addition test from the WMS-IV at baseline and post-intervention
2. Cognitive flexibility measured using the Card Sorting from the BANFE-2 at baseline and post-intervention
3. Inhibitory control measured using the Stroop (Forms A and B) from the BANFE-2 at baseline and post-intervention

Secondary outcome measures

Severity of anxiety symptoms measured using the Beck Anxiety Inventory (BAI) at baseline and post-intervention

Overall study start date

01/07/2024

Completion date

30/03/2025

Eligibility

Key inclusion criteria

1. Diagnosis of MCI according to Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-5) criteria, with symptom onset within the last 2 years and diagnosed by the neuropsychology department at least 6 months prior to inclusion
2. Score on the Montreal Cognitive Assessment (MOCA) between ≥ 15.1 and ≤ 20.5
3. Preservation of complex instrumental activities of daily living with the possibility of using compensatory strategies according to a score of 8 on the Lawton and Brody scale
4. Preservation of basic activities of daily living with a Barthel Index score between 91 and 100, indicating "mild dependence" or "complete independence," sufficient for participation in the study
5. A minimum of 5 years of formal education
6. Mild anxiety symptoms according to the Beck Anxiety Inventory (BAI) score, between 8 and 15
7. Impairment in executive functions according to scores obtained in the study tests (Card Sorting from the BANFE-2: Standardized score ≤ 7 , Alphabetical Ordering from the BANFE-2 (trial 2 and 3): Standardized score ≤ 7 , Digit Retention from the WAIS-IV: Scaled scores ≤ 7 , Arithmetic from the WAIS-IV: Scaled scores ≤ 7 , Corsi Blocks: Scaled score ≤ 7 , Stroop Test Form A and B from the BANFE-2: Standardized score ≤ 7 , Working Memory Index from the WAIS-IV: Scores ≤ 85)
8. Sufficient visual and/or auditory acuity to perform neuropsychological tests

Participant type(s)

Patient

Age group

Senior

Lower age limit

50 Years

Upper age limit

79 Years

Sex

Both

Target number of participants

100

Key exclusion criteria

1. Associated neurological disorders
2. Scores on the Yesavage Geriatric Depression Scale (GDS-15) that do not indicate moderate to severe depressive symptoms (scores < 6)
3. Psychiatric comorbidity other than anxiety symptoms
4. History of addiction within the last 10 years
5. Receiving cognitive training during the last 6 months prior to starting participation in the study
6. Hospitalization in an Intermediate Care or Intensive Care Unit within the last year

Date of first enrolment

09/08/2024

Date of final enrolment

31/12/2024

Locations

Countries of recruitment

Colombia

Study participating centre

Plenamente salud mental integral IPS

-Calle 65 # 23B - 79, Av Lindsay

Manizales - Caldas

Colombia

170001

Sponsor information

Organisation

Universidad de Manizales

Sponsor details

Cra 9 a # 19-03

Manizales

Colombia

170001

+57 (0)887 96 80

doctoradopsicologia@umanizales.edu.co

Sponsor type

University/education

Website

<https://umanizales.edu.co/>

ROR

<https://ror.org/031n6w191>

Funder(s)

Funder type

Other

Funder Name

Investigator initiated and funded

Results and Publications

Publication and dissemination plan

Publication planned in a peer-reviewed journal

Intention to publish date

01/07/2025

Individual participant data (IPD) sharing plan

The datasets generated and/or analyzed during the current study will be available as a supplement to the publication of the results

IPD sharing plan summary

Published as a supplement to the results publication