

# Developing and evaluating interventions for adolescents with alcohol use disorders who present through emergency departments: randomised feasibility study and exploratory randomised controlled trial

<b>Submission date</b> 05/06/2014	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
<b>Registration date</b> 05/06/2014	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 13/06/2019	<b>Condition category</b> Mental and Behavioural Disorders	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

Alcohol is a major global threat to public health. Although the main burden of long-term alcohol-related disease is in adults, its foundations often lie in adolescence. Alcohol consumption and related harm increase steeply from the age of 12 until 20 years. Several studies focusing upon young people have reported significant positive effects of brief interventions on alcohol consumption. A recent assessment of reviews also suggests that electronic brief interventions (eBIs) using internet and smartphone technologies may also markedly reduce alcohol consumption. Interventions that target non-drinking youth are known to delay the onset of drinking behaviours. Web based alcohol interventions for adolescents also demonstrate significantly greater reductions in consumption and harm among 'high-risk' drinkers; however changes in risk status at follow-up for non-drinkers or low-risk drinkers have not been assessed in controlled trials of brief alcohol interventions. This study is made up of two parts and aims to look at the effectiveness and cost-effectiveness. The first part focus on high-risk adolescent drinkers attending Emergency Departments (ED) and the other will focus on those identified as low-risk drinkers or those who don't drink but attending the same ED.

### Who can participate?

Adolescents aged 14-18 who are high-risk drinkers attending an ED and low-risk or non-drinkers attending an ED.

### What does the study involve?

After agreeing to take part, participants are asked to fill out a questionnaire using an iPad. The questionnaire asks about their diet, the exercise they take, whether they smoke and whether they drink alcohol. The questionnaire also asks about their health in general and how often they use health and social services. The questionnaire takes less than 15 minutes to complete, but for most people it should take around 5 minutes. Participants can choose to skip past questions or

decide not to complete the questionnaire once they have started. The questionnaire is confidential and their answers are not be passed on to their parents/carers or doctors. Participants can complete it on their own, or ask for support from a member of the research team if something is not clear to them. Participants receive a £5 gift voucher for their time after completing the questionnaire. After they complete the questionnaire, some people are also be given some information about alcohol. Sometimes a researcher gives them this information and other times they might also be given information on a smartphone app. The information is given on the same day whilst they are in the Emergency Department and it takes no more than 15 minutes. Participants are contacted again two weeks later to ask them how they found taking part in the project. A member of the research team also contacts them to ask similar questions in 6 and 12-month time. This is either by phone or in person, depending on their preference. They receive a £5 gift voucher for their time after completing each follow up.

What are the possible benefits and risks of participating?  
There are no direct benefits or risks involved with participating.

Where is the study run from?  
St Thomas' Hospital and nine other NHS hospitals in England (UK)

When is the study starting and how long is it expected to run for?  
March 2014 to February 2017

Who is funding the study?  
National Institute for Health Research (UK)

Who is the main contact?  
Dr Paolo Deluca  
paolo.deluca@kcl.ac.uk

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Dr Paolo Deluca

**Contact details**  
Institute of Psychiatry  
Department of Psychology (PO77)  
16 De Crespigny Park  
London  
United Kingdom  
SE5 8AF  
+44 20 7848 0838  
paolo.deluca@kcl.ac.uk

## Additional identifiers

**EudraCT/CTIS number**

**IRAS number**

**ClinicalTrials.gov number**

**Secondary identifying numbers**

16780

## **Study information**

### **Scientific Title**

Developing and evaluating interventions for adolescents with alcohol use disorders who present through emergency departments: randomised feasibility study and exploratory randomised controlled trial

### **Acronym**

SIPS jr RCT

### **Study objectives**

The aim of this study is to:

1. Investigate the effectiveness and cost-effectiveness of alternative interventions in reducing alcohol consumption for high-risk alcohol using adolescents
2. Investigate the effectiveness and cost-effectiveness of alternative interventions in reducing the transition from low to high-risk alcohol consumption in low risk alcohol using adolescents

### **Ethics approval required**

Old ethics approval format

### **Ethics approval(s)**

NRES Committee London - Fulham, 06/08/2014, 14/LO/0721

Amendment approved: 25/08/2015

### **Study design**

Randomised; Interventional; Design type: Treatment

### **Primary study design**

Interventional

### **Secondary study design**

Randomised controlled trial

### **Study setting(s)**

Hospital

### **Study type(s)**

Treatment

### **Participant information sheet**

Not available in web format, please use the contact details below to request a patient information sheet

## **Health condition(s) or problem(s) studied**

Topic: Mental Health, Injuries and emergencies; Subtopic: Addictions, Injuries and Emergencies (all Subtopics); Disease: Addictions, Addictive Substances alcohol, Injuries and Emergencies

## **Interventions**

Screening and eBI: Following a simple feedback procedure participants will receive the eBI smartphone intervention. This is an offline-capable mobile web app which will work on a variety of platforms but will be optimised for recent iPhone and Android phones. It has been developed around the concept of a high street where users will be able to navigate/explore, learn facts and figures about alcohol and receive ongoing personalised feedback and support. Games components within the web app will include supporting a ; Screening and PFBA, Trained research assistants will be responsible for the delivery of the face-to-face brief advice that is tailored to high-risk alcohol users. The researcher will explain that the PFBA is designed specifically for young people who misuse alcohol and attend ED. Initially the research assistant will identify the young person as either a High or Low-risk alcohol user and discuss the risks associated with this or increasing levels of alcohol consumption (as indicated). The intervention will take 5 m; Screening only group (+TAU), To minimise possible intervention effects we will blind participants allocated to this study arm to the main aims of the trial. They will be told that the trial focuses on general health behaviours, including alcohol use. After agreeing to be followed up at 6 and 12 months patients will be then returned to the care of ED staff for usual care with no further interaction until the follow up stages.; Follow Up Length: 12 month(s); Study Entry : Single Randomisation only

## **Intervention Type**

Other

## **Phase**

Not Applicable

## **Primary outcome measure**

Primary outcome measure as of 12/10/2016:

Total alcohol consumed over the past 3 months, in standard units (1 unit = 8g ethanol), is assessed using the Alcohol Use Disorders Identification Test – Consumption version (AUDIT-C) at baseline 6 and 12 months.

Original primary outcome:

The Timeline Follow Back 28 days (TLFB28) interview at 12 months

## **Secondary outcome measures**

Secondary outcome measures as of 12/10/2016:

1. Percent days abstinent, drinks per drinking day and heavy episodic alcohol use will be measured using the AUDIT-C at baseline and then 6 and 12 months
2. High risk alcohol use will be measured using the Extended AUDIT-C questionnaire at baseline and then 6 and 12 months
3. Past year and lifetime alcohol use will be measured using question 19 from the ESPAD study at baseline and 12 months
4. The consequences associated with alcohol consumption will be measured using questions 21-22 from the ESPAD study at baseline and 12 months
5. General health and functioning will be measured using the Strengths and Difficulties Questionnaire measured at baseline and 12 months.
6. Health status will be measured using the EQ-5D-5L at baseline, 6 and 12 months

7. Service use including health and social services, school attendance and involvement in criminal justice will be measured using a bespoke version of the Client Service Receipt Inventory (CSRI) at baseline and then at 6 and 12 months

Original secondary outcome:

1. Economic outcome measures; Timepoint(s): Stage 2 will involve collecting data on the costs of the interventions together with data on use of
2. Process outcome measures; Timepoint(s): Expectancy will be measured using the ESPAD Question 21 (96), this will be assessed at baseline, pri;
3. Participants will also be asked questions about past year and lifetime alcohol use and the consequen

**Overall study start date**

01/03/2014

**Completion date**

28/02/2017

## Eligibility

**Key inclusion criteria**

1. Age 14 years or more and less than 18 years
2. Alert and orientated, able to speak English sufficiently well to complete the research assessment
3. Able and willing to provide informed consent to screening, intervention and follow-up
4. If under 16 Gillick competent or having a parent/guardian able and willing to provide informed consent
5. Owning a smartphone or alternatively having access to the internet at home

**Participant type(s)**

Patient

**Age group**

Child

**Lower age limit**

14 Years

**Upper age limit**

18 Years

**Sex**

Both

**Target number of participants**

Planned Sample Size: 1500; UK Sample Size: 1500

**Key exclusion criteria**

1. Severe injury
2. Suffering from serious mental health problem

3. Gross intoxication
4. Patient, parent or guardian unable or unwilling to provide informed consent (if under 16)
5. Specialist services involved because of social or psychological needs
6. Receiving, or having received in the past 6 months, treatment for an alcohol or substance use disorder
7. Current participation in other alcohol research

**Date of first enrolment**

08/10/2014

**Date of final enrolment**

31/08/2016

## **Locations**

**Countries of recruitment**

England

United Kingdom

**Study participating centre**

**St Thomas' Hospital**

Westminster Bridge Road

London

United Kingdom

SE1 7EH

**Study participating centre**

**King's College Hospital**

Denmark Hill

London

United Kingdom

SE5 9RS

**Study participating centre**

**Croydon Hospital**

530 London Road

Croydon

United Kingdom

CR7 7YE

**Study participating centre**

**Ealing Hospital**  
Uxbridge Road  
Southall  
United Kingdom  
UB1 3HW

**Study participating centre**  
**Hull Royal Infirmary**  
Anlaby Road  
Hull  
United Kingdom  
HU3 2JZ

**Study participating centre**  
**Darlington Memorial Hospital**  
Hollyhurst Road  
Darlington  
United Kingdom  
DL3 6HX

**Study participating centre**  
**Queen Elizabeth Hospital**  
Queen Elizabeth Avenue  
Gateshead  
United Kingdom  
NE9 6SX

**Study participating centre**  
**North Tees Hospital**  
Holdforth Road  
Hartlepool  
United Kingdom  
TS24 9AH

**Study participating centre**  
**South Tyneside District Hospital**  
Harton Lane  
South Shields  
United Kingdom  
NE34 0PL

**Study participating centre**  
**Sunderland Royal Hospital**  
Kayll Road  
Sunderland  
United Kingdom  
SR4 7TP

## Sponsor information

**Organisation**  
King's College London

**Sponsor details**  
National Nursing Research Unit  
London  
England  
United Kingdom  
SE5 8AF

**Sponsor type**  
University/education

**ROR**  
<https://ror.org/0220mzb33>

## Funder(s)

**Funder type**  
Government

**Funder Name**  
National Institute for Health Research

**Alternative Name(s)**  
National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

**Funding Body Type**  
Government organisation

**Funding Body Subtype**  
National government



**Location**  
United Kingdom

## Results and Publications

### Publication and dissemination plan

Planned publication in a high-impact peer reviewed journal by September 2017. Final report to NIHR to be submitted by March 2017 and to be published on the NIHR Journal Series.

### Intention to publish date

30/09/2017

### Individual participant data (IPD) sharing plan

The current data sharing plans for the current study are unknown and will be made available at a later date.

### IPD sharing plan summary

Data sharing statement to be made available at a later date

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Protocol article</a>	protocol	10/04/2015		Yes	No
<a href="#">Results article</a>	qualitative study results	12/06/2019	13/06/2019	Yes	No
<a href="#">HRA research summary</a>			26/07/2023	No	No