

# Validation of an instrument for measuring satisfaction of patients undergoing hemodialysis

<b>Submission date</b> 02/03/2017	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
<b>Registration date</b> 05/04/2017	<b>Overall study status</b> Completed	<input type="checkbox"/> Protocol
<b>Last Edited</b> 26/11/2020	<b>Condition category</b> Urological and Genital Diseases	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

Hemodialysis (commonly known as kidney dialysis) is a way to remove waste from the blood when the kidneys are unable to do it on their own. This involves having the blood in the body be passed through a tube to a machine that is able to filter the waste. The blood is then passed back to the patient through another tube. This is usually done around four times a week and takes around four hours each session. As patients spend a long time in dialysis, it is important that patients are happy with their healthcare. Patients' satisfaction can be an indicator of the quality of healthcare services. Measuring patient satisfaction involves developing and validating a complex instrument. The Scale for Evaluation of Hemodialysis Patient's Satisfaction with Service (ESUR-HD scale) was developed by nurses and nephrologist (kidney doctors) in four different regions of Colombia that looked at satisfaction with service, personnel, medication and supplies, facilities and processes and phone contact. The aim of this study is to develop and validate ESUR-HD scale provided at a chronic kidney disease unit to see how well it can measure patient's satisfaction with their care.

### Who can participate?

Adults over the age of 19 undergoing hemodialysis

### What does the study involve?

Participants who underwent hemodialysis are contacted by telephone and are asked questions about their care using the ESUR-HD scale. The ESUR-HD scale uses 44 items that are rated from one to five. Some participants are also evaluated using the SDIALOR scale (another scale for measuring patient satisfaction). These scores are compared. A group of participants are also re-surveyed two days after their first survey to see if the test is reliable. Some participants are re-surveyed one month after they have hemodialysis in a newer clinic with newer equipment, waiting rooms, spaces and expert staff to see if the scale is sensitive to change.

### What are the possible benefits and risks of participating?

There are no notable benefits or risks with participating.

Where is the study run from?  
Renal Therapy Services (RTS) (Colombia)

When is the study starting and how long is it expected to run for?  
January 2013 to December 2013

Who is funding the study?  
Renal Therapy Services (RTS) (Colombia)

Who is the main contact?  
Dr Mauricio Sanabria  
mauricio\_sanabria@baxter.com

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Dr Mauricio Sanabria

**ORCID ID**  
<http://orcid.org/0000-0002-5111-9832>

**Contact details**  
Renal Therapy Services (RTS) Colombia  
Transversal 23 #97-73 Piso 6  
Bogota  
Colombia  
110221  
+57 315 3663465  
mauricio\_sanabria@baxter.com

## Additional identifiers

**EudraCT/CTIS number**

**IRAS number**

**ClinicalTrials.gov number**

**Secondary identifying numbers**  
BHSR-D-16-00174

## Study information

**Scientific Title**  
Validation of an Instrument for Measuring Satisfaction of Patients Undergoing Hemodialysis:  
ESUR-HD

**Acronym**

ESUR - HD

**Study objectives**

The aim of this study is to evaluate the psychometric properties of the Scale for Evaluation of Hemodialysis Patients' Satisfaction with Service (Spanish acronym ESUR) when applied to patients with chronic renal disease receiving hemodialysis treatment in renal care units in Colombia.

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Renal Therapy Services Colombia Ethics Committee, 11/06/2013, ref: minutes 004

**Study design**

Observational cross-sectional study

**Primary study design**

Observational

**Secondary study design**

Cross sectional study

**Study setting(s)**

Other

**Study type(s)**

Other

**Participant information sheet**

Not available in web format, please use the contact details below to request a patient information sheet

**Health condition(s) or problem(s) studied**

Haemodialysis

**Interventions**

After conducting four focus groups that include three nurses, a nephrologist and two administrative employees in four different regions of Colombia that asked about patient satisfaction, a scale for evaluating patients' satisfaction with the renal services ESUR-HD was created. The focus group defined certain dimensions with patient satisfaction that include overall satisfaction with the services, personnel at the unit, medications and supplies, facilities and processes, and phone contact. The ESUR-HD scale uses 44 items that are rated from one to five using a Likert scale. The final score is obtained by non-weighted sum of the score given to each item (higher scores reflect increased patient satisfaction). The survey takes 15 minutes to complete.

Participants who underwent hemodialysis at the clinics in 2013 are contacted by telephone to participate in the ESUR-HD scale. In order to measure convergent validity, the SDIALOR scale is simultaneously applied in a smaller subgroup of patients. The SDIALOR scale consists of seven

domains (organisation of medical care, relationship between nephrologists and general practitioner, locational characteristics, accessibility, care provided by the health personnel, information provided by the doctor, problem solving, overall satisfaction). In order to test the reliability of the study a smaller sample of participants were re-surveyed two days after their initial assessment to consider the scale length. In order to establish the sensitivity to change, another smaller sample of participants are re-evaluated one month after using a new renal clinical within a hospital that includes remodelled spaces, waiting rooms, newer equipment, with more familiar, expert and dedicated healthcare staff.

**Intervention Type**

Other

**Primary outcome measure**

1. Convergent validity is assessed by comparing the correlation coefficients based on results of ESUR-HD and SDIALOR at baseline.
2. Test-retest reliability is measured using repeat surveys of ESUR-HD at baseline and day 2.
3. Sensitivity to change is assessed by comparing the ESUR- HD scale scores at baseline and one month after improved care conditions

**Secondary outcome measures**

No secondary outcome measures.

**Overall study start date**

01/01/2013

**Completion date**

01/12/2013

**Eligibility****Key inclusion criteria**

1. Adult patient undergoing hemodialysis
2. Colombian nationals
3. Speak Spanish
4. Aged 18 and older

**Participant type(s)**

Patient

**Age group**

Adult

**Lower age limit**

18 Years

**Sex**

Both

**Target number of participants**

370

**Total final enrolment**

370

**Key exclusion criteria**

1. Cognitive impairment, documented in the institutional clinical history, that prevents an adequate understanding of the questions contained in the instrument.
2. Sensory alterations, documented in the institutional clinical history, that prevent the patient from hearing the questions asked or responding to them in a telephone survey.

**Date of first enrolment**

01/06/2013

**Date of final enrolment**

01/09/2013

**Locations****Countries of recruitment**

Colombia

**Study participating centre**

**Renal Therapy Services (RTS) Colombia**

Transv 23 # 97-73

Sixth Floor

Bogotá

Colombia

110221

**Sponsor information****Organisation**

Renal Therapy Services (RTS) Colombia

**Sponsor details**

Transversal 23#97-73 Floor 6

Bogota

Colombia

110221

+57 315 366 3465

mauricio\_sanabria@baxter.com

**Sponsor type**

Other

**ROR**

## Funder(s)

### Funder type

Hospital/treatment centre

### Funder Name

Renal Therapy Services (RTS) Colombia

## Results and Publications

### Publication and dissemination plan

Planned publication in a peer-reviewed journal.

### Intention to publish date

31/12/2017

### Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from Mauricio Sanabria: mauricio\_sanabria@baxter.com.

### IPD sharing plan summary

Available on request

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	03/05/2017	26/11/2020	Yes	No