European trial of free light chain removal by extended haemodialysis in cast nephropathy

Prospectively registered Submission date Recruitment status 10/07/2007 No longer recruiting [X] Protocol [] Statistical analysis plan Registration date Overall study status 26/03/2008 Completed [X] Results Individual participant data **Last Edited** Condition category 19/03/2020 Cancer

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Colin Hutchison

Contact details

Queen Elizabeth Medical Centre Birmingham United Kingdom B15 2TH +44 (0)121 472 1311 c.a.hutchison@bham.ac.uk

Additional identifiers

EudraCT/CTIS number 2007-003968-22

IRAS number

ClinicalTrials.gov number

NCT00700531

Secondary identifying numbers

1.0

Study information

Scientific Title

European trial of free light chain removal by extended haemodialysis in cast nephropathy

Acronym

EuLITE

Study objectives

Free light removal by extended haemodialysis aids recovery of renal function in patients with cast nephropathy.

On 29/01/10 Denmark was added and Italy and Poland removed from the countries of recruitment. The overall trial end date was extended from 01/09/09 to 01/01/2012.

On 12/04/2011 the overall trial end date for this trial was extended from 01/01/2012 to 31/12/2014. Denmark was removed from the countries of recruitment.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Central Office for Research Ethics Committees (COREC), 04/02/2008, ref: 07/H1307/133

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Not specified

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Multiple myeloma, acute renal failure and cast nephropathy

Interventions

All patients will receive standardised chemotherapy (velcade based regime). At enrolment the patients are randomised to receive either standard dialysis or free light chain (FLC) removal haemodialysis. FLC removal HD is undertaken using the Gambro HCO 1100 dialyser. Dialysis

sessions are longer (8 hours versus 4 hours) and more frequent than the conventional dialysis received by the control arm. Standard dialysis (control arm) is that used for the management of patients with acute renal failure 4 hours, three times per week.

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Velcade-based chemotherapy

Primary outcome measure

Independence of haemodialysis, at three months from enrolment.

Secondary outcome measures

- 1. Investigation of the efficiency of extended haemodialysis (HD) using the Gambro HCO 1100 to result in sustained reductions in sFLC concentrations versus a standard dialysis at days 5, 12 and 21
- 2. Comparison of the duration of HD before renal recovery
- 3. Investigation of multiple myeloma response to chemotherapy and suitability for stem cell transplantation at monthly intervals
- 4. Mortality, using Kaplan-Meier analysis

Overall study start date

01/09/2007

Completion date

31/12/2014

Eligibility

Key inclusion criteria

- 1. Dialysis dependent acute renal failure (estimated glomerular filtration rate [eGFR] less than 15 ml/min/1.73 m^2)
- 2. Fulfils diagnostic criteria for the diagnosis of symptomatic de novo multiple myeloma
- 3. Abnormal serum free light chain (FLC) ratio
- 4. Myeloma kidney demonstrated on a renal biopsy (cast nephropathy)
- 5. Ability to give informed consent to partake in study
- 6. Aged 18 years or older, either sex

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

90

Key exclusion criteria

- 1. Known advanced chronic renal failure (chronic kidney disease [CKD] stage IV; eGFR less than 30 ml/min/1.73 m^2) or evidence of significant chronic damage on renal biopsy
- 2. Amyloidosis or light chain deposition disease on renal biopsy
- 3. Previous treatment of multiple myeloma with chemotherapy
- 4. Haemodynamic instability that precludes unsupported dialysis
- 5. Significant cardiac disease:
- 5.1. Myocardial infarction within six months
- 5.2. Unstable angina
- 5.3. New York Heart Association (NYHA) class III or IV heart failure
- 5.4. Clinically significant pericardial disease
- 5.5. Cardiac amyloidosis
- 6. Advanced disease or significant co-morbidity with poor short term prognosis, necessitating palliation and no active or disease specific treatment
- 7. Inability to give informed consent
- 8. History of allergic reaction to compounds containing boron or mannitol
- 9. History of peripheral neuropathy or neuropathic pain (grade two or higher)
- 10. Clinically significant liver dysfunction (bilirubin greater than 1.8 mg/dl [30 umol/L])
- 11. Known human immunodeficiency virus (HIV) infection
- 12. Active uncontrolled infection
- 13. Pregnant/lactating women

Date of first enrolment

01/09/2007

Date of final enrolment

31/12/2012

Locations

Countries of recruitment

England

Germany

United Kingdom

Study participating centre Queen Elizabeth Medical Centre

Birmingham United Kingdom B15 2TH

Sponsor information

Organisation

University Hospital Birmingham NHS Foundation Trust (UK)

Sponsor details

Queen Elizabeth Medical Centre Birmingham England United Kingdom B15 2TH

Sponsor type

Hospital/treatment centre

Website

http://www2.uhb.nhs.uk/Homepage.aspx

ROR

https://ror.org/014ja3n03

Funder(s)

Funder type

Industry

Funder Name

Gambro Dialysatoren GmbH (Germany) (ref: study number 1454)

Results and Publications

Publication and dissemination plan

2016 results presented at ASN Kidney Week 2016: https://www.asn-online.org/education/kidneyweek/2016/KW16_Onsite_Program.pdf

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<u>Protocol article</u>	protocol	28/09/2008		Yes	No
Results article	results	01/04/2019		Yes	No