Hyperbaric Oxygen Radiation Tissue Injury Study - VIII (Prophylaxis)

Submission date	Recruitment status No longer recruiting	Prospectively registered		
16/09/2008		☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
17/10/2008	Completed	[X] Results		
Last Edited	Condition category	[] Individual participant data		
17/01/2019	Cancer			

Plain English summary of protocol

Not provided at time of registration

Study website

http://www.baromedicalresearch.org/prophylaxis.asp

Contact information

Type(s)

Scientific

Contact name

Mr Richard Clarke

Contact details

Baromedical Research Foundation 5 Richland Medical Park Columbia United States of America 29203 +1 803 434 7101 dick.clarke@palmettohealth.org

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

NCT00134628

Secondary identifying numbers

N/A

Study information

Scientific Title

Hyperbaric Oxygen Radiation Tissue Injury Study - VIII (Prophylaxis)

Acronym

HORTIS - VIII

Study objectives

The principle objective of this research is to more precisely determine the degree of benefit that hyperbaric oxygen therapy affords in the treatment of late radiation tissue injury.

The study has eight components. Seven involve evaluation of established radionecrosis at varying anatomic sites (mandible, larynx, skin, bladder, rectum, colon, and GYN). This eighth study will investigate the potential of hyperbaric oxygen therapy to prophylax against late radiation tissue injury.

This study will also generate more precise Benchmarking data as to the complications associated with hyperbaric exposure, including incidence and degree of morbidity.

All HORTIS trials that have been registered with ISRCTN can be found at: https://www.isrctn.com/search?q=HORTIS

Ethics approval required

Old ethics approval format

Ethics approval(s)

The study was approved by the Palmetto Health, Richland IRB in 2002 (ref: 2002-17).

Study design

Double-blind randomised placebo-controlled multi-centre trial, with cross-over option

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details to request a patient information sheet

Health condition(s) or problem(s) studied

Radiation prophylaxis

Interventions

Patients will be initially randomized to receive either oxygen at 2.0 atmospheres absolute (ATA), or air at 1.0 ATA.

The therapeutic algorithm is personalized to each patient's degree of response at specific points during their course of hyperbaric exposure. The total number of exposures will vary from between 20 and 40.

Following a 30-day observation/"wash out" period, the allocation assignment will be opened. Patients randomized to the 1.0 ATA air group will be offered the opportunity to cross-over to the 2.0 ATA oxygen arm. The offer is mandatory, not so the requirement of the patient to cross-over. A therapeutic algorithm identical to the first randomization will be undertaken during any subsequent cross-over phase.

Intervention Type

Other

Phase

Not Specified

Primary outcome measure

The following will be assessed at pre-treatment, 3 and 6 months, 1, 2, 3, 4 and 5 years post-treatment:

- 1. Subjective Objective Signs Management and Analysis/Late Effect of Normal Tissue (SOMA /LENT) scores
- 2. Clinical evaluation

Secondary outcome measures

Quality of Life, assessed by the Expanded Prostate Cancer Index Composite (EPIC) questionnaire at pre-treatment, 3 and 6 months, 1, 2, 3, 4 and 5 years post-treatment.

Overall study start date

28/09/2001

Completion date

21/07/2012

Eligibility

Key inclusion criteria

- 1. Both males and females between the ages of 18 and 70 years
- 2. Patients whose cancer treatment included radiotherapy and who are at risk for post-operative healing complications, manifesting as one or more of the medical history or diagnostic criteria listed below:
- 2.1. High risk for radiation tissue injury/healing complications:
- 2.1.1. 5,000 cGy (50 Gray or 5,000 rads) radiotherapy and greater than 6 months from completion of radiotherapy

2.1.2. Tissue hypoxia (transcutaneous oximetry recorded below 40 mmHg within the previous radiation portal)

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

38

Key exclusion criteria

- 1. Pregnancy
- 2. Ulceration within the previously irradiated field/planned surgical site
- 3. Reactive airway disease
- 4. Radiographic evidence of pulmonary blebs or bullae
- 5. Untreated pneumothorax
- 6. Ejection fraction less than 35%
- 7. History of seizures (except childhood febrile seizures)
- 8. Cardiovascular instability
- 9. Mechanical ventilator support
- 10. Unable to follow simple commands
- 11. Not orientated to person, place, time
- 12. Participating as a subject in any other medical or biomedical research project (if previously involved as a subject, sufficient time must have elapsed to permit "wash out" of any investigational agent)

Date of first enrolment

28/09/2001

Date of final enrolment

21/07/2012

Locations

Countries of recruitment

Australia

Mexico

South Africa

Türkiye

Study participating centre
Baromedical Research Foundation
Columbia
United States of America
29203

Sponsor information

Organisation

Baromedical Research Foundation (USA)

Sponsor details

5 Richland Medical Park Columbia United States of America 29203 +1 803 434 7101 ktaylor@baromedicalresearch.org

Sponsor type

Research organisation

Website

http://www.baromedicalresearch.org

Funder(s)

Funder type

Industry

Funder Name

National Baromedical Services, Inc. (USA)

Funder Name

The Lotte and John Hecht Memorial Foundation (Canada)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/09/2008	17/01/2019	Yes	No