Randomised Comparison of Cyclical Anthracycline-Based Chemotherapy [PA(BI)OE] with Alternating Chemotherapy [ChlVPP /PABIOE] in Advanced Hodgkin's Disease

Submission date	Recruitment status	Prospectively registered
19/08/2002	No longer recruiting	Protocol
Registration date	Overall study status	Statistical analysis plan
19/08/2002	Completed	Results
Last Edited	Condition category	[] Individual participant data
29/10/2019	Cancer	Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr - -

Contact details

UKCCCR Register Co-ordinator MRC Clinical Trials Unit 222 Euston Road London United Kingdom NW1 2DA

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

Study information

Scientific Title

Randomised Comparison of Cyclical Anthracycline-Based Chemotherapy [PA(BI)OE] with Alternating Chemotherapy [ChlVPP/PABIOE] in Advanced Hodgkin's Disease

Study objectives

Not provided at time of registration

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Not specified

Study type(s)

Not Specified

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Lymphoma (Hodgkin's)

Interventions

- 1. PA(BI)OE Regimen: Multi-drug chemotherapy with adriamycin, vincristine, prednisolone, etoposide and bleomycin [PA(BI)OE] cycle repeated every 21 days. A minimum of six courses to be given with at least two following documentation of clinical complete remission and a maximum of eight courses. Bleomycin to be given for the first four courses only.
- 2. ChlVPP/PABIOE Regimen: Multi-drug chemotherapy with chlorambucil, procarbazine, prednisolone and vinblastine (ChIVPP) alternating every 21 days with PABIOE.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Cancer drug

Primary outcome measure

Not provided at time of registration

Secondary outcome measures

Not provided at time of registration

Overall study start date

01/01/1990

Completion date

30/04/1996

Eligibility

Key inclusion criteria

- 1. All previously untreated and properly staged patients aged between 15 and 69 years (inclusive) with Hodgkin's disease for whom chemotherapy is indicated are eligible for this trial, ie Stage I & IIA (poor prognosis), IB, IIB, III, IV
- 2. Patients must be free from any irreversible medical condition that would drastically limit their life span or prohibit the use of combination chemotherapy. This applies particularly to elderly patients
- 3. Adequate long term follow-up must be possible

Participant type(s)

Patient

Age group

Adult

Sex

Not Specified

Target number of participants

Not provided at time of registration

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/01/1990

Date of final enrolment

30/04/1996

Locations

Countries of recruitment

England

United Kingdom

Study participating centre
UKCCCR Register Co-ordinator
London
United Kingdom
NW1 2DA

Sponsor information

Organisation

British National Lymphoma Investigation (BNLI) (UK)

Sponsor details

CRC and UCL Cancer Trials Centre 222 Euston Road London United Kingdom NW1 2DA +44 (0)20 7679 8060 bnli@ctc.ucl.ac.uk

Sponsor type

Charity

Website

http://www.bnli.ucl.ac.uk

Funder(s)

Funder type

Research organisation

Funder Name

British National Lymphoma Investigation, Central Lymphoma Group (UK)

Results and Publications

Publication and dissemination planNot provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summaryNot provided at time of registration