

# Function After Spinal Treatment, Exercise and Rehabilitation: Improving the functional outcome of spinal surgery

<b>Submission date</b> 26/08/2004	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
<b>Registration date</b> 21/01/2005	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 04/02/2016	<b>Condition category</b> Surgery	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

Background and study aims.

Spinal stenosis is a degenerative disease that leads to pain in the back and leg, while disc prolapse is a more acute (severe and sudden) condition that causes leg pain. The diagnoses of these diseases are increasing, and consequently there is a steady rise in surgery for these conditions. There are large differences between surgeons in terms of the type and intensity of rehabilitation provided after spinal surgery, and in the restrictions suggested and advice given to patients. The success of spinal surgery varies widely, which may in part result from differences in management and rehabilitation after the operation. The aim of this study is to evaluate the benefits of a rehabilitation programme and an education booklet for the management of patients undergoing discectomy (for a disc prolapse) or lateral nerve root decompression (for spinal stenosis).

Who can participate?

Patients with low back and leg pain on the waiting list for spinal surgery.

What does the study involve?

Participants are randomly allocated into four groups, to receive rehabilitation, the booklet, both rehabilitation and the booklet, or usual care only. The rehabilitation consists of a 6-week programme involving aerobic fitness work, stretching, stability, strengthening and endurance, together with advice about daily activities and the development of skills in self-motivation and self-management. The booklet is designed to encourage a positive shift in beliefs and behaviours concerning pain, rehabilitation and self-management.

What are the possible benefits and risks of participating?

Not provided at time of registration

Where is the study run from?

Imperial College London (UK)

When is the study starting and how long is it expected to run for?

April 2005 to March 2010

Who is funding the study?

Arthritis Research UK

Who is the main contact?

Prof. Alison McGregor

## Contact information

### Type(s)

Scientific

### Contact name

Dr Alison Hazel McGregor

### Contact details

Musculoskeletal Surgery

Imperial College London

Charing Cross Campus

London

United Kingdom

W6 8RF

## Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

M0671

## Study information

### Scientific Title

Function After Spinal Treatment, Exercise and Rehabilitation: Improving the functional outcome of spinal surgery

### Acronym

FASTER

### Study objectives

Added as of 26/06/2008:

The primary aim of this study is to determine if the long-term functional outcome of spinal surgery and patient satisfaction can be improved via either a systematic programme of post-operative rehabilitation or an educational booklet, and whether a combination of both is even

more effective. The chief secondary objective is to assess whether such approaches are cost-effective.

### **Ethics approval required**

Old ethics approval format

### **Ethics approval(s)**

Hammersmith & Queen Charlottes & Chelsea Research Ethics Committee, ref: 04/Q0406/49

### **Study design**

Randomised controlled trial

### **Primary study design**

Interventional

### **Secondary study design**

Randomised controlled trial

### **Study setting(s)**

Not specified

### **Study type(s)**

Treatment

### **Participant information sheet**

Not available in web format, please use the contact details below to request a patient information sheet

### **Health condition(s) or problem(s) studied**

Spinal lateral root stenosis and discectomy

### **Interventions**

Current interventions as of 26/06/2008:

Rehabilitation Programme:

Patients randomised to the rehabilitation arms of the study will commence the programme 6 to 8 weeks following surgery. The programme will run for 6 weeks with subjects attending for 1 hour twice a week. Classes will be held first thing in the morning or at the end of the working day to accommodate, where possible, those who have returned to work. The classes will be run by an experienced physiotherapist, who will encourage patients individually to progress at their own pace. This structure allows new patients to join the programme at any time rather than in batches. There will be a maximum of ten patients per class. As previously stated, attempts will be made to keep the patients randomised to the rehabilitation-only group in separate classes from those randomised to the rehabilitation-plus-booklet group.

Educational Booklet:

Therefore a post-operative back book that has been developed, will be provided to those patients allocated to either the booklet-only group or the rehabilitation-plus-booklet group at discharge from hospital following their surgery. This resource was constructed with the aim of developing a patient centred, evidence-based booklet that spinal surgeons may give to their patients to reduce uncertainty and facilitate post-surgical management and recovery. The booklet thus aims to provide carefully selected messages that will lead to a positive shift in

beliefs and behaviours concerning pain, rehabilitation and self-management during the post-surgical period.

#### Usual care:

Patients randomised to the usual care control group will be managed routinely in the post-operative period, according to the relevant surgeons usual practice. This is likely to consist of a follow-up outpatient appointment some weeks after surgery plus general advice about progressively increasing the range and demands of physical activity, but no systematic programme of assessment and rehabilitation. The post-operative regimes of each surgeon will be quantified to define the usual post-operative care strategy and patients will be questioned via a self-completed questionnaire regarding any interventions or advice sought.

#### Previous interventions:

Post-operative rehabilitation programme versus usual post-operative review by the operating surgeon at 6 weeks.

### Intervention Type

Procedure/Surgery

### Phase

Not Applicable

### Primary outcome measure

Added as of 26/06/2008:  
Oswestry Disability Index

### Secondary outcome measures

Added as of 26/06/2008:

1. An economic analysis based on costs and EQ-5D (a validated, global measure of quality of life)
2. Visual analogue scales of back and leg pain
3. Measures of patient expectations and satisfaction
4. Return to work
5. Frequency of re-operation
6. Hospital Anxiety and Depression Scale (HADS)
7. Physical activity scale of the Fear Avoidance Beliefs Questionnaire

### Overall study start date

01/04/2005

### Completion date

01/03/2010

## Eligibility

### Key inclusion criteria

Current inclusion criteria as of 26/06/2008:

Eligible patients at participating hospitals are those currently on the waiting list for spinal surgery with either:

1. Signs, symptoms and radiological evidence of lateral nerve root compression, that is, patients presenting with radicular pain with an associated neurological deficit or with neurogenic claudication (pain in the buttock, thigh or leg that improves with rest), or

2. Lumbar disc prolapse, that is, patients with root symptoms and signs and magnetic resonance imaging (MRI) confirmation of lumbar disc herniation

Previous inclusion criteria:

People with low back and leg pain

**Participant type(s)**

Patient

**Age group**

Adult

**Sex**

Both

**Target number of participants**

344

**Key exclusion criteria**

Added as of 26/06/2008:

1. Any condition where either the intervention or the rehabilitation may have an adverse effect on the individual
2. Previous spinal surgery
3. Spinal surgery where a fusion procedure is planned due to the unknown hazards of the activity programme for this type of surgery
4. Pregnant women
5. Inadequate ability to complete the trial assessment forms
6. Any patient who is unable to attend the rehabilitation or the reviews or who is unsuitable for rehabilitation classes
7. Unable to complete outcome measures

**Date of first enrolment**

01/04/2005

**Date of final enrolment**

01/03/2010

**Locations**

**Countries of recruitment**

England

United Kingdom

**Study participating centre**

**Imperial College London**

London

United Kingdom

W6 8RF

# Sponsor information

## Organisation

Arthritis Research Campaign (ARC) (UK)

## Sponsor details

Copeman House  
St Mary's Court  
St Mary's Gate  
Chesterfield  
Derby  
United Kingdom  
S41 7TD  
+44 (0)1246 558033  
info@arc.org.uk

## Sponsor type

Charity

## Website

<http://www.arc.org.uk/>

## ROR

<https://ror.org/02jkpm469>

# Funder(s)

## Funder type

Charity

## Funder Name

Arthritis Research Campaign (ARC) (UK) (ref: M0671)

# Results and Publications

## Publication and dissemination plan

Not provided at time of registration

## Intention to publish date

## Individual participant data (IPD) sharing plan

## IPD sharing plan summary

Not provided at time of registration

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Protocol article</a>	protocol	26/01/2010		Yes	No
<a href="#">Results article</a>	results	01/10/2011		Yes	No