Investigation of enzymes in gingival crevicular fluid (GCF) and their gene activation profiles during orthodontic treatment

Prospectively registeredProtocol	
ticipant data	
ed in last year	

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Rohaya Megat Abdul Wahab

Contact details

Orthodontic Department Faculty of Dentistry Universiti Kebangsaan Malaysia Jalan Raja Muda Abdul Aziz Kuala Lumpur Malaysia 50300

Additional identifiers

Protocol serial number N/A

Study information

Scientific Title

Pulp molecular and gingival crevicular fluid (GCF) enzymological profiles during orthodontic treatment

Study objectives

Enzyme activity will be increased and specific genes will be activated during orthodontic tooth movement.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Research Ethics Committee, Faculty of Dentistry, National University of Malaysia (Universiti Kebangsaan Malaysia). Date of approval: 15/06/2007

Study design

Observational longitudinal study

Primary study design

Observational

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Enzyme activity and gene profile during tooth movement

Interventions

- 1. Assessment of the orthodontic appliance and evaluation of tooth movement at monthly interval (week 4, 8 and 12). The whole orthodontic treatment will be monitored clinically over 2 years.
- 2. Characterisation of GCF before and after the placement of orthodontic appliances. GCF samples taken at week 1, 2, 3, 4, 6, 8, 11 and 12 at the mesial and distal aspect of test (distalised canine) and control teeth (canine teeth that have not been affected by the orthodontic treatment) after premolar teeth have been extracted
- 3. Pulp tissues characterisation of extracted teeth at 6 weeks. The test tooth will be the upper first premolar that will be extracted after orthodontic treatment. The control tooth will be a lower first premolar that has not been affected by the orthodontic treatment.
- 4. Characterisation of mRNA from pulp tissues (as in method 3 above) and determination of mRNA quality for microarray hybridisation
- 5. Microarray analysis of pulp tissues (as in method 3 above)
- 6. Bioinformatic analysis of potential genes involved during tooth movement

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

Activity of the enzymes and genes involved during orthodontic treatment will be identified.

Key secondary outcome(s))

Potential enzymes and genes for biomarkers will be determined (biomarkers that are involved in tooth movement i.e inflammation, bone formation, bone resorption).

Completion date

01/06/2009

Eligibility

Key inclusion criteria

- 1. Both males and females, age range 14-30 years
- 2. Need for orthodontic treatment
- 3. Good general and periodontal health
- 4. Not pregnant
- 5. No use of antiinflammatory drugs, antibiotics or chlorhexidine mouthwash before and during study

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

- 1. Patient had periodontal disease
- 2. Poor oral hygiene
- 3. Have many missing teeth prior to study

Date of first enrolment

01/07/2007

Date of final enrolment

01/06/2009

Locations

Countries of recruitment

Malaysia

Study participating centre

Orthodontic Department

Kuala Lumpur Malaysia 50300

Sponsor information

Organisation

Ministry of Science, Technology and Innovation (Malaysia)

ROR

https://ror.org/012s3r374

Funder(s)

Funder type

Government

Funder Name

Ministry of Science, Technology and Innovation (Malaysia)

Alternative Name(s)

Ministry of Science, Technology and Innovation, Ministério da Ciência, Tecnologia e Inovações, Governo Federal do Brasil Ministério da Ciência, Tecnologia, Inovações e Comunicações, MCTI

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

Brazil

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration