Decreased time on mechanical ventilation when comparing analgesia-based sedation using remifentanil versus standard hypnotic-based sedation for up to 10 days in intensive care unit patients: a randomised trial.

Submission date	Recruitment status	Prospectively registered		
09/02/2005	No longer recruiting	☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
09/02/2005	Completed	[X] Results		
Last Edited 16/08/2011	Condition category Surgery	Individual participant data		
•				

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)Scientific

Contact name

Dr Andrew Kirkham

Contact details

GlaxoSmithKline Greenford Road Greenford, Middlesex United Kingdom UB6 OHE

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

USA30226

Study information

Scientific Title

Study objectives

Not provided at time of registration

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Medical or surgical patients requiring intensive care.

Interventions

Comparing analgesia-based sedation using remifentanil versus standard hypnotic-based sedation for up to 10 days in intensive care unit patients. Titration of analgesia/sedation to achieve optimal sedation. Regular assessments of haemodynamics.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Remifentanil

Primary outcome measure

Not provided at time of registration

Secondary outcome measures

Not provided at time of registration

Overall study start date

07/06/2002

Completion date

30/06/2003

Eligibility

Key inclusion criteria

Critically ill patients requiring 3-10 days of mechanical ventilation.

Participant type(s)

Patient

Age group

Not Specified

Sex

Not Specified

Target number of participants

Not provided at time of registration

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

07/06/2002

Date of final enrolment

30/06/2003

Locations

Countries of recruitment

Austria

Belgium

Denmark

France

Netherlands

Portugal

United Arab Emirates

United Kingdom

Study participating centre
GlaxoSmithKline
Greenford, Middlesex
United Kingdom
UB6 OHE

Germany

Greece

Iran

OrganisationGlaxoSmithKline

Sponsor information

Sponsor details

Greenford Road Greenford United Kingdom UB6 0HE

Sponsor type

Not defined

ROR

https://ror.org/01xsqw823

Funder(s)

Funder type

Industry

Funder Name

GlaxoSmithKline (GSK)

Alternative Name(s)

GlaxoSmithKline plc., GSK plc., GSK

Funding Body Type

Government organisation

Funding Body Subtype

For-profit companies (industry)

Location

United Kingdom

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	Results	01/06/2005		Yes	No