

Comparison of small bowel barium (EZ-Paque) and pre-thickened barium (EZ-Varibar) for videofluoroscopic assessment of dysphagia

Submission date 12/09/2003	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 12/09/2003	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 18/10/2016	Condition category Signs and Symptoms	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Derrick F Martin

Contact details

Main X Ray Area A
South Manchester University Hospitals NHS Trust
Wythenshawe Hospital
Southmoor Road
Manchester
United Kingdom
M23 9LT
+44 (0)161 291 6237
derrick.martin@smuht.nwest.nhs.uk

Additional identifiers

Protocol serial number

N0226118475

Study information

Scientific Title

Comparison of small bowel barium (EZ-Paque) and pre-thickened barium (EZ-Varibar) for videofluoroscopic assessment of dysphagia

Study objectives

To assess whether the use of pre-thickened barium preparations is superior to the current practice of diluting and thickening powered barium to meet the patients' requirements.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Diagnostic

Health condition(s) or problem(s) studied

Dysphagia

Interventions

Randomised comparative trial:

1. Small bowel barium (EZ-Paque)
2. Pre-thickened barium (EZ-Varibar)

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

Completion of videofluoroscopy assessment.

Key secondary outcome(s)

Not provided at time of registration

Completion date

01/06/2004

Eligibility**Key inclusion criteria**

50 consecutive patients referred for videofluoroscopy

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Not Specified

Sex

Not Specified

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/12/2002

Date of final enrolment

01/06/2004

Locations**Countries of recruitment**

United Kingdom

England

Study participating centre

Wythenshawe Hospital

Manchester

United Kingdom

M23 9LT

Sponsor information**Organisation**

Department of Health (UK)

Funder(s)**Funder type**

Industry

Funder Name
Cook UK Ltd

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration