The role of glutamate in the development of phantom limb pain

Submission date	Recruitment status No longer recruiting	Prospectively registered		
01/03/2001		☐ Protocol		
Registration date 01/03/2001	Overall study status Completed	Statistical analysis plan		
		[X] Results		
Last Edited	Condition category	Individual participant data		
14/01/2009	Signs and Symptoms			

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Alastair F Nimmo

Contact details

University of Edinburgh Department of Anaesthesia Critical Care and Pain Medicine Royal Infirmary of Edinburgh
Lauriston Place
Edinburgh
United Kingdom
EH3 9YW
+44 (0)131 536 3652
a.nimmo@ed.ac.uk

Additional identifiers

Protocol serial number

SP3481

Study information

Scientific Title

A randomised double blind trial of the effect of pre-emptive epidural ketamine on persistent pain after lower limb amputation

Study objectives

To assess the effect of pre-emptively modulating sensory input with epidural ketamine (an NMDA antagonist) on post-amputation pain and sensory processing.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Screening

Health condition(s) or problem(s) studied

Pain

Interventions

All patients will have spinal and epidural anaesthesia with bupivacaine established before amputation and will receive an epidural infusion of bupivacaine for 48 to 72 hours after surgery for post-operative analgesia.

Patients will be randomised to receive either:

- 1. An epidural bolus of ketamine before surgery followed by epidural ketamine infusion for 48 to 72 hours
- 2. A placebo

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Bupivacaine, ketamine

Primary outcome(s)

Incidence and severity of post-amputation pain measured at one year.

Key secondary outcome(s))

Not provided at time of registration

Completion date

01/01/2007

Eligibility

Key inclusion criteria

- 1. Patients undergoing lower limb amputation for peripheral vascular disease or as a result of complications of diabetes mellitus
- 2. Able to give informed consent and cooperate with pain assessment

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Not Specified

Sex

All

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/01/2001

Date of final enrolment

01/01/2007

Locations

Countries of recruitment

United Kingdom

Scotland

Study participating centre

University of Edinburgh Department of Anaesthesia Critical Care and Pain Medicine

Edinburgh United Kingdom EH3 9YW

Sponsor information

Organisation

Action Medical Research (UK)

ROR

https://ror.org/01wcqa315

Funder(s)

Funder type

Charity

Funder Name

Action Medical Research (UK)

Alternative Name(s)

action medical research for children, actionmedres, The National Fund for Research into Crippling Diseases, AMR

Funding Body Type

Private sector organisation

Funding Body Subtype

Trusts, charities, foundations (both public and private)

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/03/2008		Yes	No