

# Effects of tetrodotoxin on cue-induced drug craving in abstinent heroin addicts

<b>Submission date</b> 18/06/2008	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
<b>Registration date</b> 10/07/2008	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
<b>Last Edited</b> 04/06/2019	<b>Condition category</b> Mental and Behavioural Disorders	<input type="checkbox"/> Individual participant data

**Plain English summary of protocol**  
Not provided at time of registration

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Prof Lin Lu

**Contact details**  
National Institute on Drug Dependence  
Peking University  
38, Xue Yuan Road  
Haidian District  
Beijing  
China  
100083  
+86 (0)10 8280 2459  
linlu@bjmu.edu.cn

## Additional identifiers

**EudraCT/CTIS number**

**IRAS number**

**ClinicalTrials.gov number**

**Secondary identifying numbers**  
123456

# Study information

## Scientific Title

Effects of tetrodotoxin on cue-induced drug craving in abstinent heroin addicts

## Study objectives

The purpose of this double-blind placebo-controlled study was to assess the effect of a single intramuscular dose of tetrodotoxin (TTX) on cue-induced craving and anxiety in abstinent heroin addicts.

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Ethics approval received from the Human Investigation Committee of the Peking University Health Centre on the 27th June 2007 (ref: 21).

## Study design

Double blind placebo-controlled, between-subjects design

## Primary study design

Interventional

## Secondary study design

Randomised controlled trial

## Study setting(s)

Hospital

## Study type(s)

Treatment

## Participant information sheet

## Health condition(s) or problem(s) studied

Addiction

## Interventions

The abstinent heroin addicts were randomly assigned to three treatment groups:

1. Placebo
2. 5 µg tetrodotoxin
3. 10 µg tetrodotoxin

Each treatment was administered once only, intramuscularly, before exposure to a neutral video or a heroin-related video. Craving, anxiety, blood pressure, and heart rate were measured pre- and post-exposure.

## Intervention Type

Drug

## Phase

Not Specified

**Drug/device/biological/vaccine name(s)**

Tetrodotoxin

**Primary outcome measure**

Cue-induced craving and anxiety.

Both the primary and secondary outcomes were measured at 0 minutes (baseline, before TTX administration), 60 minutes (1 hour after TTX administration), 65 minutes (immediately after the first video presentation), 75 minutes (before the second video presentation), and 80 minutes (immediately after the second video presentation).

**Secondary outcome measures**

Heart rate and blood pressure.

Both the primary and secondary outcomes were measured at 0 minutes (baseline, before TTX administration), 60 minutes (1 hour after TTX administration), 65 minutes (immediately after the first video presentation), 75 minutes (before the second video presentation), and 80 minutes (immediately after the second video presentation).

**Overall study start date**

08/02/2008

**Completion date**

20/03/2008

## **Eligibility**

**Key inclusion criteria**

1. Men or non-pregnant/nursing women 18 - 45 years old
2. Diagnostic and Statistical Manual of Mental Disorders, fourth edition (DSM- IV) criteria for heroin dependence, but opiate-free for at least one month
3. No use of cocaine and other drugs

**Participant type(s)**

Patient

**Age group**

Adult

**Lower age limit**

18 Years

**Sex**

Both

**Target number of participants**

Forty-five participants

**Total final enrolment**

45

**Key exclusion criteria**

1. Current or past cardiovascular disease
2. History of allergy (food, medicine)
3. Current or past psychiatric illness
4. Neurological signs and/or history of neurological disease
5. Current medical illness
6. Participation in other clinical trials of medications within the past three month

**Date of first enrolment**

08/02/2008

**Date of final enrolment**

20/03/2008

**Locations****Countries of recruitment**

China

**Study participating centre**

National Institute on Drug Dependence

Beijing

China

100083

**Sponsor information****Organisation**

The National Basic Research Program of China (973 Program) (China)

**Sponsor details**

-

Bejing

China

100083

-

jcc973@vip.sina.com

**Sponsor type**

Government

**Website**

<http://www.973.gov.cn/>

**ROR**

<https://ror.org/027s68j25>

## Funder(s)

### Funder type

Government

### Funder Name

The National Basic Research Program of China (973 Program) (China) (ref: 2007CB512302)

### Funder Name

The National High Technology Research and Development Program of China (863 Program) (China) (ref: 2006AA02Z4D1)

### Funder Name

The China-Canada Joint Health Research Program (China) (ref: 30611120528)

## Results and Publications

### Publication and dissemination plan

Not provided at time of registration

### Intention to publish date

### Individual participant data (IPD) sharing plan

### IPD sharing plan summary

Not provided at time of registration

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	01/06/2009	04/06/2019	Yes	No