

# Study to evaluate the safety and efficacy of the Versius surgical system in robot-assisted cholecystectomy (a surgical procedure to remove your gallbladder)

<b>Submission date</b> 13/04/2023	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 13/04/2023	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 13/04/2023	<b>Condition category</b> Surgery	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

Minimal access surgery (also known as keyhole surgery) has been carried out for over 30 years at hospitals around the world. It is well-established and has several advantages over other surgical methods, such as a shorter recovery time, fewer complications and shorter hospital stays.

Thousands of minimal access operations are carried out each year. Recently it has been possible to use robot arms to help carry out minimally invasive operations.

This study is being run to assess the safety and competence of the Versius® Surgical Robotic System in performing operations for the removal of the gall bladder. Versius is a robot designed to be used in minimal access surgery. It has been developed and built by CMR Surgical Limited, a UK-based and registered company. The system allows a surgeon to stand or sit at a console to control a set of robotic arms which are holding instruments needed to perform minimal access surgery.

### Who can participate?

Patients aged 18 years and above who are eligible for removal of the gall bladder surgery with Versius, as decided by the operating surgeon.

### What does the study involve?

All participants will have gall bladder removal surgery as usual and as decided by their healthcare professionals.

### What are the possible benefits and risks of participating?

There are no direct benefits to participants. The information collected may benefit patients in the future, however, the expected benefits of surgery with Versius include a minimized risk of injury due to improved surgical precision; a lower risk of infection, bleeding and pain, earlier discharge from hospital and smoother recovery, compared to open surgery. The risks of participating in this study are similar to those associated with any minimal access (keyhole) gallbladder removal surgical procedure and will be explained in detail before surgery.

Where is the study run from?  
CMR Surgical (UK)

When is the study starting and how long is it expected to run for?  
July 2022 to November 2023

Who is funding the study?  
CMR Surgical (UK)

Who is the main contact?  
Dr Mark Slack, mark.slack@cmrsurgical.com

## Contact information

**Type(s)**  
Principal Investigator

**Contact name**  
Prof Sławomir Mrowiec

**ORCID ID**  
<http://orcid.org/0000-0003-2206-3144>

**Contact details**  
Uniwersyteckie Centrum Kliniczne im. prof. K. Gibińskiego Śląskiego Uniwersytetu  
Medycznego w Katowicach, Medyków 14  
Katowice  
Poland  
40-572  
+32 (0)7894263  
smrowiec@sum.edu.pl

## Additional identifiers

**EudraCT/CTIS number**  
Nil known

**IRAS number**

**ClinicalTrials.gov number**  
Nil known

**Secondary identifying numbers**  
CA-00377

## Study information

**Scientific Title**

Prospective clinical study to evaluate the safety and efficacy of the Versius surgical system in robot-assisted cholecystectomy

**Acronym**

VCSCCE-Poland

**Study objectives**

The Versius surgical system is safe and efficacious in performing robot-assisted cholecystectomies

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Approved 18/10/2022, Ethics Committee of The Medical University of Silesia in Katowice (Ul. Poniatowskiego 15, 40-055 Katowice, Poland; +48 (0)322083546; kombioet@sum.edu.pl), ref: PCN/CBN/0052/KB1/99/I/22

**Study design**

Prospective non-randomized single-arm clinical trial cohort

**Primary study design**

Interventional

**Secondary study design**

Non randomised study

**Study setting(s)**

Hospital

**Study type(s)**

Treatment

**Participant information sheet**

Not available in web format, please use contact details to request a participant information sheet

**Health condition(s) or problem(s) studied**

Robot-assisted cholecystectomy

**Interventions**

A prospective single-arm cohort study for robot-assisted laparoscopic cholecystectomy with the Versius Surgical Robotic System. Use of Versius, patient care and all follow-ups will be as per standard clinical practice, and Good Clinical Practice (GCP) and regulatory requirements will be strictly followed.

**Intervention Type**

Device

**Phase**

Phase II/III

## **Drug/device/biological/vaccine name(s)**

Versius Surgical Robotic System

## **Primary outcome measure**

Primary efficacy outcome:

Rate of successful completion of robot assisted surgery without unplanned conversion to other laparoscopic or open surgery, as recorded on the data entry platform

Primary safety outcome:

Incidence of serious adverse events, recorded on the data entry platform at any time between commencement of surgery (intraoperative) to the end of the trial (postoperative, between incidence of surgery to 30 days after surgery)

## **Secondary outcome measures**

1. Operative time measured in minutes from incision to skin closure at the facility, collected as procedural data from medical records
2. Estimated blood loss (in ml) during surgery, collected as procedural data from medical records
3. Blood transfusion during surgery (number of blood transfusion products used [if any]) collected from the patient's medical records
4. Any intra-operative complications during surgery collected as procedural data and from the patient's medical records
5. Return to the operating room within 24 hours after surgery, measured using medical records
6. Length of hospital stay in days (from date of procedure to date of discharge), measured using medical records
7. Incidence of readmission to hospital within 30 days after surgery, measured using medical records and at 30-day follow-up
8. Incidence of reoperation within 30 days after surgery, measured using medical records and at 30-day follow-up
9. 30-day mortality from medical records and/or follow-up visit/call during the 30-day follow up
10. Histopathology results of any surgically removed specimens from medical records available at the day of discharge and at 30 days follow up
11. Incidence of device deficiencies and use errors regardless of relationship to an adverse event, collected as procedural and/or adverse event data and from patient medical records, from intraoperative period until discharge
12. All adverse events, including postoperative complications reported using Clavien-Dindo Classification and according to medical records, up to 30 days' follow up
13. Device performance data including unplanned instrument usage, clashes, collision detection, alarms, collected as procedural data during surgery

## **Overall study start date**

01/07/2022

## **Completion date**

01/11/2023

## **Eligibility**

### **Key inclusion criteria**

1. Patient deemed suitable for laparoscopic cholecystectomy procedure using Versius Surgical Robotic System
2. Patients able to provide written informed consent to participate in the study (with help of appropriate legal representatives if required)
3. Male or female, aged 18 years or above
4. Females of childbearing potential must not be pregnant and agree to not become pregnant for the duration of the study
5. Patients with BMI <40 kg/m<sup>2</sup>. Priority BMI 25 to 40 kg/m<sup>2</sup>

**Participant type(s)**

Patient

**Age group**

Adult

**Lower age limit**

18 Years

**Sex**

Both

**Target number of participants**

30

**Key exclusion criteria**

1. Patient participation in an investigational clinical study within 30 days before screening
2. Inability or difficulties to provide informed consent
3. Oncological cases: patients undergoing surgery or treatment for malignant disease
4. Patients who fall into the American Society of Anaesthesiologists (ASA) Class IV or above
5. History of chronic alcohol or drug abuse
6. Chronic renal failure or on dialysis
7. Significant medical history or immunocompromised
8. Subjects with any other clinically significant unstable medical disorder, life-threatening disease, or anything else in the opinion of the Investigator which would contra-indicate a surgical procedure
9. Patient tested COVID positive within the last 30 days of screening
10. Patient tested COVID positive within 48 hours of the procedure
11. Diabetes mellitus (Glycemia >11mmol/l; >200 mg/dl)
12. Uncontrolled hypertension

**Date of first enrolment**

01/05/2023

**Date of final enrolment**

01/09/2023

**Locations****Countries of recruitment**

Poland

**Study participating centre**

**Uniwersyteckie Centrum Kliniczne im. prof. K. Gibińskiego Śląskiego Uniwersytetu Medycznego w Katowicach**

Medyków 14

Katowice

Poland

40-572

## **Sponsor information**

**Organisation**

CMR Surgical (United Kingdom)

**Sponsor details**

1 Evolution Business Park

Milton Road

Cambridge

England

United Kingdom

CB24 9NG

+44 (0)1223 755300

customer.service@cmrsurgical.com

**Sponsor type**

Industry

**Website**

<https://cmrsurgical.com/>

**ROR**

<https://ror.org/00nq5xx94>

## **Funder(s)**

**Funder type**

Industry

**Funder Name**

CMR Surgical

# Results and Publications

## **Publication and dissemination plan**

Planned publication in peer-reviewed journals and according to the EU Clinical Trials Regulations (CTR). The researchers are not planning on making the protocol publicly available at this time.

## **Intention to publish date**

10/11/2024

## **Individual participant data (IPD) sharing plan**

The data-sharing plans for the current study are unknown and will be made available at a later date.

## **IPD sharing plan summary**

Data sharing statement to be made available at a later date