

# A comparison of subcutaneous morphine and diamorphine given via patient-controlled analgesia after hip replacement

<b>Submission date</b> 12/09/2003	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 12/09/2003	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 05/12/2014	<b>Condition category</b> Signs and Symptoms	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Scientific

### Contact name

Dr B Brandner

### Contact details

Anaesthetics Department  
Middlesex Hospital  
Mortimer Street  
London  
United Kingdom  
W1N 8AA  
+44 (0)20 7636 8333  
abc@email.com

## Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N0263048370

## Study information

### Scientific Title

A comparison of subcutaneous morphine and diamorphine given via patient-controlled analgesia after hip replacement

### Study objectives

Is diamorphine better for the patient in terms of pain scores, side effects and feeling of well being?

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

Not provided at time of registration

### Study design

Randomised controlled trial

### Primary study design

Interventional

### Secondary study design

Randomised controlled trial

### Study setting(s)

Hospital

### Study type(s)

Treatment

### Participant information sheet

### Health condition(s) or problem(s) studied

Signs and Symptoms: Pain

### Interventions

1. Subcutaneous morphine
2. Diamorphine

### Intervention Type

Drug

### Phase

Not Applicable

### Drug/device/biological/vaccine name(s)

Morphine and diamorphine

**Primary outcome measure**

Subjective visual analogue scores for pain, nausea, sedation and euphoria.

**Secondary outcome measures**

Not provided at time of registration

**Overall study start date**

30/03/1999

**Completion date**

01/09/2004

**Eligibility****Key inclusion criteria**

Not provided at time of registration

**Participant type(s)**

Patient

**Age group**

Not Specified

**Sex**

Not Specified

**Target number of participants**

40 patients from Orthopaedic Surgery

**Key exclusion criteria**

Not provided at time of registration

**Date of first enrolment**

30/03/1999

**Date of final enrolment**

01/09/2004

**Locations****Countries of recruitment**

England

United Kingdom

**Study participating centre**

**Middlesex Hospital**  
London  
United Kingdom  
W1N 8AA

## **Sponsor information**

### **Organisation**

Department of Health (UK)

### **Sponsor details**

Richmond House  
79 Whitehall  
London  
United Kingdom  
SW1A 2NL

### **Sponsor type**

Government

### **Website**

<http://www.doh.gov.uk>

## **Funder(s)**

### **Funder type**

Hospital/treatment centre

### **Funder Name**

University College London Hospitals NHS Trust (UK)

## **Results and Publications**

### **Publication and dissemination plan**

Not provided at time of registration

### **Intention to publish date**

### **Individual participant data (IPD) sharing plan**

### **IPD sharing plan summary**

Not provided at time of registration