

Effectiveness of 0.2% hyaluronic acid on clinical, biomolecular and microbiological parameters in type 2 diabetes mellitus patients with periodontitis: a randomized clinical trial

| | | |
|--|--|--|
| Submission date 28/03/2024 | Recruitment status No longer recruiting | <input type="checkbox"/> Prospectively registered |
| Registration date 09/04/2024 | Overall study status Completed | <input type="checkbox"/> Protocol |
| Last Edited 24/06/2025 | Condition category Nutritional, Metabolic, Endocrine | <input type="checkbox"/> Statistical analysis plan |
| | | <input checked="" type="checkbox"/> Results |
| | | <input type="checkbox"/> Individual participant data |

Plain English summary of protocol

Background and study aims

We want to see if using 0.2% hyaluronic acid (HA) gel alongside regular dental treatment can help diabetic patients heal faster after a specific dental procedure called scaling and root planing (SRP). This study aims to check if applying the HA gel can make improvements in various aspects of gum health, including reducing harmful bacteria like Pg and Fn, and balancing levels of inflammatory substances like IL-1 β and IL-10 in diabetic patients who have gum disease.

Who can participate?

Any participant aged 40-65 years, with periodontitis and an HbA1c test result is included.

What does the study involve?

The study involves a thorough evaluation that includes measuring various clinical indicators and collecting samples from the gums and teeth. Our treatment plan consists of a dental procedure called scaling and root planing (SRP) along with an additional therapy. Participants will be divided into two groups: the test group will receive a 0.2% hyaluronic acid gel after scaling, while the control group will get a placebo gel. Importantly, the individuals administering the gel will not know which type it is, ensuring a rigorous double-blind setup. After the initial treatment, participants will return for a follow-up visit four weeks later for further assessments, including more measurements and sample collection.

What are the possible benefits and risks of participating?

Taking part in this study can help improve your oral hygiene and overall health by undergoing scaling and root planing, which are important dental procedures. Moreover, maintaining good gum health has been linked to lower blood sugar levels in diabetic individuals. We are also investigating the possible advantages of hyaluronic acid, which is known for its ability to promote healing, in speeding up recovery after scaling and root planing. However, it's essential to be aware of potential risks, such as slower healing, particularly for diabetic patients, and the chance of allergic reactions to the gel used in the treatment.

Where is the study run from?
Universitas Indonesia (Indonesia)

When is the study starting and how long is it expected to run for?
December 2022 to October 2023

Who is funding the study?
Research and Development Directorates of Universitas Indonesia of the 2023 PUTI Q2 grant
(grant number:NKB-1277/UN2.RST/HKP.05.00/2022)

Who is the main contact?
Prof Sri Lelyati Masulili, srilelyati@yahoo.com

Contact information

Type(s)
Public, Scientific, Principal Investigator

Contact name
Prof Sri Lelyati Masulili

ORCID ID
<https://orcid.org/0000-0003-3641-5358>

Contact details
Apartemen Salemba Residence
Jl. Salemba Tengah 2
Jakarta
Indonesia
10440
+62 87877178393
lelyati@ui.ac.id

Additional identifiers

EudraCT/CTIS number
Nil known

IRAS number

ClinicalTrials.gov number
Nil known

Secondary identifying numbers
090660722

Study information

Scientific Title

The aim of this research is to assess the effectiveness of 0.2% HA gel on periodontal parameter, quantity of Pg and Fn, and the levels of proinflammatory cytokine, IL-1 β , and anti-inflammatory cytokine, IL-10, in type 2 DM patients with periodontitis

Study objectives

Use of adjunctive hyaluronic acid 0.2% gel significantly improves clinical, biomolecular and microbiological parameters of periodontitis in DM patients.

Ethics approval required

Ethics approval required

Ethics approval(s)

Approved 09/12/2022, Ethical Commission for Dental Research, Faculty of Dentistry, Universitas Indonesia (Jl. Salemba Raya Jl. Salemba Raya IV No.2, RT.2/RW.5, Kenari, Kec. Senen, Kota Jakarta Pusat, Daerah Khusus Ibukota, Jakarta, 10430, Indonesia; +62 2131906289; etikrisetfkg@ui.ac.id), ref: 130 /Ethical Approval /FKGUI/XII/2022

Study design

Interventional parallel double-blind randomized clinical trial

Primary study design

Interventional

Secondary study design

Randomised parallel trial

Study setting(s)

University/medical school/dental school

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details to request a patient information sheet.

Health condition(s) or problem(s) studied

Periodontitis with diabetes mellitus

Interventions

This research design is a parallel, double-blind, placebo-controlled randomized controlled trial. Subjects consist of two groups: the non-DM group and the DMT2 group. Subsequently, each group will be randomly divided into test and control groups, with the test groups receiving hyaluronic acid 0.2% gel and the control group receiving a placebo gel.

During the first visit, patients will receive an explanation about the research, fill out a screening form, submit their HbA1c test levels, and sign an informed consent to participate. All participants will then undergo clinical parameter examinations of BoP (Bleeding on Probing), PPD (Probing Pocket Depth), and CAL (Clinical Attachment Level). using a UNC-15 probe (Hu-Friedy, USA), as well as subgingival plaque and GCF sampling using sterilized no. 25 paper points (Gapadent, China). Following this, scaling and root planing will be performed, and participants

will randomly receive either hyaluronic acid gel or placebo gel. Both gels will be inserted into a 1cc syringe with a special tip that is identical and randomly coded by the Pharmacy Faculty of the University of Indonesia (UI FK), ensuring that the operator is unaware of the composition of the syringe. Patients will also receive oral hygiene education, instructions, and identical toothbrushes and toothpaste to use during the research period.

The follow-up visit is scheduled for 4 weeks after the first visit, during which participants will undergo clinical parameter examinations of BoP, PPD, and CAL, and collection of subgingival plaque and GCF samples, without receiving any additional treatment.

Plaque samples will be processed in the laboratory using RT-PCR equipment with 16S rRNA sequencing method using 2- $\Delta\Delta$ CT to demonstrate changes in bacterial abundance in the test group compared to the control group and to obtain the quantity of Pg and Fn. GCF samples will be processed in the laboratory using the ELISA test to observe changes in the levels of IL-1 and IL-10 cytokines and will be statistically analyzed using SPSS Version 26.0.

Intervention Type

Other

Primary outcome measure

At baseline and during the 4-week follow-up using clinical examination:

1. Bleeding on probing
2. Clinical attachment loss
3. Pocket probing depth

Secondary outcome measures

Quantity of Pg and Fn, and the levels of proinflammatory cytokine, IL-1 β , and anti-inflammatory cytokine, IL-10, obtained from the analysis of subgingival plaque and GCF samples collected at baseline and during the 4-week follow-up period.

Overall study start date

09/12/2022

Completion date

27/10/2023

Eligibility

Key inclusion criteria

1. Age range of 40 to 65 years.
2. Diagnosed with periodontitis according to European Federation of Periodontology (EFP)
3. DM participants are required to obtain medical clearance for SRP treatment.
4. Participants are willing to participate in research and have signed an informed consent

Participant type(s)

Patient, Population

Age group

Adult

Lower age limit

40 Years

Upper age limit

65 Years

Sex

Both

Target number of participants

40

Total final enrolment

36

Key exclusion criteria

1. Participants who regularly use medications known to affect microbes, including antibiotics, anti-inflammatory drugs, immunosuppressive drugs, bisphosphonates, and blood thinners
2. Individuals with bleeding disorders, mental disorders, and acute infections
3. Individuals who have received periodontal therapy within the past six months
4. Individuals that are allergic to HA gel
5. Pregnant or breastfeeding women

Date of first enrolment

06/03/2023

Date of final enrolment

26/05/2023

Locations

Countries of recruitment

Indonesia

Study participating centre

Rumah Sakit Khusus Gigi dan Mulut, Fakultas Kedokteran Gigi, Universitas Indonesia

Jl.Salemba Raya No.4 Rt 4 RW 5.Kel.Kenari Kec.Senen, Kota Jakarta Pusat, Daerah Khusus

Ibukota

Jakarta

Indonesia

10430

Sponsor information

Organisation

University of Indonesia

Sponsor details

Jl. Salemba Raya IV No 2
Jakarta
Indonesia
10430
+62 (0)2131930270
rice.fkg@ui.ac.id

Sponsor type

University/education

Website

<http://www.ui.ac.id/>

ROR

<https://ror.org/0116zj450>

Funder(s)

Funder type

University/education

Funder Name

Research and Development Directorates of Universitas Indonesia of the 2023 PUTI Q2 grant

Results and Publications

Publication and dissemination plan

Planned publication in a high-impact peer-reviewed journal

Intention to publish date

01/04/2024

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are not expected to be made available due to patient confidentiality.

IPD sharing plan summary

Not expected to be made available

Study outputs

| Output type | Details | Date created | Date added | Peer reviewed? | Patient-facing? |
|---------------------------------|---------|--------------|------------|----------------|-----------------|
| Results article | | 29/07/2024 | 24/06/2025 | Yes | No |