

# Randomised comparison of radial versus femoral access for coronary angioplasty in the ReoPro era

<b>Submission date</b> 12/09/2003	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
<b>Registration date</b> 12/09/2003	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
<b>Last Edited</b> 18/10/2016	<b>Condition category</b> Surgery	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

**Plain English summary of protocol**  
Not provided at time of registration

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Dr Richard Schilling

**Contact details**  
Department of Cardiology  
Dominion House  
Bartholomew's Close  
St Bartholomew's Hospital  
London  
United Kingdom  
EC1A 7BE  
-  
r.schilling@qmul.ac.uk

## Additional identifiers

**EudraCT/CTIS number**

**IRAS number**

**ClinicalTrials.gov number**

## Secondary identifying numbers

N0205116657

# Study information

## Scientific Title

Randomised comparison of radial versus femoral access for coronary angioplasty in the ReoPro era

## Acronym

DA7RAD study

## Study objectives

When using ReoPro during percutaneous coronary intervention (PCI):

1. Is the vascular complication rate less than when radial access rather than femoral access?
2. Is mobilisation early safe, is patient satisfaction improved?

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Not provided at time of registration

## Study design

Randomised controlled trial

## Primary study design

Interventional

## Secondary study design

Randomised controlled trial

## Study setting(s)

Hospital

## Study type(s)

Treatment

## Participant information sheet

Not available in web format, please use contact details to request a participant information sheet

## Health condition(s) or problem(s) studied

Percutaneous coronary angioplasty

## Interventions

Randomised prospective clinical trial: radial versus femoral access for coronary angioplasty.

## Intervention Type

Procedure/Surgery

**Phase**

Not Specified

**Primary outcome measure**

1. Access site complications
2. Time to mobilisation
3. Patient satisfaction

**Secondary outcome measures**

Not provided at time of registration

**Overall study start date**

01/11/2002

**Completion date**

01/06/2004

## Eligibility

**Key inclusion criteria**

Patients undergoing percutaneous coronary angioplasty at Barts and The London NHS Trust

**Participant type(s)**

Patient

**Age group**

Not Specified

**Sex**

Not Specified

**Target number of participants**

Not provided at time of registration

**Key exclusion criteria**

Not provided at time of registration

**Date of first enrolment**

01/11/2002

**Date of final enrolment**

01/06/2004

## Locations

**Countries of recruitment**

England

United Kingdom

**Study participating centre**  
**St Bartholomew's Hospital**  
London  
United Kingdom  
EC1A 7BE

## **Sponsor information**

**Organisation**  
Department of Health (UK)

**Sponsor details**  
Richmond House  
79 Whitehall  
London  
United Kingdom  
SW1A 2NL

**Sponsor type**  
Government

**Website**  
<http://www.doh.gov.uk>

## **Funder(s)**

**Funder type**  
Government

**Funder Name**  
Barts and The London NHS Trust (UK)

## **Results and Publications**

**Publication and dissemination plan**  
Not provided at time of registration

**Intention to publish date**

**Individual participant data (IPD) sharing plan**

**IPD sharing plan summary**  
Not provided at time of registration