

# A randomised, placebo-control phase III study to assess the safety and efficacy of the MPT64 patch test in the diagnosis of active tuberculosis (TB)

<b>Submission date</b> 13/09/2005	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
<b>Registration date</b> 11/11/2005	<b>Overall study status</b> Completed	<input type="checkbox"/> Protocol
<b>Last Edited</b> 12/01/2021	<b>Condition category</b> Infections and Infestations	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Scientific

### Contact name

Dr David Moore

### Contact details

Universidad Peruana Cayetano Heredia  
Honorio Delgado 430  
San Martin de Porres  
Lima  
Peru  
Lima 31  
+511 382 3398  
davidajmoore@msn.com

## Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

## Secondary identifying numbers

SEQPTAT005

# Study information

## Scientific Title

A randomised, placebo-control phase III study to assess the safety and efficacy of the MPT64 patch test in the diagnosis of active tuberculosis (TB)

## Study objectives

Cutaneous reaction to transdermal delivery of the Mycobacterium tuberculosis (MTB) specific protein MPT64 by means of a patch test will accurately identify individuals with active TB from amongst TB suspects.

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Not provided at time of registration

## Study design

Randomised controlled trial

## Primary study design

Interventional

## Secondary study design

Randomised controlled trial

## Study setting(s)

Not specified

## Study type(s)

Diagnostic

## Participant information sheet

## Health condition(s) or problem(s) studied

Active pulmonary tuberculosis.

## Interventions

1. Diagnostic phase: application of a transdermal patch to each forearm, one containing placebo and the other MPT64 (study staff and patients blinded to allocation) with removal and reading of result at days 4 and 6. All patients receive full work-up for active pulmonary TB including clinical evaluation, two sputum cultures (each by two methods), chest radiograph and (on day 4) purified protein derivative (PPD) skin testing.
2. Follow-up phase: all participants are followed up at 3 months to verify correct baseline assignment as TB or non-TB; at months 9, 12, 15 and 18 all participants are investigated fully once more for TB (as above) and repeat patch testing is performed. In a subgroup of 30 consenting participants with positive reactions, skin punch biopsies are performed.

**Intervention Type**

Drug

**Phase**

Phase III

**Drug/device/biological/vaccine name(s)**

MTB specific protein MPT64

**Primary outcome measure**

The objective is to assess the sensitivity and specificity of the MPT64 patch test in the diagnosis of pulmonary TB - the outcome of interest is therefore the concordance of patch test results with the results of the conventional gold-standard investigations performed concurrently.

**Secondary outcome measures**

1. To assess the above performance characteristics in patient subgroups including those with smear-positive disease and smear-negative disease
2. To determine the effect (if any) of age, HIV status, PPD response upon patch test performance
3. To determine the response over time of both initial reactors and non-reactors and TB and non-TB patients
4. To characterize the histological response in patch test reactors

**Overall study start date**

20/02/2005

**Completion date**

01/05/2007

**Eligibility****Key inclusion criteria**

TB suspects undergoing investigation at selected health centres for pulmonary TB within the National TB Control Programme of Peru.

**Participant type(s)**

Patient

**Age group**

Adult

**Sex**

Both

**Target number of participants**

624

**Total final enrolment**

512

**Key exclusion criteria**

1. Age less than 18 or greater than 65
2. Inability or unwillingness to provide written informed consent
3. Participation in a clinical trial of another investigational product within the preceding 6 months
4. Refusal to undergo voluntary counselling and testing for human immunodeficiency virus (HIV) infection

**Date of first enrolment**

20/02/2005

**Date of final enrolment**

01/05/2007

**Locations****Countries of recruitment**

Peru

**Study participating centre**

Universidad Peruana Cayetano Heredia

Lima

Peru

Lima 31

**Sponsor information****Organisation**

Sequella Inc (USA)

**Sponsor details**

9610 Medical Center Drive

Suite 200

Rockville

United States of America

MD 20850

+1 301 762 7776

katherinesacksteder@sequella.com

**Sponsor type**

Industry

**Website**

<http://www.sequella.com>

ROR

## Funder(s)

### Funder type

Industry

### Funder Name

Entirely funded by Sequella Inc.

## Results and Publications

### Publication and dissemination plan

Not provided at time of registration

### Intention to publish date

### Individual participant data (IPD) sharing plan

### IPD sharing plan summary

Not provided at time of registration

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	01/06/2018	12/01/2021	Yes	No