A randomised parallel group trial to investigate the effect of seretide withdrawal in Chronic Obstructive Pulmonary Disease (COPD) using non-invasive biomarkers and physiological measurements

Submission date 30/09/2005	Recruitment status No longer recruiting	 Prospectively registered Protocol
Registration date 30/09/2005	Overall study status Completed	 [] Statistical analysis plan [X] Results
Last Edited 05/04/2011	Condition category Respiratory	Individual participant data

Plain English summary of protocol Not provided at time of registration

Contact information

Type(s) Scientific

Contact name Dr David Singh

Contact details Medicines Evaluation Unit Ledson Road Wythenshawe Manchester United Kingdom M23 9GP +44 (0)161 291 2672 dsingh@meu.org.uk

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers N0226156349

Study information

Scientific Title

Study objectives

To investigate the effect of withdrawal of inhaled seretide on airway inflammation and airflow limitation in Chronic Obstructive Pulmonary Disease (COPD) patients using non-invasive measurement methods and lung function tests.

Please note that this record was extensively updated on the 9th November 2007. Updates were performed to the ethics, inclusion criteria, interventions and secondary outcome measures, as some of this information was not provided in the original record. Where changes have been made, the update date (09/11/2007) has been mentioned. Also please note that previous to this update, the anticipated end date of this trial was 03/07/2006.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Added on 09/11/2007: Ethics approval received from the Central Manchester Local Research Ethics Committee on 25/02/2005.

Study design Randomised controlled trial

Primary study design Interventional

Secondary study design Randomised controlled trial

Study setting(s) Hospital

Study type(s) Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Chronic Obstructive Pulmonary Disease (COPD)

Interventions

1. Seretide withdrawal group (withdrawal of Seretide dose for six weeks)

2. Continuation group

Added on 09/11/2007:

Patients will undergo spirometry, impulse oscillometry, body plethysmography, exhaled breath condensate, exhaled nitric oxide, induced sputum and questionaires at two occasions 2 weeks apart prior to randomisation and then at 2 weekly intervals for 6 weeks.

Intervention Type

Drug

Phase Not Specified

Drug/device/biological/vaccine name(s) Seretide

Primary outcome measure

Induced sputum inflammatory cell counts

Secondary outcome measures

Added on 09/11/2007:

- 1. Exhaled breath condensate pH
- 2. Exhaled breath condensate Leukotriene B4, 8-isoprostane and other metabolites
- 3. Exhaled breath condensate and serum metabolite profiling by mass spectrometry
- 4. Exhaled nitric oxide in parts per billion (at 50 mls/sec, Caw, Calvin and Diffusing Capacity)
- 5. Induced sputum messenger Ribonucleic Acid (RNA) and protein for inflammatory mediators (e.
- g., Interleukin-8 [IL-8], Interleukin-6 [IL-6])
- 6. Sputum and blood gene expression (e.g., glucocorticoid receptor)
- 7. FEV1, Maximal Expiratory Flow (MEF), FVC (measured by spirometry)

8. Total Lung Capacity (TLC), Residual Volume (RV), Functional Residual Capacity (FRC), Inspiratory Capacity (IC), specific airways conductance (sGaw), airway flow resistance (Raw) (measured by body plethysmography)

9. Resonant Frequency (RF), Respiratory resistance at 5 Hz (R5), reactance at 5 Hz (X5) (measured by impulse oscillometry)

Overall study start date

01/03/2005

Completion date

31/07/2007

Eligibility

Key inclusion criteria

12 in withdrawal group and 12 in continuation group, patients aged 40 - 75 years

Added on 09/11/2007:

1. Males or females aged 40 - 75 years inclusive

2. Ex smokers or current smokers with a cigarette smoking history of pack years (1 pack-year = 20 cigarettes smoked per day for 1 year or the equivalent)

3. Subjects with Forced Expiratory Volume in one second (FEV1) 50 - 80% of predicted normal for height, age and sex at screening visit

4. Subjects with FEV1/Forced Vital Capacity (FVC) ratio less than 70% at screening visit

5. Patients taking inhaled seretide or combined fluticasone/salmeterol at a dose of 200 - 1000 µg fluticasone and 50 - 100 µg serevent per day

6. Subjects on a stable dose of all COPD treatment over the 4 weeks prior to starting the study 7. Subjects capable of providing signed written consent to participate

Participant type(s)

Patient

Age group

Adult

Sex Both

Target number of participants

24

Key exclusion criteria

1. Subjects taking regular oral leukotriene receptor antagonists, oral cortiscosteroids, inhaled nasal corticosteroids, oral theophylline or inhaled tiotropium for 4 weeks prior to the study start 2. Subjects having one or more exacerbations of COPD in the past 12 months requiring treatment with oral corticosteroids

3. Subjects who have had a previous admission for exacerbation of COPD requiring non-invasive or endo-tracheal intubation or admission to the Intensive Care Unit (ICU)

4. History of asthma or significant atopy/rhinitis (requiring medication)

5. Subjects with uncontrolled angina, myocardial infarction within the last 12 months or congestive cardiac failure

6. Subjects with other significant pulmonary, cardiovascular, neurological, hepatic, renal, endocrine or haematological diseases

7. Female subjects who intend to become pregnant

8. Subjects who have experienced cold or flu-like symptoms or a respiratory infection within 4 weeks of the study start

9. Subjects who have received an investigational drug within 30 days or within 5 drug half-lives of the drug

10. Subjects with a history (or suspected history) of alcohol misuse or any other recreational substance abuse

Date of first enrolment

01/03/2005

Date of final enrolment

31/07/2007

Locations

Countries of recruitment

England

United Kingdom

Study participating centre Medicines Evaluation Unit Manchester United Kingdom M23 9GP

Sponsor information

Organisation Department of Health

Sponsor details Richmond House

79 Whitehall London United Kingdom SW1A 2NL +44 (0)20 7307 2622 dhmail@doh.gsi.org.uk

Sponsor type

Government

Website http://www.dh.gov.uk/Home/fs/en

Funder(s)

Funder type Government

Funder Name South Manchester University Hospitals NHS Trust (UK)

Funder Name NHS R&D Support Funding (UK)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	
Results article	

Details Date created results

Date added

Peer reviewed?

Patient-facing?

Results article

01/11/2009

Yes

No