

A Pilot comparative study of the efficacy and patient acceptability of the Rapid Rhino tamponade balloon and Merocel nasal tampon in acute epistaxis

Submission date 30/09/2004	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 30/09/2004	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 20/08/2015	Condition category Signs and Symptoms	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Mr Dominic Martin-Hirsch

Contact details

Surgery and Anaesthetics
Calderdale and Huddersfield NHS Trust
Calderdale Royal Hospital
Salterhebble
Halifax
United Kingdom
HX3 0PW

-

abc@email.com

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N0083126301

Study information

Scientific Title

A Pilot comparative study of the efficacy and patient acceptability of the Rapid Rhino tamponade balloon and Merocel nasal tampon in acute epistaxis

Study objectives

There is no difference between the rapid rhino tamponade balloon and the merocel nasal tampon in preventing bleeding from the nose.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Not specified

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Signs and Symptoms: Acute epistaxis

Interventions

Rapid rhino tamponade balloon vs merocel nasal tampon

Intervention Type

Device

Primary outcome measure

1. Time to cessation of bleeding
2. Patient comfort

Secondary outcome measures

Not provided at time of registration

Overall study start date

13/03/2003

Completion date

12/09/2003

Eligibility

Key inclusion criteria

126 patients

Participant type(s)

Patient

Age group

Not Specified

Sex

Not Specified

Target number of participants

126

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

13/03/2003

Date of final enrolment

12/09/2003

Locations

Countries of recruitment

England

United Kingdom

Study participating centre

Calderdale and Huddersfield NHS Trust

Halifax

United Kingdom
HX3 0PW

Sponsor information

Organisation

Department of Health

Sponsor details

Richmond House
79 Whitehall
London
United Kingdom
SW1A 2NL

Sponsor type

Government

Website

<http://www.dh.gov.uk/Home/fs/en>

Funder(s)

Funder type

Government

Funder Name

Calderdale and Huddersfield NHS Trust (UK)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration