

Clinical trial to compare duodenum preserving pancreatic head resection according to Beger versus the Berne modification in patients with chronic pancreatitis: a randomised controlled trial

Submission date 27/05/2004	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 01/09/2004	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 30/08/2011	Condition category Digestive System	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof Markus W Buechler

Contact details

University of Heidelberg Medical School
Im Neuenheimer Feld 110
Heidelberg
Germany
69120
+49 (0)6221 56 6200
markus.buechler@med.uni-heidelberg.de

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

KSC 06/2003

Study information

Scientific Title

Acronym

DEPKR-Trial

Study objectives

To compare two different surgical techniques for the treatment of chronic pancreatitis with regard to complication rates, length of operation, length of intensive care treatment, length of hospital stay, exocrine/endocrine pancreatic function and quality of life.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics approval received from the Independent Ethics Committee of the University of Heidelberg.

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Chronic pancreatitis

Interventions

Every patient eligible for pancreatic head resection due to chronic pancreatitis will be asked for informed consent and will be thereafter intraoperatively randomised to either Beger's or the Berne modification of duodenum-preserving pancreatic head resection. A standardised surgical abdominal approach is performed in preparing the pancreatic head. The randomisation will

proceed when the intraoperative decision for resection of the pancreatic head is made. The comparison of specific primary and secondary endpoints will assess the superiority of one technique. Patients will be followed up for 24 months.

Intervention Type

Other

Phase

Not Specified

Primary outcome measure

The primary endpoint is combined out of four components. In order to adjust for multiple testing a hierarchical model is used.

1. Duration of surgical procedure [min]
2. Quality of life (EORTC QLQ-C30 questionnaire and the disease specific module for pancreatic diseases EORTC QLQ-PAN26) at 12 months after the intervention
3. Duration of stay on the intensive care unit
4. Duration of postoperative hospital stay

Secondary outcome measures

Frequencies of early and late onset complications such as intra- or postoperative bleeding with subsequent need for blood transfusion, pancreatic fistula, postoperative pulmonary complications, wound infections and re-laparotomy; exocrine and endocrine pancreatic function as determined by levels of HbA1c and stool elastase.

Overall study start date

01/09/2003

Completion date

01/10/2007

Eligibility

Key inclusion criteria

Patients undergoing elective duodenum-preserving pancreatic head resection due to chronic pancreatitis.

Eligibility criteria:

1. Patients of any age (greater than 18 years)
2. Expected survival time more than 24 months
3. Informed consent

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

65

Key exclusion criteria

1. Participation in another intervention trial that would interfere with the intervention and outcome of this study
2. Severe psychiatric disorders or neurological diseases
3. Lack of compliance
4. Drug and/or alcohol abuse according to local standards

Date of first enrolment

01/09/2003

Date of final enrolment

01/10/2007

Locations

Countries of recruitment

Germany

Study participating centre

University of Heidelberg Medical School

Heidelberg

Germany

69120

Sponsor information

Organisation

University of Heidelberg Medical School (Germany)

Sponsor details

Im Neuenheimer Feld 110

Heidelberg

Germany

69120

+49 (0)6221 56 6987

Markus_Buechler@med.uni-heidelberg.de

Sponsor type

University/education

Website

http://med.uni-hd.de/index_eng.html

ROR

<https://ror.org/038t36y30>

Funder(s)

Funder type

University/education

Funder Name

University of Heidelberg Medical School (Germany)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol article	Protocol	08/05/2006		Yes	No
Results article	Results	01/04/2008		Yes	No