Can monitoring exhaled nitric oxide levels in outpatients improve the management of children with asthma?

Submission date	Recruitment status No longer recruiting	Prospectively registered		
11/12/2006		Protocol		
Registration date	Overall study status	Statistical analysis plan		
31/07/2007	Completed	[X] Results		
Last Edited	Condition category	[] Individual participant data		
16/02/2015	Respiratory			

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Graham Roberts

Contact details

Professor/Consultant Paediatrician
University Child Health (MP803)
Level F South Academic Block
Southampton University Hospital NHS Trust
Tremona Road
Southampton
United Kingdom
SO16 6YD

Additional identifiers

Protocol serial number

4

Study information

Scientific Title

Can monitoring exhaled nitric oxide levels in outpatients improve the management of children with asthma?

Acronym

Exhaled nitric oxide study

Study objectives

The aim of this study is to explore whether monitoring exhaled Nitric Oxide (eNO) levels in outpatients improves the management of children with asthma using a pragmatic experimental design.

The specific objectives are:

- 1. To determine whether using eNO levels in outpatients to direct therapy allows less inhaled corticosteroid to be used over a year of follow when compared to a control group
- 2. To determine whether using eNO levels in outpatients to direct therapy reduces the number of exacerbations that require treatment with systemic corticosteroid over a year of follow when compared to a control group

As per 09/02/2012, the anticipated end date has been updated from 31/08/2008 to 31/08/2009 and the target number of participants amended from 150 to 93.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Southampton and Southwest Hampshire Local Research Ethics Committee, 18/05/2006, ref: 06 /Q1702/9

Study design

Multicentre pragmatic prospective randomised double-blind study

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Asthma

Interventions

Current interventions as of 09/02/2012:

93 subjects aged 6 to 17 years with moderate or severe asthma will be recruited. Their asthma will be stabilised and they will be randomised to the exhaled nitric oxide (eNO) or control group.

All will be assessed every two months for a year. The control group will be managed according to the British Thoracic Society guidelines. In the eNO group, the inhaled corticosteroid doses will be increased in response to elevated eNO levels and reduced if levels are low. Subjects and medical staff involved in managing any exacerbations will be blind to group allocation.

An intention to treat analysis will be undertaken with a comparison of the change in inhaled corticosteroid dose and the number of exacerbations over the one-year follow up period between the two groups. It is expected that the eNO group will use less inhaled corticosteroids and experience less exacerbations.

Previous interventions:

150 subjects aged 6 to 17 years with moderate or severe asthma will be recruited. Their asthma will be stabilised and they will be randomised to the exhaled nitric oxide (eNO) or control group.

All will be assessed every two months for a year. The control group will be managed according to the British Thoracic Society guidelines. In the eNO group, the inhaled corticosteroid doses will be increased in response to elevated eNO levels and reduced if levels are low. Subjects and medical staff involved in managing any exacerbations will be blind to group allocation.

An intention to treat analysis will be undertaken with a comparison of the change in inhaled corticosteroid dose and the number of exacerbations over the one-year follow up period between the two groups. It is expected that the eNO group will use less inhaled corticosteroids and experience less exacerbations.

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

An intention to treat analysis will be undertaken with a comparison of the change in inhaled steroid dose and the number of exacerbations over the one-year follow up period between the eNO and control groups.

Key secondary outcome(s))

- 1. A per protocol analysis will be undertaken, the dataset for this analysis will be restricted to the subjects whose therapy was directed as per the protocol
- 2. Subgroup analysis restricted to subjects taking inhaled corticosteroid through a metered dose inhaler with a spacer as it is expected that these will form a more homogeneous analysis group
- 3. Subgroup analysis focusing firstly on subjects with moderate (400 800 mcg/day beclomethasone equivalent) and secondly subjects with severe (greater than 800 mcg/day beclomethasone equivalent) asthma to determine whether results are similar in both groups
- 4. Subgroup analysis focusing on firstly on atopic asthmatics and secondly non-atopic ones
- 5. Analyses restricted firstly to only viral associated exacerbations and secondly to exacerbations that are not associated with a viral infection
- 6. Comparison of the average inhaled steroid use in each group over the last six months of follow up

Completion date

31/08/2009

Eligibility

Key inclusion criteria

- 1. Aged 6 17 years
- 2. Clinical diagnosis of asthma
- 3. Treatment with at least 400 mcg daily of beclomethasone/budesonide or 200 mcg daily of fluticasone

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Child

Lower age limit

6 years

Upper age limit

17 years

Sex

All

Key exclusion criteria

- 1. Inability to perform lung function or eNO measurement
- 2. Cigarette smoking
- 3. Poor compliance with medication
- 4. Previous life-threatening exacerbations
- 5. Need for maintenance oral prednisolone

Date of first enrolment

12/12/2006

Date of final enrolment

31/08/2009

Locations

Countries of recruitment

United Kingdom

England

Study participating centre Southampton University Hospital NHS Trust

Southampton United Kingdom SO16 6YD

Sponsor information

Organisation

University of Southampton (UK)

ROR

https://ror.org/01ryk1543

Funder(s)

Funder type

Charity

Funder Name

Sport Aiding Medical Research for Kids (SPARKS) (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created Date added Peer reviewed? Patient-facing?		
Results article	results	01/04/2013	Yes	No
Participant information sheet	Participant information sheet	11/11/2025 11/11/202	5 No	Yes