

# Safety and efficacy of a cream on the wound healing and scar of cesarean section

<b>Submission date</b> 08/05/2024	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 10/05/2024	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 27/01/2025	<b>Condition category</b> Pregnancy and Childbirth	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

One of the most popular surgical procedures is the cesarean section (CS), and one of the most prevalent side effects of this procedure is wound and scar issues. The aim of this prospective, short-term, placebo-controlled study is to evaluate the safety and effectiveness of a silicone-based medical device (Lecoxen cream, Ekuberg Pharma, Italy) in healing wounds and scars derived from cesarean sections in nulliparous women. Methods:

### Who can participate?

Women, ranging in age from 18 to 45 years, who underwent CS

### What does the study involve?

Participants are divided in two groups of treatment (Lecoxen cream or Vaseline). The quality of scar will be examined using the Vancouver scar scale after 28 days, while wound healing will be evaluated using the redness, edema, ecchymosis, discharge, and approximation (REEDA) scale on the 14th day following CS.

### What are the possible benefits and risks of participating?

Possible benefits: reduction of healing time of wound and amelioration of scar tissue

Possible risk: allergies to any of the ingredients contained in the proposed treatment

### Where is the study run from?

Department of Obstetrics and Gynecology "Veris delli Ponti Hospital" (Italy)

### When is the study starting and how long is it expected to run for?

June 2023 to December 2023

### Who is funding the study?

Investigator initiated and funded

### Who is the main contact?

Prof. Andrea Tinelli, [andreatinelli@gmail.com](mailto:andreatinelli@gmail.com)

# Contact information

## Type(s)

Scientific

## Contact name

Dr Davide Carati

## ORCID ID

<http://orcid.org/0000-0003-2360-3456>

## Contact details

Via castrignano

Martano

Italy

73025

+39 3294513080

[davide.carati@ekubergpharma.com](mailto:davide.carati@ekubergpharma.com)

## Type(s)

Public, Principal Investigator

## Contact name

Prof Andrea Tinelli

## ORCID ID

<http://orcid.org/0000-0001-8426-8490>

## Contact details

Direttore U.O.C. Ginecologia e Ostetricia, Ospedale Veris delli Ponti

Scorrano

Italy

73020

+39 3392074078

[Ginecologia.poscorrano@asl.lecce.it](mailto:Ginecologia.poscorrano@asl.lecce.it)

# Additional identifiers

## EudraCT/CTIS number

Nil known

## IRAS number

## ClinicalTrials.gov number

Nil known

## Secondary identifying numbers

75839/2023

# Study information

## Scientific Title

Safety and efficacy of Lecoxen cream on the wound healing and scar of cesarean section: a prospective observational clinical trial

## Study objectives

Lecoxen cream is more effective than pure Vaseline in reducing time of healing of wound resulting from cesarean section and improve quality of resulting scar.

## Ethics approval required

Ethics approval required

## Ethics approval(s)

Approved 06/06/2023, Ethical committee of Lecce (Via Miglietta 5, Lecce, 73100, Italy; +39 836 420273; cometico@asl.lecce.it), ref: 75839/2023

## Study design

Single center interventional randomized controlled trial

## Primary study design

Interventional

## Secondary study design

Randomised controlled trial

## Study setting(s)

Hospital

## Study type(s)

Safety, Efficacy

## Participant information sheet

Not available in web format, please use the contact details to request a participant information sheet

## Health condition(s) or problem(s) studied

Treatment of wound derived after cesarean section

## Interventions

All pregnant women submitted to a Pfannenstiel skin incision will be included in the study. After surgery, skin will be closed by agrafes (Agrafes Appose, Medtronic Italy, Milano, Italy) and will be divided into two 71 groups: 37 mothers were allocated to the treatment group with Lecoxen cream, 37 to the placebo group treated with 72 Vaseline (Vaseline F.U., Marco Viti, Italy). Participants were assigned in a 1:1 ratio with sequential assignment, depending on time and date of enrolment.

After the stitches' removal, normally on the seventh post-operative day, patients will be instructed to apply respective treatments from the first day to the twenty-eighth day, once a day. Patients will be asked not to use any other medicament for wound healing.

A board-certified gynecologist, all doctors working in the department where the study will be

performed, will supervised the screening, the enrollment of study participants from a panel of candidates, and will follow the patients during the study.

The state of wound healing will be evaluated at baseline and after 14 days (T1) of the treatment using Redness, Edema, Ecchymosis, Discharge, and Approximation (REEDA) scale. The degree of quality of the resulting scar will be finally evaluated after 28 days (T2), using Vancouver Scar Scale (VSS).

### **Intervention Type**

Device

### **Pharmaceutical study type(s)**

Dose response

### **Phase**

Not Specified

### **Drug/device/biological/vaccine name(s)**

Lecoxen cream

### **Primary outcome measure**

1. The quality of scar was examined using the VSS scale at baseline and after 28 days
2. The wound healing was evaluated using REEDA scale at baseline and after 14 days

### **Secondary outcome measures**

Adverse events measured using patient records up to the end of the study

### **Overall study start date**

01/06/2023

### **Completion date**

31/12/2023

## **Eligibility**

### **Key inclusion criteria**

Healthy women aged 18 - 45 years scheduled for CS

### **Participant type(s)**

Patient

### **Age group**

Adult

### **Lower age limit**

18 Years

### **Upper age limit**

45 Years

### **Sex**

Female

**Target number of participants**

74

**Total final enrolment**

74

**Key exclusion criteria**

1. Smoking
2. At risk for premature birth
3. Obesity
4. Hypertension
5. Diabetes and infections
6. Use systemic and topical corticosteroids
7. Presence of previous surgical scarring near the incision site
8. Autoimmune diseases
9. Skin problems
10. Known hypersensitivity to at least one of the components of the formulation Lecoxen cream or Vaseline

**Date of first enrolment**

07/06/2023

**Date of final enrolment**

01/12/2023

## **Locations**

**Countries of recruitment**

Italy

**Study participating centre**

**Department of Gynecology and Obstetrics of the 'Veris Delli Ponti' Hospital**

Via Giuseppina Delli Ponti

Scorrano

Italy

73020

## **Sponsor information**

**Organisation**

Department of Obstetrics and Gynecology "Veris delli Ponti Hospital"

**Sponsor details**

Via Giuseppina Delli Ponti  
Scorrano  
Italy  
73020  
+39 836420564  
ginecologia.poscorrano@asl.lecce.it

**Sponsor type**

Hospital/treatment centre

## Funder(s)

**Funder type**

Other

**Funder Name**

Investigator initiated and funded

## Results and Publications

**Publication and dissemination plan**

Planned publication in a peer-reviewed journal

**Intention to publish date**

01/06/2024

**Individual participant data (IPD) sharing plan**

The datasets generated during and/or analysed during the current study will be available upon request from Andrea Tinelli  
andreatinelli@gmail.com

**IPD sharing plan summary**

Available on request

**Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>		22/07/2024	27/01/2025	Yes	No