

# Total versus subtotal hysterectomy: a prospective, randomised, multi-centre study of the effects on urinary, sexual and bowel function

|  |  |  |
|--|--|--|
| <b>Submission date</b><br>23/01/2004   | <b>Recruitment status</b><br>No longer recruiting            | <input type="checkbox"/> Prospectively registered    |
| <b>Registration date</b><br>23/01/2004 | <b>Overall study status</b><br>Completed                     | <input type="checkbox"/> Protocol                    |
| <b>Last Edited</b><br>18/11/2010       | <b>Condition category</b><br>Urological and Genital Diseases | <input type="checkbox"/> Statistical analysis plan   |
|  |  | <input checked="" type="checkbox"/> Results          |
|  |  | <input type="checkbox"/> Individual participant data |

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Scientific

### Contact name

Dr Isaac Manyonda

### Contact details

St George's Healthcare NHS Trust  
Department of Obstetrics & Gynaecology  
St George's Hospital  
London  
United Kingdom  
SW7 0QT  
[imanyond@sghms.ac.uk](mailto:imanyond@sghms.ac.uk)

## Additional identifiers

### Protocol serial number

REC00076

## Study information

## Scientific Title

### Study objectives

To determine whether subtotal abdominal hysterectomy results in better bladder, bowel or sexual function than total abdominal hysterectomy

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

Not provided at time of registration

### Study design

Randomised controlled trial

### Primary study design

Interventional

### Study type(s)

Treatment

### Health condition(s) or problem(s) studied

Urological and genital diseases: Menstrual disorders

### Interventions

Subtotal hysterectomy vs total hysterectomy

### Intervention Type

Other

### Phase

Not Specified

### Primary outcome(s)

Measures of bladder, bowel and sexual function at 12 months

### Key secondary outcome(s)

Not provided at time of registration

### Completion date

01/01/1999

## Eligibility

### Key inclusion criteria

Women referred for hysterectomy because of benign disease; most of the women were premenopausal

### Participant type(s)

Patient

**Healthy volunteers allowed**

No

**Age group**

Adult

**Sex**

Female

**Key exclusion criteria**

Aged over 60 years, suspected cancer, a body weight that exceeded 100 kg, previous pelvic surgery, known endometriosis, abnormal cervical smears, symptomatic uterine prolapse, symptomatic urinary incontinence

**Date of first enrolment**

01/01/1996

**Date of final enrolment**

01/01/1999

## **Locations**

**Countries of recruitment**

United Kingdom

England

**Study participating centre**

St George's Healthcare NHS Trust

London

United Kingdom

SW7 0QT

## **Sponsor information**

**Organisation**

NHS R&D Regional Programme Register - Department of Health (UK)

## **Funder(s)**

**Funder type**

Government

**Funder Name**

NHS Executive London

## Results and Publications

### Individual participant data (IPD) sharing plan

**IPD sharing plan summary**

Not provided at time of registration

**Study outputs**

| Output type                     | Details | Date created | Date added | Peer reviewed? | Patient-facing? |
|---------------------------------|---------|--------------|------------|----------------|-----------------|
| <a href="#">Results article</a> | results | 24/10/2002   |            | Yes            | No              |