

# Evaluation of support group interventions for children

<b>Submission date</b> 21/05/2013	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input checked="" type="checkbox"/> Protocol
<b>Registration date</b> 02/09/2013	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
<b>Last Edited</b> 10/09/2015	<b>Condition category</b> Mental and Behavioural Disorders	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

In the last few decades, support groups have become popular for offering preventive methods for children at risk in Sweden. These methods are used for children in families with a variety of parental problems such as alcohol/drug abuse, mental illness, family violence, imprisonment or divorce conflicts. These children are known to be a high-risk group for severe mental health and /or social problems. Support groups are available in a majority of Swedish municipalities and are run mainly by social or public health services, and by non-governmental organizations (NGOs). The number of children and youths who are attending support groups has been estimated to about 2500 a year, but there are no figures of the total number of children who attend support groups. The main purpose of the support group is to strengthen the children's coping behaviour, to improve their mental health and to prevent a negative psycho-social development. Although the method is widespread, research has so far been limited. Previous studies looked at children's experiences and satisfaction with the support group. There is a shortage of studies on how well these methods work and therefore, there is no evidence whether these methods used in Sweden have an effect. The aim of this study is to find out whether support group methods have an effect regarding children's global mental health, coping behaviour, rated quality of life and self-perception.

### Who can participate?

The study is open to children aged 7-13 years, in families where at least one of the parents (or other caregiver) has problems related to alcohol/drug abuse, mental illness, family violence, divorce problems or a parent in prison.

### What does the study involve?

Participants are randomly allocated to either an intervention group, who will receive a support group intervention, or a waiting list control group, who will receive treatment as usual (TAU). The assessment consists of questionnaires that are to be filled in by the participants at the start of the study. The intervention group participants will then be followed up four and twelve months after. The control group participants will be followed up once - four months from the start of the study.

What are the possible benefits and risks of participating?

Having in mind the overall aim of the support group intervention, it is anticipated that participation may result in benefits such as improved mental health, coping behaviour and quality of life. Some participants may feel discomfort as they are asked to reflect over their own situation, behaviour and relations. However, it is stressed that the study is anonymous and strictly voluntary and the participants can choose to leave the study at any time.

Where is the study run from?

Recruitment is carried out through contacts with all organisers of support groups in the Stockholm area and through the BGS website ([www.barngruppstudien.se](http://www.barngruppstudien.se)).

When is the study starting and how long is it expected to run for?

February 2010 to January 2014.

Who is funding the study?

The study has been funded by grants from the Swedish National Institute of Public Health and the City of Stockholm, Sweden.

Who is the main contact?

Annemi Skerfving  
[annemi.skerfving@ki.se](mailto:annemi.skerfving@ki.se)

## Contact information

### Type(s)

Scientific

### Contact name

Dr Tobias Elgan

### Contact details

STAD

Stockholm Centre for Psychiatric Research and Education

Stockholm County Council Health Care Provision and Karolinska Institutet

Box 6031

Stockholm

Sweden

10231

+46 (0)700 011 003

[tobias.elgan@sll.se](mailto:tobias.elgan@sll.se)

## Additional identifiers

### Protocol serial number

HFÅ 2011/575

## Study information

### Scientific Title

Effects of support group interventions on children in families with parental problems related to alcohol, drug abuse, mental illness, family violence, imprisonment or a complicated divorce situation

## **Acronym**

BGS (Barngruppstudien)

## **Study objectives**

The intervention group in comparison to the control group, representing treatment-as-usual will:

1. improve their mental health
2. improve their coping behavior
3. improve their expected quality of life

## **Ethics approval required**

Old ethics approval format

## **Ethics approval(s)**

Regional Ethical Review Board, Stockholm, 08/04/2010 ref: 2010/5:4 and 16/12/2010, ref: 2010/5:12

## **Study design**

Single-centred parallel-group unblinded controlled intervention study

## **Primary study design**

Interventional

## **Study type(s)**

Quality of life

## **Health condition(s) or problem(s) studied**

Affected children in families with parental problems

## **Interventions**

Intervention: Support group intervention for children living in families with parental problems. Waiting list control group, representing treatment-as-usual (TAU), are offered a support group intervention after the trial period. No other intervention is offered to them.

The support group interventions are derived from the manual-based CAP (Children are People Too) intervention, consisting of:

1. 8 - 12 thematic group sessions (each between 90 -120 min) discussing different aspects of parental problems in the family
2. Each session contains lectures related to the specific problem that the group aims at
3. Each session contains various games, role plays and practises related to family problem and coping behaviour

## **Intervention Type**

Other

## **Phase**

Not Applicable

## **Primary outcome(s)**

Study assessments take place at baseline, at 4 and 12 months following baseline.

1. Mental health is measured using the Strength and Difficulties Questionnaire to the child and the parent (SDQ-P and SDQ-S 11-16)
2. Coping behaviour is measured using the Kids Coping Test questionnaire (four-point Likert scales) to the child.
3. Overall life satisfaction will be measured by asking about the participants' past, present and future rating of his/her life on a ten-point 'Ladder of life', representing life status from 'worst' to 'best' possible life imaginable using a one year time frame
4. Self perception is measured using the Swedish Scale 'Jag tycker jag är' (I think I am) questionnaire. 'Jag Tycker Jag Är L' is a 32-item, two-point Likert scale for children (7-9 years). 'Jag Tycker Jag Är M-H' is a 72-item, four-point Likert scale for children (10-15 years).
4. Parent/other adult also answers the Swedish Scale Family Climate (Familjeklimat)

## **Key secondary outcome(s)**

Program adherence will be measured using a questionnaire to group leaders listing all activities during the group sessions

## **Completion date**

31/12/2013

# **Eligibility**

## **Key inclusion criteria**

1. Child should be 7-13 years old
2. Child should be from family with at least one of the parents has problems such as addiction to alcohol/drugs, mental illness, family violence, divorce or imprisonment
3. Informed consent from custodian/custodians

## **Participant type(s)**

Patient

## **Healthy volunteers allowed**

No

## **Age group**

Child

## **Lower age limit**

7 years

## **Upper age limit**

13 years

## **Sex**

All

## **Key exclusion criteria**

1. Previous support group experience
2. Parents refused to give consent

**Date of first enrolment**

10/02/2010

**Date of final enrolment**

31/12/2013

## Locations

**Countries of recruitment**

Sweden

**Study participating centre**

**Stockholm Centre for Psychiatric Research and Education**

Stockholm

Sweden

10231

## Sponsor information

**Organisation**

The Swedish National Institute of Public Health (FHI) (Sweden)

**ROR**

<https://ror.org/05x4m5564>

## Funder(s)

**Funder type**

Government

**Funder Name**

Preventionscentrum Stockholm (Sweden) DNR: 3.2-0670/2009

**Funder Name**

Swedish National Institute of Public Health (Sweden) ref: HFÅ 2010/54 ; HFÅ 2011/575

## Results and Publications

## Individual participant data (IPD) sharing plan

### IPD sharing plan summary

Not provided at time of registration

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Protocol article</a>	protocol	24/01/2014		Yes	No
<a href="#">Study website</a>	Study website	11/11/2025	11/11/2025	No	Yes