

# Intervention phase of the Tehran Lipid and Glucose Study (TLGS phase II)

<b>Submission date</b> 11/10/2008	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
<b>Registration date</b> 27/11/2008	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 20/11/2018	<b>Condition category</b> Other	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

Noncommunicable disorders (NCDs) are long-term diseases that are not passed from person to person. NCDs include heart disease, cancer, lung disease and diabetes. This study is a long-term community-based programme which aims to evaluate lifestyle modification interventions to prevent or postpone the development of NCDs.

### Who can participate?

Residents of District 13 of Tehran, aged 3 years and over

### What does the study involve?

Participating areas are randomly allocated to either the intervention or the control group. Residents in the intervention areas receive interventions that aim to improve their lifestyle (e.g., diet, smoking and exercise) through education, leaflets, brochures, school programme alterations, and treating patients with NCD risk factors. Data is collected every 3 years to assess the effects of the different interventions on the prevalence of NCDs in the intervention areas as compared to the control areas, where residents do not receive the interventions.

### What are the possible benefits and risks of participating?

Not provided at time of registration

### Where is the study run from?

Research Institute for Endocrine Sciences (Iran)

### When is the study starting and how long is it expected to run for?

March 1999 to March 2020

### Who is funding the study?

1. National Research Council, Ministry of Health (Iran)
2. Research Institute for Endocrine Sciences (Iran)

Who is the main contact?

Prof Fereidoun Azizi

azizi@endocrine.ac.ir

### **Study website**

<http://endocrine.ac.ir/English/study.aspx>

## **Contact information**

### **Type(s)**

Scientific

### **Contact name**

Prof Fereidoun Azizi

### **Contact details**

Research Institute for Endocrine Sciences

No 24 Parvaneh Avenue

Yaman Street

Velenjak

Tehran

Iran

19395-4763

+98 (0)21 2240 9309

azizi@endocrine.ac.ir

## **Additional identifiers**

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N/A

## **Study information**

### **Scientific Title**

Prevention of non-communicable disease in a population in nutrition transition: Tehran Lipid and Glucose Study Phase II

### **Acronym**

TLGS II

### **Study objectives**

The Tehran Lipid and Glucose Study (TLGS) is a long term integrated community-based programme for prevention of non-communicable disorders (NCD) by development of a healthy

lifestyle and reduction of NCD risk factors. The primary research goal is an evaluation of the feasibility and effectiveness of lifestyle modification interventions in preventing or postponing the development of NCD risk factors and outcomes in a population in nutrition transition. Secondary research goals include determining differences in the prevalence of major NCD risk factors and outcomes between intervention and control groups with special focus on angina pectoris, myocardial infarction, cerebrovascular events, diabetes mellitus, hypertension and dyslipidaemia.

### **Ethics approval required**

Old ethics approval format

### **Ethics approval(s)**

The National Research Council of the Islamic Republic of Iran (ref: 121); performed with the approval of the Human Research Review Committee of the Endocrine Research Centre, Shahid Beheshti University (MC).

### **Study design**

Randomised community intervention (controlled field trial)

### **Primary study design**

Interventional

### **Secondary study design**

Randomised controlled trial

### **Study setting(s)**

Community

### **Study type(s)**

Prevention

### **Participant information sheet**

Not available in web format, please use the contact details below to request a patient information sheet

### **Health condition(s) or problem(s) studied**

Non-communicable diseases (NCD)

### **Interventions**

Primary, secondary and tertiary interventions were designed based on specific target groups including school children, housewives, and high-risk persons. Officials of various sectors such as health, education, municipality, police, media, traders and community leaders were actively engaged as decision makers and collaborators. Interventional strategies were based on lifestyle modifications in diet, smoking and physical activity through face-to-face education, leaflets and brochures, school programme alterations, training volunteers as health team and treating patients with NCD risk factors. Collection of demographic, clinical and laboratory data will be repeated every 3 years to assess the effects of different interventions in the intervention group as compared to control group.

### **Intervention Type**

Behavioural

### **Primary outcome measure**

Major NCD risk factors including the following:

1. Glucose disorders (oral glucose tolerance test, fasting blood sugar)
2. Dyslipidaemia: serum total cholesterol, triglycerides, low density lipoprotein cholesterol (LDL-C), high-density lipoprotein cholesterol (HDL-C)
3. Obesity: a body mass index (BMI) of 25 to 29.9 kg/m<sup>2</sup> in adults is considered as overweight and a BMI equal to or more than 30 kg/m<sup>2</sup> is defined as obesity. Obesity and overweight in children and adolescents are defined according to international cut-off points for body mass index. Truncal obesity is defined as a waist-hip ratio (WHR) more than 0.95 in adult men and more than 0.8 in adult women.
4. Smoking, assessed by a 110-item questionnaire and Modifiable Activity Questionnaire (MAQ)
5. Hypertension (HTN)
6. Level of physical activity, assessed by a 110-item questionnaire and Modifiable Activity Questionnaire (MAQ)
7. Nutritional status, assessed by interviews

The primary outcomes are assessed every 3 years.

### **Secondary outcome measures**

1. Any significant medical events
2. Mortality

The secondary outcomes are assessed annually.

### **Overall study start date**

01/03/1999

### **Completion date**

01/03/2020

## **Eligibility**

### **Key inclusion criteria**

1. Individuals aged 3 years and over, either sex
2. Residents of the District 13 of Tehran
3. Under the coverage of three medical health centres, selected using multistage cluster random sampling method
4. Agree for all members of each family, including those not having risk factors, to be enrolled

### **Participant type(s)**

All

### **Age group**

Other

### **Sex**

Both

### **Target number of participants**

15,005 (5,630 cases for intervention group)

**Key exclusion criteria**

Mentally disabled persons

**Date of first enrolment**

01/03/1999

**Date of final enrolment**

01/03/2020

**Locations****Countries of recruitment**

Iran

**Study participating centre**

Research Institute for Endocrine Sciences

Tehran

Iran

19395-4763

**Sponsor information****Organisation**

Research Institute for Endocrine Sciences (Iran)

**Sponsor details**

No 24 Parvaneh Avenue

Yaman Street

Velenjak

Tehran

Iran

19395-4763

+98 (0)21 2243 2500 or 2240 9309

azizi@endocrine.ac.ir

**Sponsor type**

University/education

**Website**

<http://endocrine.ac.ir>

**ROR**

<https://ror.org/01kpm1136>

# Funder(s)

## Funder type

Government

## Funder Name

National Research Council, Ministry of Health (Iran)

## Funder Name

Research Institute for Endocrine Sciences (Iran)

# Results and Publications

## Publication and dissemination plan

Not provided at time of registration

## Intention to publish date

## Individual participant data (IPD) sharing plan

## IPD sharing plan summary

Not provided at time of registration

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Other publications</a>		15/06/2000		Yes	No
<a href="#">Results article</a>	results	01/01/2002		Yes	No
<a href="#">Results article</a>	results	14/11/2007		Yes	No
<a href="#">Results article</a>	assessment of alternative definitions results	01/05/2008		Yes	No
<a href="#">Results article</a>	nested case control study results	05/06/2008		Yes	No
<a href="#">Results article</a>	prospective study results	01/10/2008		Yes	No
<a href="#">Results article</a>	anthropometric parameter results	01/11/2008		Yes	No
<a href="#">Results article</a>	nutritional intervention results	01/11/2008		Yes	No
<a href="#">Protocol article</a>	phase II protocol results	25/01/2009		Yes	No

<a href="#">Results article</a>		01/06/2010	Yes	No
<a href="#">Results article</a>	results	01/02/2018	Yes	No