

A randomized, placebo controlled, trial of preoperative sustained release betamethasone plus non-controlled intraoperative ketorolac or fentanyl on pain after diagnostic laparoscopy or laparoscopic tubal ligation

Submission date 18/08/2003	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 19/08/2003	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 05/09/2007	Condition category Signs and Symptoms	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Prof Roger Carroll

Contact details
UT Graduate School of Medicine
Department of Anesthesiology
1924 Alcoa Highway
Knoxville
United States of America
37920
+1 865 544 9469
rccarrol@mc.utmc.edu

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

Betamethasone ARF#1212

Study information

Scientific Title

Study objectives

Not provided at time of registration

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Postoperative pain

Interventions

Sustained release betamethasone versus placebo.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Betamethasone, ketorolac, fentanyl

Primary outcome measure

Not provided at time of registration

Secondary outcome measures

Not provided at time of registration

Overall study start date

01/01/2002

Completion date

31/12/2002

Eligibility

Key inclusion criteria

Patients undergoing laparoscopic surgery at University of Tennessee Medical Centre
Knoxville, Tennessee (USA)

Participant type(s)

Patient

Age group

Not Specified

Sex

Not Specified

Target number of participants

74

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/01/2002

Date of final enrolment

31/12/2002

Locations

Countries of recruitment

United States of America

Study participating centre

UT Graduate School of Medicine
Knoxville
United States of America
37920

Sponsor information

Organisation

University of Tennessee Anesthesiology Research Fund (USA)

Sponsor details

University of Tennessee Graduate School of Medicine
Department of Anesthesiology
1924 Alcoa Highway
Knoxville
United States of America
37920
+1 865 544 9220
prinehar@mc.utmck.edu

Sponsor type

University/education

ROR

<https://ror.org/00xzqjh13>

Funder(s)

Funder type

Research organisation

Funder Name

University of Tennessee Anesthesiology Research Fund (USA)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	Results	21/08/2003		Yes	No