

A multi-site trial of specialist palliative care in cystic fibrosis

Submission date 15/09/2020	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 09/10/2020	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 17/03/2023	Condition category Nutritional, Metabolic, Endocrine	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Current plain English summary as of 09/03/2021:

Background and study aims

Cystic fibrosis (CF) is a genetic disease that affects more than 30,000 individuals in the United States and their families. People with CF experience multiple physical and emotional symptoms, including shortness of breath, tiredness, pain, depression, and anxiety.

Palliative care is a medical speciality of experts who work to reduce suffering and improve quality of life for people with serious illness, like CF. Although there is evidence for the benefits of palliative care in illnesses like cancer and heart disease, we do not know if it has the same benefits for people living with CF. The goal of this study is to test whether palliative care, delivered alongside usual CF care, improves outcomes for people with CF.

Aims:

1. To compare integrated palliative care to usual care for effects on patient quality of life, physical and psychological symptom burden, and advance care planning
2. To compare integrated palliative care to usual care for effects on caregiver quality of life, psychological distress and burden
3. To evaluate the mechanisms of providing integrated palliative care and barriers and facilitators to broader implementation

Who can participate?

English-speaking adults ages 18 and over who have cystic fibrosis with unmet palliative needs as indicated by: 1) one or more moderate or severe symptom, 2) reduced quality of life, and/or 3) two or more hospitalizations in the past year. Caregivers who are identified by the patient as being involved in their care also are eligible.

What does the study involve?

Participants will be assigned by chance to receive either usual CF care or usual care plus at least four visits with a palliative care nurse practitioner. The visits will address physical and emotional symptoms, participants' understanding of their condition, and goals and concerns for the future, including advance care planning.

What are the possible risks and benefits of participating?

The study includes the risk of exposure of sensitive personal information, as well as potentially uncomfortable conversations about serious illness.

Where is the study run from?

The study is led by researchers at Emory University, with additional study sites at University of North Carolina at Chapel Hill, St. Michael's Hospital (Toronto, Canada), University of California San Diego, and the University of Alabama at Birmingham. Data analysis will occur at the University of Pittsburgh.

When is the study starting and how long is it expected to run for?

April 2020 to June 2023

Who is funding the study?

The Cystic Fibrosis Foundation

Who is the main contact?

Dr Dio Kavalieratos

d.kavalieratos@emory.edu

Previous plain English summary:

Background and study aims

Cystic fibrosis (CF) is a genetic disease that affects more than 30,000 individuals in the United States and their families. People with CF experience multiple physical and emotional symptoms, including shortness of breath, tiredness, pain, depression, and anxiety.

Palliative care is a medical speciality of experts who work to reduce suffering and improve quality of life for people with serious illness, like CF. Although there is evidence for the benefits of palliative care in illnesses like cancer and heart disease, we do not know if it has the same benefits for people living with CF. The goal of this study is to test whether palliative care, delivered alongside usual CF care, improves outcomes for people with CF.

Aims:

1. To compare integrated palliative care to usual care for effects on patient quality of life, physical and psychological symptom burden, and advance care planning
2. To compare integrated palliative care to usual care for effects on caregiver quality of life, psychological distress and burden
3. To evaluate the mechanisms of providing integrated palliative care and barriers and facilitators to broader implementation

Who can participate?

English-speaking adults ages 18 and over who have cystic fibrosis with reduced lung function (FEV1 less than or equal to 70% of predicted), and unmet palliative needs as indicated by: 1) one or more moderate or severe symptom, 2) reduced quality of life, and/or 3) two or more hospitalizations in the past year. Caregivers who are identified by the patient as being involved in their care also are eligible.

What does the study involve?

Participants will be assigned by chance to receive either usual CF care or usual care plus at least

four visits with a palliative care nurse practitioner. The visits will address physical and emotional symptoms, participants' understanding of their condition, and goals and concerns for the future, including advance care planning.

What are the possible risks and benefits of participating?

The study includes the risk of exposure of sensitive personal information, as well as potentially uncomfortable conversations about serious illness.

Where is the study run from?

The study is led by researchers at Emory University, with additional study sites at University of North Carolina at Chapel Hill, St. Michael's Hospital (Toronto, Canada), University of California San Diego, and the University of Alabama at Birmingham. Data analysis will occur at the University of Pittsburgh.

When is the study starting and how long is it expected to run for?

April 2020 to March 2024

Who is funding the study?

The Cystic Fibrosis Foundation

Who is the main contact?

Dr Dio Kavalieratos

d.kavalieratos@emory.edu

Contact information

Type(s)

Scientific

Contact name

Dr Dionysios Kavalieratos

ORCID ID

<https://orcid.org/0000-0001-5283-0792>

Contact details

Emory University Palliative Care Center

1821 Clifton Road, Suite 1016

Atlanta

United States of America

30329

+1 (0)412 805 8381

d.kavalieratos@emory.edu

Type(s)

Public

Contact name

Dr Jane Lowers

ORCID ID

<https://orcid.org/0000-0003-2364-512X>

Contact details

Emory University Palliative Care Center
1821 Clifton Road, Suite 1016
Atlanta
United States of America
30329
+1 (0)4152798917
jlowers@emory.edu

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

KAVALI20Q10

Study information

Scientific Title

Integrating specialist palliative care to improve care and reduce suffering: cystic fibrosis

Acronym

InSPIRe:CF

Study objectives

What is the effect of adding specialist palliative care to usual care for adults with cystic fibrosis (CF)?

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 03/09/2020, Emory University Institutional Review Board (1599 Clifton Road, Atlanta, GA 30322, USA; +1 (0)404 712 0720; irb@emory.edu) ref: STUDY00000071

Study design

Partially blinded multi-center randomized controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Cystic fibrosis in adults

Interventions

Randomization to either quarterly visits and monthly calls with a palliative care nurse practitioner embedded in the cystic fibrosis (CF) clinic, or usual CF care. The visits will address physical and emotional symptoms, participants' understanding of their condition, and goals and concerns for the future, including advance care planning.

The duration of the intervention is 9 months (quarterly visits at months 0, 3, 6, 9).

Participant randomization (1:1 allocation) is stratified by site with permuted blocks of varying sizes. Patient participants are randomized to control or intervention groups after providing informed consent and baseline data.

Intervention Type

Behavioural

Primary outcome(s)

1. Patient quality of life, measured by FACIT-PAL at baseline and quarterly for 15 months (months 3, 6, 9, 12, 15)
2. Caregiver quality of life, measured by PROMIS Global 10 at baseline and quarterly for 15 months (months 3, 6, 9, 12, 15)

Key secondary outcome(s)

1. CF-specific quality of life measured by Cystic Fibrosis Questionnaire-Revised (collected monthly, primary endpoint 12 months, secondary endpoint 15 months)
2. Symptom burden measured by Memorial Symptom Assessment Scale-CF (collected monthly, primary endpoint 12 months, secondary endpoint 15 months)
3. Psychological distress measured by Hospital Anxiety and Depression Scale (HADS) (collected monthly, primary endpoint 12 months, secondary endpoint 15 months)
4. Coping measured by Brief COPE (collected monthly, primary endpoint 12 months, secondary endpoint 15 months)
5. Satisfaction with care measured by FAMCARE-16 (collected monthly, primary endpoint 12 months, secondary endpoint 15 months)
6. Healthcare utilization measured by emergency department visits, inpatient hospitalization, unplanned outpatient visits, vital status (baseline and 15 months)
7. Advance care planning measured by presence of documentation of discussion of care wishes or signed ACP documents (baseline and 15 months)
8. Caregiver burden measured by Zarit Burden Interview (collected monthly, primary endpoint 12 months, secondary endpoint 15 months)

Completion date

31/03/2024

Eligibility

Key inclusion criteria

1. English-speaking
2. Age ≥ 18 years
3. Palliative needs, as indicated by the following criteria:

- 3.1. ≥ 1 moderate or severe symptom (captured by the Integrated Palliative Outcomes Scale [IPOS]); OR
3.2. Reduced QoL (as captured by the IPOS); OR
3.3. ≥ 2 hospitalizations in the preceding year

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Total final enrolment

264

Key exclusion criteria

1. Post lung transplant
2. Patient does not receive primary CF care from the study site or intends to transfer primary CF care elsewhere over the next year
3. Received outpatient specialty palliative care within the past 12 months
4. Lack of reliable telephone or internet access
5. Active suicidal ideation

Date of first enrolment

01/11/2020

Date of final enrolment

15/03/2023

Locations

Countries of recruitment

Canada

United States of America

Study participating centre

Emory University

1821 Clifton Road

Suite 1016

Atlanta

United States of America
30329

Study participating centre
University of Alabama at Birmingham
1713 6th Ave S
Birmingham
United States of America
35233

Study participating centre
University of North Carolina
101 Manning Dr.
Chapel Hill
United States of America
27514

Study participating centre
St. Michael's Hospital
30 Bond St.
Toronto
Canada
M5B 1W8

Study participating centre
University of California San Diego
9350 Campus Point Drive
La Jolla
United States of America
92037

Sponsor information

Organisation
Emory University

Funder(s)

Funder type

Charity

Funder Name

Cystic Fibrosis Foundation

Alternative Name(s)

CF Foundation, CFF

Funding Body Type

Government organisation

Funding Body Subtype

Trusts, charities, foundations (both public and private)

Location

United States of America

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be stored in a non-publicly available repository, the Palliative Care Research Cooperative Group, palliativecareresearch.org. Deidentified data will become available within 1 year of completion of data analysis. Further details about criteria for data access will be added at a later date.

IPD sharing plan summary

Stored in non-publicly available repository

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol article		01/09/2022	27/09/2022	Yes	No