PEARL: PET-based adaptive radiotherapy clinical trial

Submission date 22/07/2019	Recruitment status No longer recruiting	[X] Prospectively registered		
		[] Protocol		
Registration date	Overall study status	[] Statistical analysis plan		
10/09/2019	Completed	[_] Results		
Last Edited 13/01/2022	Condition category Cancer	[] Individual participant data		
		[] Record updated in last year		

Plain English summary of protocol

https://www.cancerresearchuk.org/about-cancer/find-a-clinical-trial/a-trial-using-a-scan-to-improve-treatment-for-oropharyngeal-cancer-during-chemoradiotherapy-pearl

Study website

https://www.cardiff.ac.uk/centre-for-trials-research/research/studies-and-trials/view/pearl

Contact information

Type(s) Scientific

Contact name

Dr Ruby Ray

Contact details

Centre for Trials Research College of Biomedical & Life Sciences Cardiff University 6th Floor, Neuadd Meirionnydd Heath Park Cardiff United Kingdom CF14 4YS +44 (029) 22510533 pearl@cardiff.ac.uk

Additional identifiers

EudraCT/CTIS number Nil known

IRAS number

ClinicalTrials.gov number NCT03935672

Secondary identifying numbers 42228

Study information

Scientific Title

PEARL: A Phase 1 trial of PET-based adaptive radiotherapy in patients undergoing radical chemoradiotherapy for Human Papilloma Virus (HPV)-positive oropharyngeal cancer.

Acronym

PEARL

Study objectives

Patients receiving biologically-based adaptive radiotherapy will have comparable two year PFS to patients undergoing standard treatment

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 07/12/2018, Wales research ethics committee 2, Castlebridge 4, 15-19 Cowbridge Road East, Cardiff, CF11 9AB; 02920785738; Wales.REC2@wales.nhs.uk), ref: 18/WA/0391

Study design Non-randomised; Interventional; Design type: Treatment, Radiotherapy

Primary study design Interventional

Secondary study design Non randomised study

Study setting(s) Not specified

Study type(s) Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Human Papilloma Virus (HPV)-positive oropharyngeal cancer.

Interventions

After informed consent, HPV-positivity will be confirmed by central testing of the diagnostic biopsy specimen. Patients who have had HPV-positivity confirmed locally can undergo baseline assessment of QOL and swallowing function prior to the central laboratory results.

Patients will undergo baseline plasma and saliva tests for the presence of biomarkers.

Patients will then undergo baseline planning FDG-PET-CT scan which ATLAAS software will use to generate a GTV. The GTV will be reviewed by a team of clinical oncologists who will also take into account the diagnostic MRI, CT and clinical findings on panendoscopy.

All patients will undergo swallowing and saliva-sparing RT, delivered using Volumetric Arc Therapy (VMAT) (RapdidArc), which the UK DARS clinical trial team demonstrated reduced RT dose to the pharyngeal constrictors more effectively than IMRT.

Patients will start their 6 weeks of CCRT two to three weeks following the planning scans. Cisplatin chemotherapy will be administered as per site-specific protocols. 30 daily fractions of radiotherapy will be delivered over 6 weeks.

A second FDG-PET-CT scan and repeat plasma and saliva tests will be carried out after 2 weeks of CRT and the PET assessed for residual FDG-avid disease. The GTV will be re-defined based on the avid region of the tumour. The new GTVb will continue to receive the maximum dose of 66Gy /30F but the non-avid region will receive a total dose of 60Gy/30F.

At the end of treatment, plasma and saliva tests will be repeated and will be then carried out on a 4 weekly basis until the 3-month post-treatment PET-CT.

Swallowing and QoL assessments will be repeated 4 weeks after treatment.

At 3 months post-treatment, a repeat PET-CT will be carried out to look for response. In those patients who have equivocal findings on PET, repeat imaging will be carried out 8 (+/- 2) weeks later to check for resolution.

Swallowing panel, QoL assessments, plasma and saliva samples will be repeated at 6, 12 and 24 months posttreatment. The plasma and saliva samples will also be repeated at 18 months.

Clinical follow up will be for 5 years as per standard practice.

Intervention Type Other

Primary outcome measure

Progression free survival at 2 years

Secondary outcome measures

1. Recruitment rates will be monitored annually

Percentage reduction in dose to organs at risk (OARs) will be recorded and plans where there was 10% or greater reduction in dose OARs categorised as significantly changed. This will be done after the second PET scan following 2 weeks of chemo radiotherapy treatment
 Swallowing panel measurements including qualitative and quantitative swallowing assessments (MDADI, PSS-H&N, water swallow test) and feeding tube rate dependency at 1 year

4. Quality of life (QOL) (EORTC QLQ C30, HN35 and UW-QOL questionnaires). QoL will be collected at baseline, 1, 3, 6, 12 and 24 months post concurrent chemo-radiation
5. Acute and late toxicity (NCI CTCAE criteria v4.03). Collected at baseline, weekly during treatment and 3, 6, 12 and 24 months post concurrent chemo-radiation
6. Complete metabolic response rate as per PERCIST criteria on PET-CT scan (postPET) 3 months after treatment

Overall study start date

01/10/2017

Completion date

31/01/2025

Eligibility

Key inclusion criteria

- 1. Histologically confirmed squamous cell carcinoma of the oropharynx
- 2. Positive p16 Immunohistochemistry on local testing
- 3. UICC TNM (8th edition) stage T1 T3 N0 N1 M0
- 4. Multidisciplinary team (MDT) decision to treat with primary chemoradiotherapy
- 5. Patients considered fit for radical treatment with primary chemoradiotherapy
- 6. Aged 18 years or older
- 7. Not smoked in the last 2 years
- 8. Written informed consent provided

9. Patients with reproductive potential (male or female), who are sexually active during the duration of the trial consent

to using a highly effective method of contraception for at least six months after the last dose of chemoradiotherapy

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

Planned Sample Size: 50; UK Sample Size: 50

Key exclusion criteria

- 1. Known HPV negative squamous cell carcinoma of the head and neck
- 2. T1 T3 tumours where primary treatment with concomitant chemo-radiotherapy is not considered appropriate
- 3. T4 disease
- 3. 14 disease
- 4. N2 (TMN8) nodal disease

- 5. Distant metastatic disease
- 6. Current smokers or smokers who have stopped within the past 2 years
- 7. Diabetes mellitus

8. Any pre-existing medical condition likely to impair swallowing function and/ or a history of preexisting swallowing

dysfunction prior to index oropharyngeal cancer

9. Previous radiotherapy to the head and neck

10. History of malignancy in the last 5 years, except basal cell carcinoma of the skin, or carcinoma in situ of the cervix

11. Women who are pregnant or breastfeeding and patients with reproductive potential (male or female) who are

sexually active during the duration of the trial and do not consent to use highly effective method of contraception for at

least 6 months after the last dose of chemoradiotherapy

12. Tumour non-avid on PET-CT or not visible on cross sectional imaging

Date of first enrolment

15/01/2020

Date of final enrolment

30/01/2023

Locations

Countries of recruitment England

United Kingdom

Wales

Study participating centre Velindre Cancer Centre Velindre Road

Cardiff United Kingdom CF14 2TL

Study participating centre

Abertawe Bro Morgannwg University LHB One Talbot Gateway Seaway Drive Seaway Parade Industrial Estate Baglan Port Talbot United Kingdom SA12 7BR **Study participating centre University Hospitals Bristol NHS Foundation Trust** Marlborough Street Bristol United Kingdom BS1 3NU

Sponsor information

Organisation Velindre NHS Trust

Sponsor details

Unit 2, Charnwood Court Heol Billingsley Cardiff Wales United Kingdom CF15 7QZ +44 (0) 29 2061 5888 sarah.townsend@wales.nhs.uk

Sponsor type Hospital/treatment centre

ROR https://ror.org/05ntqkc30

Funder(s)

Funder type Government

Funder Name Cancer Research Wales; Grant Codes: .12345

Results and Publications

Publication and dissemination plan

Planned publication in a high-impact peer-reviewed journal

Intention to publish date

31/01/2025

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are available from the corresponding author on reasonable request by contacting the CTR (pearl@cardiff.ac.uk). A process is then followed to ensure request is scientifically credible, within regulatory guidelines and within patient consent. Data may be requested at any pint during the trial. Application approvals will be subject to review by key members including trial Sponsor, TSC, TMG and IDMC where relevant.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
HRA research summary			28/06/2023	No	No