

# A phase-IV randomised, double blind comparative evaluation of immunogenicity of Monovalent Type 1 Oral Poliomyelitis Vaccine (mOPV1) versus trivalent OPV (tOPV): four-armed study

<b>Submission date</b> 07/09/2007	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered
<b>Registration date</b> 07/09/2007	<b>Overall study status</b> Completed	<input type="checkbox"/> Protocol
<b>Last Edited</b> 28/09/2012	<b>Condition category</b> Infections and Infestations	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

**Plain English summary of protocol**  
Not provided at time of registration

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Dr Roland Sutter

**Contact details**  
World Health Organization  
20 Avenue Appia  
Geneva 27  
Switzerland  
CH-1211  
+41 (0)22 791 4682  
sutterr@who.int

## Additional identifiers

EudraCT/CTIS number

IRAS number

**ClinicalTrials.gov number**

**Secondary identifying numbers**

RPC241

## **Study information**

**Scientific Title**

**Study objectives**

This study aims to demonstrate the superiority of one dose of Monovalent Type 1 Oral Poliomyelitis Vaccine (mOPV1) compared to trivalent Oral Poliomyelitis Vaccine (tOPV).

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Ethics approval received from:

1. World Health Organization Research Ethics Review Committee (WHO ERC) on the 3rd September 2007 (ref: RPC241)
2. MGM Medical College and Associated Hospital Society Indore on the 7th August 2007
3. Osmania Medical College Koti, Hyderabad on the 10th August 2007

**Study design**

Clinical trial, interventional, randomised, double blind four-armed comparative study

**Primary study design**

Interventional

**Secondary study design**

Randomised controlled trial

**Study setting(s)**

Hospital

**Study type(s)**

Treatment

**Participant information sheet**

**Health condition(s) or problem(s) studied**

Polio

**Interventions**

Control group: 2 drops (approximately 0.1 ml) standard dose tOPV manufactured by Panacea at birth and 30 days of age

Intervention group 1: 2 drops (approximately 0.1 ml) standard potency mOPV1 manufactured by Panacea at birth and 30 days of age

Intervention group 2: 2 drops (approximately 0.1 ml) higher potency mOPV1 manufactured by

Panacea at birth and 30 days of age

Intervention group 3: 2 drops (approximately 0.1 ml) standard dose mOPV1 manufactured by Sanofi Pasteur at birth and 30 days of age

Blood collection at birth (cord blood), further venipuncture blood collection at 30 days and at 60 days.

Contact details for Principal Investigator:

Dr T Jacob John

439 Civil Supplies Godown Lane

Kamalakshipuram, Vellore

Tamil Nadu, 632002

India

Tel: +91 (0)41 6226 7364

Fax: +91 (0)41 6223 2035 (courtesy of CMC Hospital)

Email: vlr\_tjohn@sancharnet.in

## **Intervention Type**

Drug

## **Phase**

Phase IV

## **Drug/device/biological/vaccine name(s)**

Monovalent Type 1 Oral Poliomyelitis Vaccine (mOPV1), trivalent Oral Poliomyelitis Vaccine (tOPV).

## **Primary outcome measure**

Seroconversion 30 days after a single dose of tOPV or mOPV1.

## **Secondary outcome measures**

Seroconversion after two doses of vaccine (one of three mOPV1 vaccines and tOPV).

## **Overall study start date**

08/09/2007

## **Completion date**

08/03/2008

# **Eligibility**

## **Key inclusion criteria**

1. Healthy infants (greater than or equal to 2.5 kg birth weight, apgar score at 5 minutes greater than or equal to 9)
2. Born at study sites (maternity hospitals)
3. Residing less than 30 km away from study site
4. Not planning to travel during entire study period (birth to 2 months)

## **Participant type(s)**

Patient

**Age group**

Child

**Sex**

Both

**Target number of participants**

720

**Key exclusion criteria**

1. Newborns requiring hospitalisation
2. Birth weight less than 2.5 kg
3. Apgar score at 5 minutes less than 9
4. Residence greater than 30 km from study sites
5. Families expecting to be absent during the 60 day study period
6. A diagnosis or suspicion of immunodeficiency disorder (either in participant or immediate family member)

**Date of first enrolment**

08/09/2007

**Date of final enrolment**

08/03/2008

**Locations****Countries of recruitment**

India

Switzerland

**Study participating centre**

**World Health Organization**

Geneva 27

Switzerland

CH-1211

**Sponsor information****Organisation**

Panacea Biotech Limited (India)

**Sponsor details**

c/o Dr Arani Chatterjee

B-1 Extn/G-3

Mohan Co-op Indl. Estate  
Mathura Road  
New Delhi  
India  
110044  
+91 (0)11 4167 8000 or 4167 9000  
aranichatterjee@panaceabiotec.com

**Sponsor type**

Industry

**Website**

<http://www.panacea-biotec.com/>

**ROR**

<https://ror.org/01ew11x49>

## **Funder(s)**

**Funder type**

Industry

**Funder Name**

Panacea Biotec Limited (India)

**Funder Name**

Gates Foundation (USA)

**Funder Name**

World Health Organization (WHO) Polio Eradication Initiative

## **Results and Publications**

**Publication and dissemination plan**

Not provided at time of registration

**Intention to publish date**

**Individual participant data (IPD) sharing plan**

## IPD sharing plan summary

Not provided at time of registration

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	05/08/2011		Yes	No