

Randomised study of Early Assessment by CT scanning in Trauma patients

Submission date 12/09/2005	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered
Registration date 12/09/2005	Overall study status Completed	<input checked="" type="checkbox"/> Protocol
Last Edited 02/05/2012	Condition category Injury, Occupational Diseases, Poisoning	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr J.C. Goslings

Contact details
Trauma Unit AMC, G4-105
Postbus 22660
Amsterdam
Netherlands
1100 DD
+31 (0)20 5666019
j.c.goslings@amc.uva.nl

Additional identifiers

Protocol serial number
ZON-MW 3920.0005

Study information

Scientific Title

Acronym

REACT Trial

Study objectives

A trauma care strategy involving early shockroom CT scanning with a standard diagnostic imaging strategy in trauma patients has a positive effect on both patient outcome and operations research.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Not Specified

Health condition(s) or problem(s) studied

Trauma

Interventions

Patients are transported to either the VUmc or the AMC, based on randomisation. Trauma care will remain the same for both institutions, with the only difference the location of the CT scanner.

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

The number of days spent outside the hospital in the first year following the emergency admission in the shockroom will be our primary outcome. This outcome is responsive to differences in mortality (no more/additional days outside hospital), to differences in hospital stay for the initial admission, to differences in readmission rate (i.e. because of missed diagnoses). Furthermore, there is a positive association between a shorter hospital stay and better functional health. Care will be given to harmonize discharge criteria between the two hospitals.

Key secondary outcome(s)

The secondary outcome parameters for the patient outcome part of the study will focus on:

- The process of care parameters of the initial admission. This will include the comparison of various time intervals relevant in trauma care:

1. time to obtain results of CT imaging

2. time to operation or other interventions (door-to-treatment time)
3. time to active bleed managing
4. time to definitive care facility (ICU, high care, nursing ward)
5. duration of intensive care treatment
6. time to discharge from the hospital

- Radiological examinations and findings:

1. the frequency and type of radiological examinations in each strategy
2. description of the number, type and severity of diagnoses categorized by imaging modality in each strategy

- General health. This will be measured in all patients at 6 and 12 months after the shockroom admission using the EuroQol and HUI3 questionnaires.

- All-cause mortality. This will include both in-hospital mortality and mortality during the first year following the trauma.

- Radiation dose. The mean radiation dose will be calculated in both strategies based on the actual number and type of radiological examinations related to the initial trauma performed in each patient during the first year.

Completion date

01/05/2007

Eligibility

Key inclusion criteria

All patients that are transported to the AMC or VUmc shockroom according to current pre-hospital triage system based on:

1. Injury mechanism
2. Revised Trauma Score
3. Presence or absence of traumatic brain injury

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

Excluded from analysis and comparison are:

1. Patients younger than 16 years of age
2. Death during transport to the hospital

Date of first enrolment

01/11/2005

Date of final enrolment

01/05/2007

Locations

Countries of recruitment

Netherlands

Study participating centre

Trauma Unit AMC, G4-105

Amsterdam

Netherlands

1100 DD

Sponsor information

Organisation

Academic Medical Center (AMC) (The Netherlands)

ROR

<https://ror.org/03t4gr691>

Funder(s)

Funder type

Research council

Funder Name

The Netherlands Organization for Health Research and Development (Zon-Mw) (Netherlands)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/01/2012		Yes	No
Protocol article	1. study protocol	22/08/2008		Yes	No
Study website	Study website	11/11/2025	11/11/2025	No	Yes