

# Optimum platelet inhibition after coronary artery bypass surgery: a prospective, randomised trial comparing platelet aggregation using low- and medium-dose aspirin and clopidogrel

<b>Submission date</b> 12/09/2003	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 12/09/2003	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 09/09/2009	<b>Condition category</b> Surgery	<input type="checkbox"/> Individual participant data

**Plain English summary of protocol**  
Not provided at time of registration

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Mr Stephen Large

**Contact details**  
Surgical Unit Top Floor  
Papworth Hospital NHS Trust  
Papworth Everard  
Cambridge  
United Kingdom  
CB3 8RE

## Additional identifiers

**Protocol serial number**  
N0542115296

## Study information

## Scientific Title

### Study objectives

To determine the most effective anti-platelet agent following coronary artery bypass grafting (CABG).

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

Not provided at time of registration

### Study design

Randomised controlled trial

### Primary study design

Interventional

### Study type(s)

Treatment

### Health condition(s) or problem(s) studied

Coronary artery bypass grafting (CABG)

### Interventions

Patients will be randomised into treatment allocation to receive either 100 mg aspirin, 325 mg aspirin or identically encapsulated 75 mg clopidogrel daily for 5 days.

### Intervention Type

Procedure/Surgery

### Phase

Not Specified

### Primary outcome(s)

Platelet aggregation ratio at 5 days.

### Key secondary outcome(s)

Not provided at time of registration

### Completion date

01/06/2004

## Eligibility

### Key inclusion criteria

72 Patients and 36 controls will be recruited from patients proceeding to coronary artery bypass surgery.

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Not Specified

**Sex**

Not Specified

**Key exclusion criteria**

Does not match inclusion criteria

**Date of first enrolment**

28/08/2002

**Date of final enrolment**

01/06/2004

**Locations****Countries of recruitment**

United Kingdom

England

**Study participating centre**

**Surgical Unit Top Floor**

Cambridge

United Kingdom

CB3 8RE

**Sponsor information****Organisation**

Department of Health (UK)

**Funder(s)****Funder type**

Hospital/treatment centre

**Funder Name**

Cambridge Consortium - Papworth Hospital NHS Trust (UK) - Papworth Hospital Charitable Funds

## Results and Publications

**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration

**Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	01/09/2004		Yes	No