

Comparison of contact lenses for correction of presbyopia

Submission date 04/04/2023	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 04/04/2023	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 25/02/2026	Condition category Eye Diseases	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

As adults get older, they develop a need for an additional prescription for their reading vision. This can be provided by soft contact lenses, called multifocal contact lenses which offer a prescription for their distance vision and their near vision. There are a number of different designs available on the market. This study aims to compare a marketed multifocal contact lens with a contact lens design not available on the market.

Who can participate ?

Adults who are current multifocal soft contact lens wearers

What does the study involve ?

The participants will attend a total of three visits as described below. Participants will attend the clinic on three separate occasions approximately one week apart. Two different contact lenses will be dispensed at the first two visits and to be worn for approximately a week. At visits 2 and 3 the acceptance will be assessed by the investigators.

What are the possible benefits and risks of participating ?

Participants have the opportunity to try contact lenses to correct their presbyopia. Any contact lens wear comes at the risk of corneal infection, but the incidence rate is very low.

Where is the study run from?

Ocular Technology Group - International (OTG-i) (UK)

When is the study starting and how long is it expected to run for?

January 2022 to June 2024

Who is funding the study?

Brien Holden Vision Institute (BHVI) (Australia)

Who is the main contact?

Deborah Moore, DMoore@otg.co.uk (UK)

Contact information

Type(s)

Public

Contact name

Miss Deborah Moore

Contact details

66 Buckingham Gate

London

United Kingdom

SW1E 6AU

+44 (0)2072224224

dmoore@otg.co.uk

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Integrated Research Application System (IRAS)

322080

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

CRTC2022-01 ID22-37

Study information

Scientific Title

CREST EDOF Contact Lenses vs MyDay contact lenses

Acronym

CRIMSON

Study objectives

The hypothesis to be tested will be that the visual acceptance, reported in terms of overall binocular vision satisfaction, of test contact lenses for presbyopia is non-inferior to that of control contact lenses.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 22/02/2023, North of Scotland Research Ethics Committee 2 (2nd Floor, Waverley Gate, 2-4 Waterloo Place, Edinburgh, EH1 3EG, UK; +44 (0)1315369000; ruth.fraser4@nhslothian.scot.nhs.uk), ref: 23/SS/0009

Study design

Two-arm prospective double-masked randomized crossover trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Presbyopia

Interventions

Randomisation is carried out by a standard computer randomisation generator software. Two types of contact lenses will be worn by each participant in a random order in turn for approximately one week on a daily disposable basis. Each participant attends the clinic on three occasions: the first visit for enrolment, screening and contact lens order 1 dispense, visit 2 for contact lens order 1 follow-up and contact lens order 2 dispense, and visit 3 for contact lens order 2 follow-up and discharge.

Intervention Type

Device

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

CREST EDOF, MyDay Multifocal

Primary outcome(s)

Overall binocular vision satisfaction measured using a 0-100point Visual Analogue Scale (VAS) with anchor descriptors of 0 = Extremely Unsatisfied and 100 = Extremely satisfied, after 1 week of contact lens wear

Key secondary outcome(s)

Mean binocular visual acuity, measured as the mean visual acuity of overall distance and overall near visual acuities, after 1 week of contact lens wear

Completion date

01/06/2024

Eligibility

Key inclusion criteria

1. 40 or more years of age
2. Current multifocal contact lens wearer
3. Spectacle refraction:
 - 3.1. Distance: Sphere: -5.00D to + 3.00D
 - 3.2. Astigmatism: 0.00 to -0.75D
 - 3.3. Near Spectacle Addition at 40cm
 - 3.4. Medium add presbyopes: +1.50D and +1.75D
 - 3.5. High add presbyopes: +2.00D to +2.50D
4. Best corrected visual acuity of at least 20/25 in each eye
5. Participant has read and understood the Participant Information Sheet
6. Participant has read, signed and dated the Informed Consent
7. Participant willing and able to adhere to the instructions set in the clinical protocol and maintain the appointment schedule

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Mixed

Lower age limit

40 years

Upper age limit

100 years

Sex

All

Total final enrolment

35

Key exclusion criteria

1. Acute and subacute inflammation or infection of the anterior chamber of the eye
2. Any eye disease, injury or abnormality that affects the cornea, conjunctiva or eyelids that would contraindicate contact lens wear
3. Corneal hypoesthesia (reduced corneal sensitivity), if not aphakic
4. Severe insufficiency of lacrimal secretion (dry eyes)
5. Any systemic disease that may affect the eye or may be exaggerated by wearing contact lenses (e.g. acne and eczema)
6. Allergic reactions of ocular surfaces or adnexa that may be induced or exaggerated by wearing contact lenses or use of contact lens solutions
7. Any active corneal infection (bacterial, fungal, protozoal or viral)
8. Newly prescribed (within the past 30 days) use of some systemic medications (such as antihistamines, decongestants, diuretics, muscle relaxants, tranquilizers, stimulants, anti-depressants, anti-psychotics, oral contraceptives) or new prescription eyedrops which is not rewetting/lubricating eyedrops for which contact lens wear could be contraindicated as

determined by the investigator

9. Monocular participants (only one eye with functional vision) or participants fit with only one lens

10. Subjects with slit lamp findings greater than grade 1 (e.g. edema, infiltrates, corneal neovascularization, corneal staining, tarsal abnormalities, conjunctival, anterior segment inflammation) as per ISO 11980, any previous history or signs of a contact lens related corneal inflammatory event (past corneal ulcers), or any other ocular abnormality that may contraindicate contact lens wear at the enrolment visit

11. History of corneal refractive surgery

12. Enrolment of the family members of the investigator, family members of the investigator's staff, or individuals living in the households of these individuals

13. Current wearer of the control contact lenses, MyDay® Multifocal

Date of first enrolment

07/04/2023

Date of final enrolment

01/12/2023

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Ocular Technology Group – International

66 Buckingham Gate

London

England

SW1E 6AU

Sponsor information

Organisation

Brien Holden Vision Institute

ROR

<https://ror.org/00g1p6865>

Funder(s)

Funder type

Research organisation

Funder Name

Brien Holden Vision Institute

Alternative Name(s)

Funding Body Type

Private sector organisation

Funding Body Subtype

Other non-profit organizations

Location

Australia

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Basic results	version 1.0	18/02/2026	25/02/2026	No	No