

The use of narrow band imaging versus conventional colonoscopy for the detection of dysplasia and cancer in patients with longstanding ulcerative colitis: a randomised cross-over study

Submission date 22/01/2007	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 22/01/2007	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 15/01/2021	Condition category Digestive System	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Evelien Dekker

Contact details
Academic Medical Center (AMC)
Department of Gastroenterology and Hepatology
P.O. Box 22660
Amsterdam
Netherlands
1100 DD
+31 (0)20 566 3632
E.Dekker@amc.uva.nl

Additional identifiers

Protocol serial number
NL839, NTR853

Study information

Scientific Title

The use of narrow band imaging versus conventional colonoscopy for the detection of dysplasia and cancer in patients with longstanding ulcerative colitis: a randomised cross-over study

Acronym

EVE II study

Study objectives

Aim: to compare Narrow Band Imaging (NBI) and standard White Light Endoscopy (WLE) for the detection of neoplasia during colonoscopic surveillance of patients with longstanding Ulcerative Colitis (UC).

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approval received from the Medisch Ethische Commissie (Medical Ethical Committee) AMC on the 13th December 2006 (ref: MEC06/279 #06.17.1730).

Study design

Randomised, controlled, crossover trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Ulcerative colitis

Interventions

NBI-Colonoscopy and WLE-colonoscopy.

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

Number of patients with detected neoplasia.

Key secondary outcome(s)

1. Number of neoplastic lesions
2. Pit pattern classification (Kudo) of neoplastic lesions
3. Vascular pattern description of neoplastic lesions

Completion date

01/07/2008

Eligibility

Key inclusion criteria

1. Objective diagnosis of UC (histologically and/or endoscopically)
2. Extensive UC (proximal to splenic flexure)
3. Disease duration more than eight years
4. Inactive disease (Truelove Witts Index less than two)
5. Informed consent

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

Not Specified

Total final enrolment

42

Key exclusion criteria

1. Age less than 18 years
2. Non-correctable coagulopathy

Date of first enrolment

13/12/2006

Date of final enrolment

01/07/2008

Locations

Countries of recruitment

Netherlands

Study participating centre

Academic Medical Center (AMC)

Amsterdam

Netherlands

1100 DD

Sponsor information

Organisation

Academic Medical Center (AMC) (The Netherlands)

ROR

<https://ror.org/03t4gr691>

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

Academic Medical Center (AMC) (The Netherlands)

Alternative Name(s)

Academic Medical Center, AMC

Funding Body Type

Private sector organisation

Funding Body Subtype

Universities (academic only)

Location

Netherlands

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/03/2007	15/01/2021	Yes	No