

# The effect of fasted and non-fasted cycling at different times of the day on appetite regulation, digestive function and metabolism in healthy, lean individuals

<b>Submission date</b> 07/12/2018	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 10/12/2018	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 15/06/2021	<b>Condition category</b> Nutritional, Metabolic, Endocrine	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

Growing interest into nutrition and the circadian system has produced many insights within recent years, with circadian rhythms, metabolism, and nutrition suggested to be intimately linked. However, the effects of meal timing and exercise on appetite regulation and health outcomes are poorly understood. Intermittent fasting has become an increasingly popular intervention for metabolic health and combining intermittent fasting with exercise may lead to benefits for weight management practices. Therefore, the aim of this study is to investigate the effect of fasted versus fed exercise at different times of the day on gastrointestinal function, metabolic responses, and appetite responses, in lean individuals.

### Who can participate?

Males aged 18-40 years who are non-smokers and have a body mass index (BMI) of 20.5–24.9 kg/m<sup>2</sup> but otherwise healthy.

### What does the study involve?

The participants will visit the laboratory on 5 occasions, once for a preliminary visit and on four other occasions to complete four separate experimental trials, two in the morning and two in the late afternoon. Experimental trials will consist of cycling exercise under 4 conditions; morning fed (AM-F), morning fasted (AM-NF), late afternoon fed (PM-F) and late afternoon fasted (PM-NF). Each experimental trial will last approximately 5.5 hours and begin at 0800 h for AM trials and 1500 h for PM trials. The AM-F and PM-F trials will consist of ingestion of a standardised breakfast meal one hour in advance of the exercise, whilst in the AM-NF and PM-NF trials, participants will not ingest the breakfast meal and remain fasted for the exercise. After the exercise participants will be provided with a standardised semi-solid meal. Regular breath and blood samples will be taken throughout the trials.

### What are the possible benefits and risks of participating?

Participants will be able to receive data on their current aerobic fitness, body composition, and

dietary analysis. Apart from this, there will be no immediate direct benefits to participants taking part. However, the results and participants' experiences in the study will aid the research team in understanding the effect of fasting and exercise on the regulation of appetite and help develop further research on interventions that may help people improve their health. There is a small risk of muscle soreness and discomfort after each exercise session and a small risk of infection and discomfort from blood sampling.

Where is the study run from?  
Manchester Metropolitan University.

When is the study starting and how long is it expected to run for?  
December 2018 – September 2019

Who is funding the study?  
Manchester Metropolitan University

Who is the main contact?  
Dr Adora Yau, a.yau@mmu.ac.uk

## Contact information

**Type(s)**  
Public

**Contact name**  
Dr Victoria McIver

**Contact details**  
NB443, Northumberland Building  
Northumbria University  
Newcastle upon Tyne  
United Kingdom  
NE1 8ST  
+44 (0) 191 227 3910  
Victoria.mciver@northumbria.ac.uk

**Type(s)**  
Scientific

**Contact name**  
Dr Adora Yau

**ORCID ID**  
<http://orcid.org/0000-0001-9969-3764>

**Contact details**  
School of Healthcare Science, Faculty of Science and Engineering, Manchester Metropolitan University, Chester Street  
Manchester  
United Kingdom  
M1 5GD

+441612475504  
a.yau@mmu.ac.uk

## **Additional identifiers**

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

VJM\_0855

## **Study information**

### **Scientific Title**

Circadian influences of fasted versus non-fasted cycling on metabolic responses, gastrointestinal function, and appetite in a healthy lean population

### **Acronym**

FastExLean

### **Study objectives**

1. Fasted exercise will result in differences in gastric emptying rate compared to fed exercise.
2. Fed or fasted exercise in the morning will result in differences in gastric emptying rate compared to fed or fasted exercise in the evening.
3. Fasted exercise will result in different gastrointestinal hormone responses, metabolic responses and appetite responses compared to fed exercise.
4. Fasted or fed exercise in the morning would result in differences in gastrointestinal hormone responses, metabolic responses and appetite responses compared to fasted or fed exercise in the evening.

### **Ethics approval required**

Old ethics approval format

### **Ethics approval(s)**

Manchester Metropolitan University faculty of Science and Engineering Research Ethics and Governance Committee, 10/2018, ref. 0855.

### **Study design**

Interventional, repeated measures design with randomised crossover

### **Primary study design**

Interventional

### **Secondary study design**

Randomised cross over trial

### **Study setting(s)**

Other

## **Study type(s)**

Other

## **Participant information sheet**

Not available in web format, please use contact details to request a participant information sheet

## **Health condition(s) or problem(s) studied**

Obesity

## **Interventions**

The participants will complete four experimental trials in a randomised crossover design. Experimental trials will consist of 60 minutes of cycling under 4 conditions; morning fed (AM-F), morning fasted (AM-NF), late afternoon fed (PM-F) and late afternoon fasted (PM-NF). Each experimental trial will last approximately 5.5 hours and begin at 0800 h for AM trials and 1500 h for PM trials. Trials will be separated by a minimum of 7 days. The AM-F and PM-F trials will consist of ingestion of a standardised breakfast meal one hour in advance of 60 min of cycling exercise at approximately 60% peak maximal oxygen uptake, whilst in the AM-NF and PM-NF trials, participants will not ingest the breakfast and remain fasted for the same exercise. After the exercise in all four trials participants will be provided with a standardised semi-solid meal to ingest. Regular breath and blood samples will be taken throughout the trials. In the 24 hours following the end of each trial, participants will be asked to record their dietary intake. There will be no long term follow up following completion of the study.

## **Intervention Type**

Other

## **Primary outcome measure**

1. Gastric emptying rate of a semi-solid meal that will be provided 30 minutes following the cessation of the cycling exercise will be measured using the  $^{13}\text{C}$  breath test method.
2. Breath samples will be collected every 15 min for a two-hour period.
3. Circulating levels of key gastrointestinal hormones and metabolic markers. Venous blood samples will be collected at baseline, post breakfast ingestion period, 1-hour post breakfast ingestion period (pre-exercise), immediately post 60-min cycle, 30 min post cycle (pre meal ingestion), then at 30 min intervals post meal ingestion for two hours.
4. Subjective feelings of appetite will be assessed using 100 mm visual analogue scales at baseline, post breakfast ingestion period, 30 min post breakfast ingestion period, pre-exercise, post exercise, pre semi-solid meal ingestion, then every 15 min post semi-solid meal ingestion for two hours.
5. 24h post trial energy intake using weighed food intake dietary record.
6. Substrate oxidation will be measured using a breath-by-breath gas analyser at baseline, post breakfast ingestion period, 30 min post breakfast ingestion period, pre-exercise, continuously throughout exercise, pre semi-solid meal ingestion, then every 30 min post semi-solid meal ingestion for two hours.

## **Secondary outcome measures**

1. Salivary melatonin concentration at the start of the trials.
2. Ratings of perceived exertion using the Borg scale and heart rate using telemetry will be recorded pre-exercise and every 15 min during the exercise.

**Overall study start date**

21/08/2018

**Completion date**

26/04/2019

## **Eligibility**

**Key inclusion criteria**

1. Healthy/lean males,
2. Aged between 18-40 years,
3. Non-smokers,
4. Classified as lean according to body fat % and with a BMI of 20.5–24.9 kg/m<sup>2</sup>
5. Stable body weight ( $\pm 3$  kg) for at least 6 months.
6. Able and willing to comply with study procedures.
7. Willing to undertake required fasting duration, and with the capacity to provide informed consent will be included in the study.
8. Free from injury prior to commencing the trials (6+months), with 1+ year free from any injury (such as, lower limb musculoskeletal injuries) that may have prevented and/or affected the participant. from performing cycling previously.
9. Participants will be classified as moderate or intermediate chronotypes according to the questionnaire of Waterhouse et al (2001).

**Participant type(s)**

Healthy volunteer

**Age group**

Adult

**Lower age limit**

18 Years

**Upper age limit**

40 Years

**Sex**

Male

**Target number of participants**

12

**Total final enrolment**

12

**Key exclusion criteria**

1. Individuals on regular medication or with any known history of gastrointestinal, respiratory, cardiovascular, or endocrine disease.
2. Participants will be excluded if they have an early circadian phase also known as extreme morning chronotypes and extreme evening chronotypes.
3. Participants who are involved in shift work and reports any disturbances to their normal sleep-

wake cycle during the two weeks prior to data collection.

4. individuals who cannot consume test meals due to intolerance's/dietary preferences.

**Date of first enrolment**

12/12/2018

**Date of final enrolment**

20/03/2019

## Locations

**Countries of recruitment**

England

United Kingdom

**Study participating centre****Manchester Metropolitan University**

John Dalton Building, Chester Street

Manchester

United Kingdom

M1 5GD

## Sponsor information

**Organisation**

Manchester Metropolitan University

**Sponsor details**

Faculty of Science and Engineering,

John Dalton Building,

Chester Street

Manchester

England

United Kingdom

M1 5GD

0161 247 2818

Justine.Daniels@mmu.ac.uk

**Sponsor type**

University/education

**ROR**

<https://ror.org/02hstj355>

# Funder(s)

## Funder type

University/education

## Funder Name

Manchester Metropolitan University

## Alternative Name(s)

MMU

## Funding Body Type

Private sector organisation

## Funding Body Subtype

Universities (academic only)

## Location

United Kingdom

# Results and Publications

## Publication and dissemination plan

Planned communication of results at a scientific conference.

Planned publication in a high impact peer reviewed journal within 12 months of the completion of the study.

2019 results published in thesis: [https://e-space.mmu.ac.uk/627421/1/PhD%20Thesis\\_VictoriaJoanMcIver.pdf](https://e-space.mmu.ac.uk/627421/1/PhD%20Thesis_VictoriaJoanMcIver.pdf) (added 25/05/2021)

## Intention to publish date

31/05/2020

## Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are not expected to be made available due to the ethical approval granted for this study.

## IPD sharing plan summary

Not expected to be made available