

# The incidence of post-trauma psychopathology study (TRAUMA TIPS): efficacy of an innovative preventive multimedia intervention

<b>Submission date</b> 20/12/2005	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
<b>Registration date</b> 20/12/2005	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 02/10/2014	<b>Condition category</b> Mental and Behavioural Disorders	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

Not provided at time of registration

## Study website

<http://www.traumatips.nl>

## Contact information

### Type(s)

Scientific

### Contact name

Dr J. Mouthaan

### Contact details

Academic Medical Centre  
Department of Psychiatry  
Center for Anxiety Disorders, Research Group Psychotrauma  
Meibergdreef 5  
Netherlands  
1105 AZ  
+31 (0) 20 891 3667  
[j.mouthaan@amc.uva.nl](mailto:j.mouthaan@amc.uva.nl)

## Additional identifiers

EudraCT/CTIS number

IRAS number

**ClinicalTrials.gov number**

**Secondary identifying numbers**

NTR318

## **Study information**

**Scientific Title**

**Acronym**

Trauma Tips-Prevention

**Study objectives**

Our primary hypothesis is whether a brief early multimedia intervention is effective in preventing symptoms of post-traumatic stress, anxiety and depression in injured trauma patients.

On 21/03/2012, the following changes were made to the trial record:

1. The anticipated start date was changed from 01/09/2006 to 01/09/2007.
2. The anticipated end date was changed from 01/09/2007 to 01/07/2010.
3. The target number of participants was changed from 180 to 300.
4. 'Netherlands Organisation for Health Research and Development (ZonMW) (Grant no. 62300038)' was added to the sources of funding field.

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Received from the local medical ethics committee

**Study design**

Multicentre randomised single-blinded active-controlled parallel-group trial

**Primary study design**

Interventional

**Secondary study design**

Randomised controlled trial

**Study setting(s)**

Hospital

**Study type(s)**

Treatment

**Participant information sheet**

**Health condition(s) or problem(s) studied**

Depression, post-traumatic stress disorder (PTSD), anxiety

## **Interventions**

Current interventions as of 21/03/2012:

The multimedia (MM) intervention group (n = 151) versus the the control/non-intervention group (n = 149).

The subjects' informed consent will be obtained 1 to 7 days after the critical incident. The MM intervention session, lasting a maximum of 30 minutes, is an internet-based programme containing interactive elements and visual and auditory materials. Its aim is to reduce acute psychological stress in trauma victims. The following core and elective modules will be included:

1. Information about procedures in trauma units
2. Information about commonly experienced reactions to accident injuries
3. An audio clip providing relaxation techniques
4. Tips for dealing with the initial period after the traumatic experience

Subjects will be assessed at pre-intervention (1 to 7 days after the trauma and immediately preceding the intervention) and at post-intervention (immediately following the intervention and at 1, 3, 6 and 12 months post-trauma).

Previous interventions:

The multimedia (MM) intervention group (n = 90) versus the the control/non-intervention group (n = 90).

The subjects informed consent will be obtained 1 to 7 days after the critical incident. The MM intervention session, lasting a maximum of 30 minutes, is an internet-based programme containing interactive elements and visual and auditory materials. Its aim is to reduce acute psychological stress in trauma victims. The following core and elective modules will be included:

1. Information about procedures in trauma units
2. Information about commonly experienced reactions to accident injuries
3. An audio clip providing relaxation techniques
4. Tips for dealing with the initial period after the traumatic experience

Subjects will be assessed at pre-intervention (1 to 7 days after the trauma and immediately preceding the intervention) and at post-intervention (immediately following the intervention and at 1 month and 6 months post-trauma).

## **Intervention Type**

Other

## **Phase**

Not Applicable

## **Primary outcome measure**

PTSD scores (Clinician-Administered PTSD Scale [CAPS] and the revised Impact of Event Scale [IES-R])

## **Secondary outcome measures**

1. Other psychopathology (Mini International Neuropsychiatry Interview Plus [MINI-PLUS] clinical interview)
2. Anxiety and depression (Hospital Anxiety and Depression Score [HADS] questionnaire)
3. Quality of life (World Health Organization Quality of Life Assessment [WHOQOL])

**Overall study start date**

01/09/2007

**Completion date**

01/07/2010

## Eligibility

**Key inclusion criteria**

1. Injured patients who entered the shockrooms of the Academic Medical Centre (AMC) or the Vrije University Medical Centre (VUMC) in Amsterdam, Netherlands
2. Aged 18 years and older
3. Proficiency in Dutch

**Participant type(s)**

Patient

**Age group**

Adult

**Lower age limit**

18 Years

**Sex**

Both

**Target number of participants**

300

**Key exclusion criteria**

1. Mentally incapable of participating in trial (i.e., Glasgow Coma Scale score less than 13)
2. Physically incapable of participating in trial
3. Suicidality
4. Fulfilling diagnostic criteria for a bipolar disorder, depression with psychotic features, psychotic disorder or organic disorder according to Diagnostic and Statistical Manual of Mental Disorders, fourth edition (DSM IV)

**Date of first enrolment**

01/09/2007

**Date of final enrolment**

01/07/2010

## Locations

**Countries of recruitment**

Netherlands

**Study participating centre**  
**Academic Medical Centre**  
Meibergdreef 5  
Netherlands  
1105 AZ

## Sponsor information

**Organisation**  
Academic Medical Centre (AMC) (Netherlands)

**Sponsor details**  
Academic Medical Centre  
Department of Psychiatry  
Center for Anxiety Disorders, Research Group Psychotrauma  
Meibergdreef 5  
Netherlands  
1105 AZ

**Sponsor type**  
Hospital/treatment centre

**Website**  
<http://www.amcpsychiatrie.nl/>

**ROR**  
<https://ror.org/03t4gr691>

## Funder(s)

**Funder type**  
Hospital/treatment centre

**Funder Name**  
Academic Medical Centre (AMC) (Netherlands)

**Funder Name**  
Achmea Victim and Society Foundation (Achmea Stichting Slachtoffer en Samenleving) (SASS)  
(Netherlands)

**Funder Name**

Netherlands Organisation for Health Research and Development (ZonMW) (Grant no. 62300038)

**Alternative Name(s)**

Netherlands Organisation for Health Research and Development

**Funding Body Type**

Private sector organisation

**Funding Body Subtype**

Other non-profit organizations

**Location**

Netherlands

## Results and Publications

**Publication and dissemination plan**

Not provided at time of registration

**Intention to publish date****Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration

**Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Protocol article</a>	protocol	01/03/2011		Yes	No
<a href="#">Protocol article</a>	protocol	01/09/2011		Yes	No
<a href="#">Results article</a>	results	13/08/2013		Yes	No