Safety and efficacy of the Misago® peripheral self-expanding stent system in real-world patients

Submission date	Recruitment status	Prospectively registered
21/10/2009	No longer recruiting	Protocol
Registration date	Overall study status	Statistical analysis plan
30/11/2009	Completed	Results
Last Edited	Condition category	Individual participant data
12/04/2017	Circulatory System	Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Vladimir Borovicanin

Contact details

Terumo Europe N.V.
European Medical and Clinical Division
Research Park Zone 2, Haasrode
Interleuvenlaan 40
Leuven
Belgium
B-3001
+32 (0)16 38 14 54
vladimir.borovicanin@terumo-europe.com

Additional identifiers

Protocol serial number

T112E2

Study information

Scientific Title

Prospective, non-randomised, multicentre, observational study to further support safety and efficacy of the Misago® peripheral self-expanding stent system in real-world patients

Acronym

E-MISAGO

Study objectives

The objective is to further support safety and efficacy of the Misago® peripheral self-expanding stent system in real-world patients.

The rationale for this study is to create - on the largest scale ever - a window into the real-world of patients treated with the Misago® Stent (as one of the newest generation nitinol self-expanding stents).

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics Committee of UZ Gent (Belgium) approved on 06/08/2009. All other participating countries have submitted to all participating Hospital Ethics Committees wherever such requirement exists prior to enrolment of patients. Last site start up expected April 2010.

Study design

Observational non-randomised single-arm prospective multicentre study

Primary study design

Observational

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Occluded or stenotic iliac, superficial femoral and/or popliteal arteries

Interventions

Observational collection of routine hospital practice including clinical/telephone follow-up and monitoring of all serious adverse events* and medication regiments.

- *An adverse event is considered serious if the event led, or might have led, to one of the following outcomes:
- 1. Death of a patient, USER or other person
- 2. Serious deterioration in state of health of a patient, USER or other person

A serious deterioration in state of health can include:

- 1. Life-threatening illness
- 2. Permanent impairment of a body function or permanent damage to a body structure
- 3. A condition necessitating medical or surgical intervention to prevent point 1 or 2 immediately above

4. Any indirect harm as a consequence of an incorrect diagnostic or in vitro diagnostic medical devices (IVD) test results when used within manufacturer's instructions for use

5. Foetal distress, foetal death or any congenital abnormality or birth defects

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

- 1. Safety: Freedom from all cause death, index limb amputation and target lesion revascularisation through 30 days
- 2. Efficacy: Target vessel patency defined as freedom from target lesion revascularisation caused by greater than 50% stenosis at 1 year

Key secondary outcome(s))

- 1. Technical success defined as a successful access and deployment of the device with recanalisation determined by less than 30% residual stenosis by angiography at the baseline procedure, measured before discharge
- 2. Clinical success defined as technical success without the occurrence of serious adverse events during procedure, measured before discharge
- 3. Ankle Brachial Index improvement at 30 days and 1 year
- 4. Improvement of the Rutherford Index at 30 days and 1 year
- 5. Walking distance at 30 days and 1 year compared with walking distance before procedure (if Treadmill Test available)
- 6. Clinically driven Target Vessel Revascularisation at 1 year
- 7. Major complications at 1 year, (death (CV cause), index limb amputation and target lesion revascularisation within 1 year
- 8. Vascular complications, measured before discharge
- 9. Bleeding complications, measured before discharge
- 10. Improvement of quality of life at 30 days and 1 year

Completion date

01/11/2011

Eligibility

Key inclusion criteria

Patients aged greater than 18 years, either sex, that as per hospital practice are treated with a self-expanding nitinol stent

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit 18 years Sex All Key exclusion criteria Does not meet inclusion criteria Date of first enrolment 01/04/2009 Date of final enrolment 01/11/2011 Locations Countries of recruitment **United Kingdom** Austria Belgium Czech Republic Denmark Estonia France Germany Italy Netherlands Spain Sweden

Study participating centre Terumo Europe N.V. Leuven Belgium B-3001

Sponsor information

Organisation

Terumo Europe N.V. (Belgium)

ROR

https://ror.org/043vk3t22

Funder(s)

Funder type

Industry

Funder Name

Terumo Europe N.V. (Belgium) (ref: T112E2)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type Details Date created Date added Peer reviewed? Patient-facing?

Participant information sheet Participant information sheet 11/11/2025 11/11/2025 No Yes